

Page 1 of 19  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 07.02.2023 / 0010  
Replacing version dated / version: 01.11.2021 / 0009  
Valid from: 07.02.2023  
PDF print date: 17.02.2023  
CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

### CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses of the substance or mixture:

Rinse aid

##### Uses advised against:

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

GB

Igefa Handelsgesellschaft mbH & Co. KG  
Henry-Kruse-Straße 1  
16356 Ahrensfelde OT Blumberg  
Tel.: +49 (0) 33394-51-0  
Fax: +49 (0) 33394-51-210

Details of the supplier of the safety data sheet see section 16 of this safety data sheet.

Qualified person's e-mail address: [info@chemical-check.de](mailto:info@chemical-check.de), [k.schnurbusch@chemical-check.de](mailto:k.schnurbusch@chemical-check.de) Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number

##### Emergency information services / official advisory body:

GB

+49 551 19240 (D-37075 Göttingen, 24 hour)

##### Telephone number of the company in case of emergencies:

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) 1272/2008 (CLP)

Hazard class	Hazard category	Hazard statement
Eye Irrit.	2	H319-Causes serious eye irritation.

#### 2.2 Label elements

##### Labeling according to Regulation (EC) 1272/2008 (CLP)



## Warning

H319-Causes serious eye irritation.

P280-Wear eye protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313-If eye irritation persists: Get medical advice / attention.

## 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

n.a.

### 3.2 Mixtures

2-Ethylhexanol, ethoxylated	
Registration number (REACH)	---
Index	---
EINECS, ELINCS, NLP, REACH-IT List-No.	---
CAS	26468-86-0
content %	1-<10
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Eye Irrit. 2, H319

Citric acid monohydrate	
Registration number (REACH)	01-2119457026-42-XXXX
Index	607-750-00-3
EINECS, ELINCS, NLP, REACH-IT List-No.	201-069-1
CAS	5949-29-1
content %	1-<10
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Eye Irrit. 2, H319 STOT SE 3, H335

Propan-2-ol	
Registration number (REACH)	01-2119457558-25-XXXX
Index	603-117-00-0
EINECS, ELINCS, NLP, REACH-IT List-No.	200-661-7
CAS	67-63-0
content %	1-<10

Page 3 of 19  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 07.02.2023 / 0010  
Replacing version dated / version: 01.11.2021 / 0009  
Valid from: 07.02.2023  
PDF print date: 17.02.2023  
CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

**Classification according to Regulation (EC) 1272/2008 (CLP), M-factors**

Flam. Liq. 2, H225  
Eye Irrit. 2, H319  
STOT SE 3, H336

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.  
The substances named in this section are given with their actual, appropriate classification!  
For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

First-aiders should ensure they are protected!  
Never pour anything into the mouth of an unconscious person!

#### Inhalation

Remove person from danger area.  
Supply person with fresh air and consult doctor according to symptoms.  
If the person is unconscious, place in a stable side position and consult a doctor.

#### Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

Unsuitable cleaning product:

Solvent  
Thinners

#### Eye contact

Remove contact lenses.  
Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### Ingestion

Rinse the mouth thoroughly with water.  
Give copious water to drink - consult doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

The following may occur:

Irritation of the eyes  
Drying of the skin.  
Dermatitis (skin inflammation)  
If solvent components are inhaled above the air threshold-value:

Headaches  
Dizziness  
Effect on the central nervous system  
Coordination disorders  
Mental confusion  
Narcotic effect.

Ingestion:

Nausea  
Vomiting

Effects/damages the central nervous system

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

### 4.3 Indication of any immediate medical attention and special treatment needed

n.c.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Adapt to the nature and extent of fire.  
Water jet spray / alcohol resistant foam / CO2 / dry extinguisher.

#### Unsuitable extinguishing media

Page 4 of 19  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 07.02.2023 / 0010  
Replacing version dated / version: 01.11.2021 / 0009  
Valid from: 07.02.2023  
PDF print date: 17.02.2023  
CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

High volume water jet

## 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Toxic gases

## 5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Cool container at risk with water.

Dispose of contaminated extinction water according to official regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Ensure sufficient supply of air.

Remove possible causes of ignition - do not smoke.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

#### 6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

### 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Flush residue using copious water.

Unsuitable cleaning product:

Solvent

Thinners

### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

### 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Ensure good ventilation.

Avoid inhalation of the vapours.

Keep away from sources of ignition - Do not smoke.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

#### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Page 5 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 07.02.2023 / 0010  
 Replacing version dated / version: 01.11.2021 / 0009  
 Valid from: 07.02.2023  
 PDF print date: 17.02.2023  
 CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

Wash hands before breaks and at end of work.  
 Keep away from food, drink and animal feedingstuffs.  
 Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.  
 Store product closed and only in original packing.  
 Not to be stored in gangways or stair wells.  
 Do not store with flammable or self-igniting materials.  
 Store in a well ventilated place.  
 Protect from direct sunlight and warming.

### 7.3 Specific end use(s)

No information available at present.  
 Observe the instructions for good working practice and the recommendations for risk assessment.  
 Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries,  
 depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Chemical Name	Propan-2-ol		
WEL-TWA: 400 ppm (999 mg/m <sup>3</sup> )	WEL-STEL: 500 ppm (1250 mg/m <sup>3</sup> )	---	
Monitoring procedures:	<ul style="list-style-type: none"> <li>- Draeger - Alcohol 25/a i-Propanol (81 01 631)</li> <li>- Compur - KITA-122 SA(C) (549 277)</li> <li>- Compur - KITA-150 U (550 382)</li> <li>- DFG (D) (Lösungsmittelgemische), DFG (E) (Solvent mixtures 6) - 2013, 2002 - EU project BC/CEN/ENTR/000/2002-16 card 66-3 (2004)</li> <li>- NIOSH 1400 (ALCOHOLS I) - 1994</li> <li>- NIOSH 2549 (VOLATILE ORGANIC COMPOUNDS (SCREENING)) - 1996</li> <li>- Draeger - Alcohol 100/a (CH 29 701)</li> </ul>		
BMGV: ---	Other information: ---		

Citric acid monohydrate						
Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	0,44	mg/l	
	Environment - marine		PNEC	0,044	mg/l	
	Environment - sewage treatment plant		PNEC	1000	mg/l	
	Environment - sediment, freshwater		PNEC	34,6	mg/kg dry weight	
	Environment - sediment, marine		PNEC	3,46	mg/kg dry weight	
	Environment - soil		PNEC	33,1	mg/kg dry weight	

Propan-2-ol						
Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	140,9	mg/l	
	Environment - marine		PNEC	140,9	mg/l	
	Environment - sediment, freshwater		PNEC	552	mg/kg dw	

Page 6 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 07.02.2023 / 0010  
 Replacing version dated / version: 01.11.2021 / 0009  
 Valid from: 07.02.2023  
 PDF print date: 17.02.2023  
 CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

	Environment - sediment, marine		PNEC	552	mg/kg dw	
	Environment - soil		PNEC	28	mg/kg dw	
	Environment - sewage treatment plant		PNEC	2251	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	140,9	mg/l	
	Environment - oral (animal feed)		PNEC	160	mg/kg feed	
Consumer	Human - dermal	Long term, systemic effects	DNEL	319	mg/kg bw/day	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	89	mg/m <sup>3</sup>	
Consumer	Human - oral	Long term, systemic effects	DNEL	26	mg/kg bw/day	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	888	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	500	mg/m <sup>3</sup>	

(GB) WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage. \*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

## 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.  
 If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.  
 Applies only if maximum permissible exposure values are listed here.  
 Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.  
 These are specified by e.g. EN 14042.  
 EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.  
 Wash hands before breaks and at end of work.  
 Keep away from food, drink and animal feedingstuffs.  
 Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:  
 Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:  
 Chemical resistant protective gloves (EN ISO 374).  
 Recommended  
 Protective gloves in butyl rubber (EN ISO 374).

Page 7 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 07.02.2023 / 0010  
 Replacing version dated / version: 01.11.2021 / 0009  
 Valid from: 07.02.2023  
 PDF print date: 17.02.2023  
 CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

Minimum layer thickness in mm:

0,7

Permeation time (penetration time) in minutes:

480

Protective hand cream recommended.

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

If OES or MEL is exceeded.

Gas mask filter A (EN 14387), code colour brown

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Blue
Odour:	Characteristic
Melting point/freezing point:	There is no information available on this parameter.
Boiling point or initial boiling point and boiling range:	98 °C
Flammability:	Flammable
Lower explosion limit:	2,02 Vol-% (20°C, Propan-2-ol)
Upper explosion limit:	12 Vol-% (20°C, Propan-2-ol)
Flash point:	50 °C (Does not maintain combustion. )
Auto-ignition temperature:	425 °C (Propan-2-ol)
Decomposition temperature:	There is no information available on this parameter.
pH:	2 (20°C)
Kinematic viscosity:	There is no information available on this parameter.
Solubility:	Soluble
Partition coefficient n-octanol/water (log value):	Does not apply to mixtures.
Vapour pressure:	42-48 hPa (20°C, Propan-2-ol)
Density and/or relative density:	1,027 g/cm <sup>3</sup> (20°C)
Relative vapour density:	There is no information available on this parameter.
Particle characteristics:	Does not apply to liquids.

### 9.2 Other information

Explosives:	Product is not explosive.
Oxidising liquids:	No

## SECTION 10: Stability and reactivity

### 10.1 Reactivity



Page 8 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 07.02.2023 / 0010  
 Replacing version dated / version: 01.11.2021 / 0009  
 Valid from: 07.02.2023  
 PDF print date: 17.02.2023  
 CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

The product has not been tested.

## 10.2 Chemical stability

Stable with proper storage and handling.

## 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

## 10.4 Conditions to avoid

See also section 7.

Heating, open flame, ignition sources

## 10.5 Incompatible materials

See also section 7.

Avoid contact with strong oxidizing agents.

## 10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

#### CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:					OECD 431 (In Vitro Skin Corrosion - Human Skin Model Test)	Analogous conclusion, Non-caustic
Serious eye damage/irritation:						Expert judgement, Non-caustic
Respiratory or skin sensitisation:						n.d.a.
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity - repeated exposure (STOT-RE):						n.d.a.
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

#### 2-Ethylhexanol, ethoxylated

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000-5000	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	>2000-5000	mg/kg	Rabbit		
Serious eye damage/irritation:						Irritant

#### Citric acid monohydrate

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	3000	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat	OECD 402 (Acute Dermal Toxicity)	



Page 9 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 07.02.2023 / 0010  
 Replacing version dated / version: 01.11.2021 / 0009  
 Valid from: 07.02.2023  
 PDF print date: 17.02.2023  
 CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Eye Irrit. 2
Germ cell mutagenicity:				Rat	OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test)	Negative
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative
Specific target organ toxicity - repeated exposure (STOT-RE), oral:	NOAEL	1200	mg/kg	Rat		
Symptoms:						vomiting, cornea opacity, coughing, stomach pain, mucous membrane irritation

<b>Propan-2-ol</b>						
<b>Toxicity / effect</b>	<b>Endpoint</b>	<b>Value</b>	<b>Unit</b>	<b>Organism</b>	<b>Test method</b>	<b>Notes</b>
Acute toxicity, by oral route:	LD50	4570-5840	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by dermal route:	LD50	12800-13900	mg/kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	
Acute toxicity, by inhalation:	LC50	> 25	mg/l/6h	Rat	OECD 403 (Acute Inhalation Toxicity)	Vapours
Acute toxicity, by inhalation:	LC50	46600	mg/l/4h	Rat		Aerosol
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Eye Irrit. 2
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact)
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative
Germ cell mutagenicity:				Mouse	OECD 474 (Mammalian Erythrocyte Micronucleus Test)	Negative
Germ cell mutagenicity:					OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)	Negative
Germ cell mutagenicity:				Salmonella typhimurium	(Ames-Test)	Negative
Carcinogenicity:						Negative
Specific target organ toxicity - single exposure (STOT-SE):						STOT SE 3, H336
Specific target organ toxicity - repeated exposure (STOT-RE):						Target organ(s): liver
Aspiration hazard:						No



Page 11 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 07.02.2023 / 0010  
 Replacing version dated / version: 01.11.2021 / 0009  
 Valid from: 07.02.2023  
 PDF print date: 17.02.2023  
 CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

12.2. Persistence and degradability:							The surfactant(s) contained in this mixture complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
12.3. Bioaccumulative potential:							n.d.a.
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT and vPvB assessment							n.d.a.
12.6. Endocrine disrupting properties:							Does not apply to mixtures.
12.7. Other adverse effects:							No information available on other adverse effects on the environment.
Other information:							According to the recipe, contains no AOX.

2-Ethylhexanol, ethoxylated							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	13	mg/l	Oncorhynchus mykiss		
12.1. Toxicity to daphnia:	EC50	48h	6,5	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	6,6	mg/l	Scenedesmus subspicatus		
12.2. Persistence and degradability:		28d	>60	%		OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance

Page 12 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 07.02.2023 / 0010  
 Replacing version dated / version: 01.11.2021 / 0009  
 Valid from: 07.02.2023  
 PDF print date: 17.02.2023  
 CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

Toxicity to bacteria:	EC50		680	mg/l			
-----------------------	------	--	-----	------	--	--	--

Citric acid monohydrate							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Other information:	ThOD		686	mg/g			
12.1. Toxicity to fish:	LC50	96h	440-760	mg/l	Leuciscus idus	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	EC50	72h	120	mg/l	Daphnia magna		
12.1. Toxicity to algae:	IC5	7d	640	mg/l	Scenedesmus quadricauda		Anhydrous substance
12.2. Persistence and degradability:		28d	97	%		OECD 301 B (Ready Biodegradability - Co2 Evolution Test)	Readily biodegradable
12.2. Persistence and degradability:		28d	98	%		OECD 302 B (Inherent Biodegradability - Zahn-Wellens/EMPA Test)	Readily biodegradable
12.3. Bioaccumulative potential:	Log Pow		<1				Bioaccumulation is unlikely (LogPow < 1).
Toxicity to bacteria:	EC50		>10000	mg/l	Pseudomonas putida	DIN 38412 T.8	
Other information:	COD		665	mg/g			
Other information:	BOD5		481	mg/g			

Propan-2-ol							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.3. Bioaccumulative potential:	BCF		3,2				Low
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Leuciscus idus		
12.1. Toxicity to fish:	LC50	96h	1400	mg/l	Lepomis macrochirus		
12.1. Toxicity to daphnia:	EC50	48h	2285	mg/l	Daphnia magna		
12.1. Toxicity to daphnia:	EC50	16d	141	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	>100	mg/l	Desmodesmus subspicatus		
12.2. Persistence and degradability:		21d	95	%		OECD 301 E (Ready Biodegradability - Modified OECD Screening Test)	Readily biodegradable
12.2. Persistence and degradability:			99,9	%		OECD 303 A (Simulation Test - Aerobic Sewage Treatment - Activated Sludge Units)	Readily biodegradable

Page 13 of 19  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 07.02.2023 / 0010  
 Replacing version dated / version: 01.11.2021 / 0009  
 Valid from: 07.02.2023  
 PDF print date: 17.02.2023  
 CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

12.3. Bioaccumulative potential:	Log Pow		0,05			OECD 107 (Partition Coefficient (n-octanol/water) - Shake Flask Method)	Slight
12.4. Mobility in soil:	Koc		1,1				Expert judgement
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	EC50		>1000	mg/l	activated sludge		
Toxicity to bacteria:	EC10	16h	1050	mg/l	Pseudomonas putida		
Other organisms:	IC50	3d	2104	mg/l	Lactuca sativa		
Other information:	ThOD		2,4	g/g			
Other information:	BOD5		53	%			
Other information:	COD		96	%			References
Other information:	COD		2,4	g/g			
Other information:	BOD		1171	mg/g			

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

07 06 01 aqueous washing liquids and mother liquors  
20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

Implement substance recycling.

E.g. suitable incineration plant.

#### For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Untaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

Recommended cleaner:

Water

## SECTION 14: Transport information

### General statements

#### Transport by road/by rail (ADR/RID)

14.1. UN number or ID number:	Not applicable
14.2. UN proper shipping name:	
Not applicable	
14.3. Transport hazard class(es):	Not applicable
14.4. Packing group:	Not applicable
14.5. Environmental hazards:	Not applicable
Tunnel restriction code:	Not applicable
Classification code:	Not applicable
LQ:	Not applicable
Transport category:	Not applicable

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 07.02.2023 / 0010

Replacing version dated / version: 01.11.2021 / 0009

Valid from: 07.02.2023

PDF print date: 17.02.2023

CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

**Transport by sea (IMDG-code)**

- 14.1. UN number or ID number: Not applicable
- 14.2. UN proper shipping name: Not applicable
- 14.3. Transport hazard class(es): Not applicable
- 14.4. Packing group: Not applicable
- 14.5. Environmental hazards: Not applicable
- Marine Pollutant: Not applicable
- EmS: Not applicable

**Transport by air (IATA)**

- 14.1. UN number or ID number: Not applicable
- 14.2. UN proper shipping name: Not applicable
- 14.3. Transport hazard class(es): Not applicable
- 14.4. Packing group: Not applicable
- 14.5. Environmental hazards: Not applicable

**14.6. Special precautions for user**

Unless specified otherwise, general measures for safe transport must be followed.

**14.7. Maritime transport in bulk according to IMO instruments**

Non-dangerous material according to Transport Regulations.

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Observe restrictions:

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): 6 %

**REGULATION (EC) No 648/2004**

less than 5 %  
non-ionic surfactants

National requirements/regulations on safety and health protection must be applied when using work equipment.

**15.2 Chemical safety assessment**

A chemical safety assessment is not provided for mixtures.

**SECTION 16: Other information**

Revised sections: 7,8,15,16

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

**Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):**

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Eye Irrit. 2, H319	Expert judgement.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.

Page 15 of 19  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 07.02.2023 / 0010  
Replacing version dated / version: 01.11.2021 / 0009  
Valid from: 07.02.2023  
PDF print date: 17.02.2023  
CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

Eye Irrit. — Eye irritation  
STOT SE — Specific target organ toxicity - single exposure - respiratory tract irritation  
Flam. Liq. — Flammable liquid  
STOT SE — Specific target organ toxicity - single exposure - narcotic effects

### Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.  
Guidelines for the preparation of safety data sheets as amended (ECHA).  
Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).  
Safety data sheets for the constituent substances.  
ECHA Homepage - Information about chemicals.  
GESTIS Substance Database (Germany).  
German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).  
EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.  
National Lists of Occupational Exposure Limits for each country as amended.  
Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Hauptsitz: IGEFA SE & Co. KG Neuenbrook 6 24537 Neumünster Tel. 04321 8510-0 Fax 04321 8510-100 Website: <a href="http://www.igefa.de">www.igefa.de</a> E-Mail: <a href="mailto:info@igefa.de">info@igefa.de</a>	IGEFA Handelsgesellschaft mbH & Co. KG Henry-Kruse-Str. 1 16356 Ahrensfelde / OT Blumberg Tel. 033394 / 51 - 0 Fax 033394 / 51 - 210 <a href="http://www.igefa.de">www.igefa.de</a> E-Mail: <a href="mailto:info@igefa.de">info@igefa.de</a>	IGEFA IT Service GmbH & Co. KG Neuenbrook 6 24537 Neumünster <a href="http://www.igefa.de">www.igefa.de</a>
---	---	--

IGEFA Zentrallogistik GmbH & Co. KG Henry-Kruse-Str. 1 16356 Ahrensfelde / OT Blumberg Tel. 033394 / 51 - 0 Fax 033394 / 51 - 230 E-Mail: <a href="mailto:info@igefa.de">info@igefa.de</a>	IGEFA ProMedical GmbH Daimlerstraße 1 23617 Stockelsdorf Tel. 0451 / 400 31 350 Fax 0451 / 400 31 450 E-Mail: <a href="mailto:info.promed@promedical.igefa.de">info.promed@promedical.igefa.de</a>	Jesse GmbH & Co. KG Triftstraße 33 38723 Seesen Tel. 05391 / 9470-0 Fax 05381 / 9470 - 77 E-Mail: <a href="mailto:info@jesseonline.de">info@jesseonline.de</a>
---	---	---

IGEFA E-Business GmbH & Co. KG Ludwig-Erhard-Ring 16 15827 Blankenfelde-Mahlow OT Dahlewitz Tel. 030 57701543 - 0 Fax 030 57701543 - 2 Email: <a href="mailto:info@idealclean.de">info@idealclean.de</a>	Arndt GmbH & Co. KG Elly-Staegmeyr-Str. 4 80999 München Tel. 089 / 81 85 - 0 Fax 089 / 81 85 - 222 E-Mail: <a href="mailto:arndt.muenchen@igefa.de">arndt.muenchen@igefa.de</a>	Arndt GmbH & Co. KG Hundingstraße 9 90431 Nürnberg Tel. 0911 / 9 93 21 - 0 Fax 0911 / 9 93 21 - 50 E-Mail: <a href="mailto:arndt.nuernberg@igefa.de">arndt.nuernberg@igefa.de</a>
---	--	--

Arndt GmbH & Co. KG Mainfrankenpark 7 97337 Dettelbach Tel. 09302 / 9 31 9 - 00 Fax 09302 / 9 31 9 - 31 E-Mail: <a href="mailto:arndt.wuerzburg@igefa.de">arndt.wuerzburg@igefa.de</a>	Arndt GmbH & Co. KG Eidlerholzstr. 1 87746 Erkheim Tel. 08336 / 80150 - 0 Fax 08336 / 80150 - 777 E-Mail: <a href="mailto:arndt.memmingen@igefa.de">arndt.memmingen@igefa.de</a>	Arndt GmbH & Co. KG Oskar-von-Miller-Straße 6 84051 Essenbach Tel. 08703 / 93 14 - 0 Fax 08703 / 93 14 - 14 E-Mail: <a href="mailto:arndt.landshut@igefa.de">arndt.landshut@igefa.de</a>
---	---	---

IGEFA Dresden GmbH & Co. KG Stuttgarter Str. 7 01189 Dresden Tel. 0351 / 20 78 0 - 0 Fax 0351 / 20 78 0 - 20 E-Mail: <a href="mailto:igefa.dresden@igefa.de">igefa.dresden@igefa.de</a>	Eichler-Kammerer GmbH & Co. KG Darmstädter Str. 64 64572 Büttelborn Tel. 06152 / 94 80 Fax 06152 / 94 83 33 E-Mail: <a href="mailto:hegro@igefa.de">hegro@igefa.de</a>	IGEFA Leipzig GmbH & Co. KG Rudolf-Diesel-Straße 11 04451 Borsdorf, Tel. 034291 / 313 - 0 Fax 034291 / 313144650 E-Mail: <a href="mailto:igefa.leipzig@igefa.de">igefa.leipzig@igefa.de</a>
--	---	--



Page 16 of 19  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 07.02.2023 / 0010  
Replacing version dated / version: 01.11.2021 / 0009  
Valid from: 07.02.2023  
PDF print date: 17.02.2023  
CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

Hegro Eichler GmbH  
Darmstädter Str. 64  
64572 Büttelborn  
Tel. 06152 / 94 80  
Fax 06152 / 94 83 33  
E-Mail: [hegro@igefa.de](mailto:hegro@igefa.de)

Hegro Eichler GmbH  
Siemensstraße 3  
63303 Dreieich  
Tel. 06103 / 57175 - 0  
Fax 06103 / 57175 - 50  
E-Mail: [hegro@igefa.de](mailto:hegro@igefa.de)

Kammerer GmbH & Co. KG  
John-Deere-Straße 13  
76646 Bruchsal  
Tel. 07251 / 78 2 - 0  
Fax 07251 / 78 2 - 44 111  
E-Mail: [kammerer@igefa.de](mailto:kammerer@igefa.de)

Kruse Beteiligungsgesellschaft  
mbH & Co. Kommanditgesellschaft  
Neuenbrook 6  
24537 Neumünster  
Tel. 04321 / 8510 - 0  
Fax 04321 / 8510 - 100  
E-Mail: [kruse@igefa.de](mailto:kruse@igefa.de)

Henry Kruse GmbH & Co. KG  
Zum Fliegerhorst 6  
25980 Sylt-Ost/ Tinnum  
Tel. 04651 / 31 02 8  
Fax 04651 / 32 57 0  
E-Mail: [kruse@igefa.de](mailto:kruse@igefa.de)

IGEFA Köln GmbH & Co. KG  
Geigerstr. 9  
50169 Kerpen  
Tel. 0 22 37 / 97 90 - 0  
Fax 0 22 37 / 97 90 - 301  
E-Mail: [igefa.koeln@igefa.de](mailto:igefa.koeln@igefa.de)

IGEFA Rostock GmbH & Co. KG  
Adolf-Kruse-Straße 1  
18299 Laage/ OT Kronskamp  
Tel. 038459 / 615 - 0  
Fax 038459 / 615 - 305  
E-Mail: [igefa.rostock@igefa.de](mailto:igefa.rostock@igefa.de)

Marco GmbH & Co. KG  
Riegeler Str. 1  
79364 Malterdingen  
Tel. 07644 / 9 27 0  
Fax 07644 / 9 27 555  
E-Mail: [marco.freiburg@igefa.de](mailto:marco.freiburg@igefa.de)

Henry Kruse GmbH & Co. KG  
Neuenbrook 6  
24537 Neumünster  
Tel. 04321 / 8510 - 0  
Fax 04321 / 8510 - 100  
E-Mail: [kruse@igefa.de](mailto:kruse@igefa.de)

Hildebrandt & Bartsch  
GmbH & Co. KG  
Ludwig-Erhard-Ring 16  
15827 Blankenfelde-Mahlow  
Tel. 033708 / 57 - 0  
Fax 033708 / 57 - 444  
E-Mail: [hb@igefa.de](mailto:hb@igefa.de)

PAM Berlin GmbH & Co. KG  
Am Wall 8  
14979 Großbeeren  
Tel.: +49 33701 336 - 0  
Fax: +49 33701 336 - 209  
E-Mail: [info@pam-berlin.de](mailto:info@pam-berlin.de)

Henry Kruse GmbH & Co. KG  
Daimlerstraße 1  
23617 Stockelsdorf  
Tel. 0451 / 400 31 350  
Fax 0451 / 400 31 450  
E-Mail: [kruse@igefa.de](mailto:kruse@igefa.de)

Wittrock & Uhlenwinkel GmbH  
Julius-Faucher-Str. 33  
28307 Bremen  
Tel. 0421 / 48 59 2 - 0  
Fax 0421 / 48 82 65  
E-Mail: [w&u@igefa.de](mailto:w&u@igefa.de)

Wittrock & Uhlenwinkel  
GmbH & Co. Vertriebs KG  
Le-Havre-Str. 10  
28309 Bremen  
Tel. 0421 / 87 15 7 - 0  
Fax 0421 / 87 15 7 - 60  
E-Mail: [w&u.bremen@igefa.de](mailto:w&u.bremen@igefa.de)

Wittrock+Kraatz GmbH & Co.  
Vertriebs KG  
Auf den Pohläckern 24  
31275 Lehrte  
Tel. 05132 / 92 17 0  
Fax 05132 / 92 17 399  
E-Mail: [wittrock+kraatz.lehrte@igefa.de](mailto:wittrock+kraatz.lehrte@igefa.de)

Wittrock & Uhlenwinkel  
GmbH & Co. KG  
Carl-Lüer-Straße 11  
49084 Osnabrück  
Tel. 0541 / 95 70 2 - 0  
Fax 0541 / 58 83 69  
E-Mail: [w&u.osnabrueck@igefa.de](mailto:w&u.osnabrueck@igefa.de)

Oelckers  
GmbH & Co. Vertriebs KG  
Wilfried-Mohr-Straße 7  
25436 Tornesch  
Tel. 04120 / 97 8 - 0  
Fax 04120 / 97 8 - 29 1  
E-Mail: [oelckers.hamburg@igefa.de](mailto:oelckers.hamburg@igefa.de)

Hegro-Eichler GmbH & Co. KG  
Otto-Hahn-Straße 20  
34123 Kassel  
Telefon: 0561 / 95869 - 0  
Telefax: 0561 / 95869 - 44  
E-Mail: [hegro.kassel@igefa.de](mailto:hegro.kassel@igefa.de)

Hegro Eichler  
GmbH & Co. KG  
An der Büßleber Grenze 1  
99098 Erfurt  
Tel. 0361 / 60 24 55 5  
Fax 0361 / 60 24 55 0  
E-Mail: [hegro.erfurt@igefa.de](mailto:hegro.erfurt@igefa.de)

IGEFA Fachgroßhandlung  
Mettmann  
GmbH & Co. Vertriebs KG  
Im Uhlenwinkel 1  
40822 Mettmann  
Tel. 02104 / 91 53  
Fax 02104 / 91 54 90  
E-Mail: [igefa.mettmann@igefa.de](mailto:igefa.mettmann@igefa.de)

Witt Reinigungsbedarf GmbH  
Ohrestrasse 16-18  
39124 Magdeburg  
Tel. 0391 / 40 48 73 3  
Fax 0391 / 40 48 73 4  
E-Mail: [witt.magdeburg@igefa.de](mailto:witt.magdeburg@igefa.de)

Page 17 of 19  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 07.02.2023 / 0010  
Replacing version dated / version: 01.11.2021 / 0009  
Valid from: 07.02.2023  
PDF print date: 17.02.2023  
CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

Arndt Handels GmbH  
Brown-Boveri-Straße 6  
2351 Wiener Neudorf  
Tel. +43 (0) 2236 31346 0  
E-Mail: arndt.wien@igefa.at  
www.igefa.de/arndt-wien

E. Weber & Cie AG  
Industriestrasse 28  
8157 Dielsdorf  
Tel. +41 (0) 44 870 87 00  
E-Mail: info@webstar.ch  
www.webstar.ch

Hazet v.o.f.  
Pieter Liefinckweg 30  
1505 HX Zaandam  
Tel. +41 (0) 75 650 40 30  
E-Mail: info@hazet.igefa.nl  
www.hazet.igefa.nl

Verpa Benelux NV  
Nikelaan 4  
2430 Laakdal  
Tel. +32 (0) 13 66 38 65  
Fax +32 (0) 13 66 63 72  
E-Mail: info@verpa.be  
www.verpa.be

REDELUX TOUSSAINT LUX s.à.r.l.  
83 Rue de Strasbourg  
2561 Luxembourg  
Tel. +352 26 10 28 79  
Fax +352 26 10 28 94  
E-Mail: info@toussaint-lux.com  
www.toussaint-lux.com

ADISCO s.a.r.l.  
333 cours du 3ème Millénaire  
69800 Saint Priest  
Tel. +33 (0) 4 72 01 13 14  
Fax +33 (0) 4 72 01 13 15  
E-Mail: info@adisco.fr  
www.adisco.fr

Toussaint SARL  
Z.A. Rue des Forgerons  
BP 60014  
57916 WOUSTVILLER Cedex  
Tel. +33 (0) 3 87 95 14 74  
Fax +33 (0) 3 87 98 27 69  
E-Mail: info@toussaint.igefa.com  
www.toussaint-sarl.fr

Toussaint 67 SARL  
B.P. 60050  
4, Rue de l'industrie  
67402 Illkirch Cedex  
Tel. +33 (0) 3 88 66 07 10  
Fax +33 (0) 3 88 66 70 13  
E-Mail: info@toussaint.igefa.com  
www.toussaint-sarl.fr

Toussaint 21  
B.P. 24 175,  
Rue du Centre Arco  
21160 Marsannay-la-Côte  
Tel. +33 (0) 3 80 51 29 22  
Fax +33(0) 3 80 51 23 01  
E-Mail: info@toussaint.igefa.com  
www.toussaint-sarl.fr

Toussaint 59 SA  
401, av. Jean-Jacques Segard  
59554 Tilloy-lez-Cambrai  
Tel. +33 (0) 3 27 81 35 08  
Fax +33 (0) 3 27 83 86 64  
E-Mail: info@toussaint.igefa.com  
www.toussaint-sarl.fr

API – MPI  
4-6 Avenue Durand De Gros  
12000 Rodez  
Tel. +33 (0) 5 65 67 12 28  
Fax +33 (0) 5 65 67 15 33  
E-Mail: api-mpi@wanadoo.fr  
www.adisco.fr

BARTHOLUS  
54, avenue Raspail  
94100 Saint Maur-des-Fossés  
Tel. +33 (0) 1 43 68 10 26  
Fax +33 (0) 1 48 93 25 37  
E-Mail: servcom@bartholus-sa.fr  
www.bartholus.fr

CORESTEL  
Z.I. de la Lézarde  
97232 Le Lamentin  
Tel. +33 (0) 5 96 51 78 17  
E-Mail: info@corestel.com  
www.corestel.net

DESLANDES  
ZA les 4 chemins - BP 365  
85403 Luçon Cedex  
Tel. +33 (0) 2 51 56 10 98  
Fax +33 (0) 2 51 56 93 41  
E-Mail: deslandes@deslandes-prosys.fr  
www.deslandes-adisco.com

DIFCO  
83 allée des Violettes  
Z.A. Champ Canon  
BP 72 – 74210 Saint-Ferreol  
Tel. +33 (0) 4 50 32 50 64  
Fax +33 (0) 4 50 32 54 03  
E-Mail: difco@difco.fr  
www.difco.fr

FCH  
570, rue des Mercières  
69140 Rillieux-la-Pape  
Tel. +33 (0) 4 37 85 16 00  
Fax +33 (0) 4 37 85 16 01  
E-Mail: info@fc-hygiene.com  
www.fc-hygiene.com

Hygien Azur  
ZA de l'Ecluse Route de Taradeau - D10  
83460 Les Arcs-sur-Argens  
Tel. +33 (0) 4 94 44 56 06  
Fax +33 (0) 4 94 51 01 26  
E-Mail: contact@hygien-azur.fr  
www.hygien-azur.fr

IDS  
Rue Strada Vechhia – Valrose  
20290 Borgo  
Tel. +33 (0) 4 95 30 30 65  
E-Mail: al.ricomini@groupe-cr.fr  
www.groupe-cr.fr

HYCODIS  
La Porte Du Quercy  
47500 Montayral  
Tel. +33 (0) 5 53 40 96 80  
Fax +33 (0) 5 53 40 81 56  
E-Mail: hycodis@hycodis.fr  
www.hycodis-adisco.com

SERIMCO  
134, rue de Chanzy  
BP 10 - 78801 Houilles Cedex  
Tel. +33 (0) 1 61 04 45 30  
Fax +33 (0) 1 61 04 45 39  
E-Mail: serimco@orange.fr  
www.serimco.fr

SODIPREN  
ZA Parc des Gaillons  
61400 Saint-Hilaire-le-Châtel  
Tel. +33 (0) 2 33 85 37 85  
Fax +33 (0) 2 33 83 57 82  
E-Mail: sodipren-direction@orange.fr  
www.sodipren.com

Page 18 of 19  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 07.02.2023 / 0010  
Replacing version dated / version: 01.11.2021 / 0009  
Valid from: 07.02.2023  
PDF print date: 17.02.2023  
CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

SODIPEC La Trinité  
140, route de Croves, Plan de Blavet  
06240 Drap  
Tel. +33 (0) 4 93 54 75 17  
Fax +33 (0) 4 93 54 82 87  
E-Mail: sodipec@sodipec.com  
www.sodipec.com

SOL SERVICE  
50, Boulevard Marcel Sembat  
69200 Vénissieux  
Tel. +33 (0) 4 72 78 87 87  
E-Mail: contact@solservice.fr  
www.solservice.fr

T.L.D. PRO  
Ecoparc du Val de Sée, Le Chêne au Loup  
50870 Tirepied  
Tel. +33 (0) 2 33 70 91 80  
Fax +33 (0) 2 33 68 19 83  
E-Mail: tldpro@orange.fr  
www.tldpro.fr

E.H.S Eau Hygiène Service  
2001 avenue Julien Panchot  
66000 Perpignan  
Tel. +33 (0) 4 68 82 13 66  
Fax +33 (0) 9 60 50 12 30  
E-Mail: e.h.s@orange.fr

### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to  
ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)  
AOX Adsorbable organic halogen compounds  
approx. approximately  
Art., Art. no. Article number  
ASTM ASTM International (American Society for Testing and Materials)  
ATE Acute Toxicity Estimate  
BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)  
BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)  
BCF Bioconcentration factor  
BSEF The International Bromine Council  
bw body weight  
CAS Chemical Abstracts Service  
CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)  
CMR carcinogenic, mutagenic, reproductive toxic  
DMEL Derived Minimum Effect Level  
DNEL Derived No Effect Level  
DOC Dissolved organic carbon  
dw dry weight  
e.g. for example (abbreviation of Latin 'exempli gratia'), for instance  
EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)  
EC European Community  
ECHA European Chemicals Agency  
ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect  
EEC European Economic Community  
EINECS European Inventory of Existing Commercial Chemical Substances  
ELINCS European List of Notified Chemical Substances  
EN European Norms  
EPA United States Environmental Protection Agency (United States of America)  
ErCx, EµCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)  
etc. et cetera  
EU European Union  
EVAL Ethylene-vinyl alcohol copolymer  
Fax. Fax number  
gen. general  
GHS Globally Harmonized System of Classification and Labelling of Chemicals

Page 19 of 19  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 07.02.2023 / 0010  
Replacing version dated / version: 01.11.2021 / 0009  
Valid from: 07.02.2023  
PDF print date: 17.02.2023  
CLEAN and CLEVER PROFESSIONAL Rinse aid PRO 123

GWP Global warming potential  
Koc Adsorption coefficient of organic carbon in the soil  
Kow octanol-water partition coefficient  
IARC International Agency for Research on Cancer  
IATA International Air Transport Association  
IBC (Code) International Bulk Chemical (Code)  
IMDG-code International Maritime Code for Dangerous Goods  
incl. including, inclusive  
IUCLID International Uniform Chemical Information Database  
IUPAC International Union for Pure Applied Chemistry  
LC50 Lethal Concentration to 50 % of a test population  
LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)  
Log Koc Logarithm of adsorption coefficient of organic carbon in the soil  
Log Kow, Log Pow Logarithm of octanol-water partition coefficient  
LQ Limited Quantities  
MARPOL International Convention for the Prevention of Marine Pollution from Ships  
n.a. not applicable  
n.av. not available  
n.c. not checked  
n.d.a. no data available  
NIOSH National Institute for Occupational Safety and Health (USA)  
NLP No-longer-Polymer  
NOEC, NOEL No Observed Effect Concentration/Level  
OECD Organisation for Economic Co-operation and Development  
org. organic  
OSHA Occupational Safety and Health Administration (USA)  
PBT persistent, bioaccumulative and toxic  
PE Polyethylene  
PNEC Predicted No Effect Concentration  
ppm parts per million  
PVC Polyvinylchloride  
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)  
REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.  
RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)  
SVHC Substances of Very High Concern  
Tel. Telephone  
TOC Total organic carbon  
UN RTDG United Nations Recommendations on the Transport of Dangerous Goods  
VOC Volatile organic compounds  
vPvB very persistent and very bioaccumulative  
wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by:

**Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90**

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.