Hygiene Rake, 205 mm, White





Empty fresh produce from large containers using this Hygiene Rake. For winemaking, the rake can be used to remove residual grapes from the tipper during grape harvest. Available with telescopic or standard handles.

Technical Data

Material Polypropylene Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 300 Pcs. Quantity Per Layer (Pallet) 205 mm Width 210 mm Height 230 mm Width 210 mm Height 230 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg Weight cardboard 0.026 kg Tare total 0.0399 kg Gross Weight 0.46 kg Cubik metre 0.00902 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (non food contact) 100 °C Max. drying temperature	Item Number	56915
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 300 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 205 mm Width 210 mm Height 230 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg Weight cardboard 0.0266 kg Tare total 0.0399 kg Gross Weight 0.46 kg Cubik metre 0.00902 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature 20 °C Max. drying temperature 120 °C Max. ph-value in usage Concentration 10.5 pH Recycling Symbol "5", Polypropyl	Material	Polypropylene
Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 300 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 205 mm Width 210 mm Height 230 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg Weight cardboard 0.0266 kg Tare total 0.0399 kg Gross Weight 0.46 kg Qubik metre 0.00902 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature 2 pH Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 300 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length 205 mm Width 210 mm Height 230 mm Net Weight Say (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg Weight cardboard 0.0266 kg Tare total 0.0399 kg Gross Weight 0.46 kg Cubik metre 0.009902 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max. drying temperature 20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569159		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 300 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 205 mm Width 210 mm Height 230 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.133 kg Weight cardboard 0.0266 kg Tare total 0.0399 kg Gross Weight 0.46 kg Cubik metre 0.009002 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature and contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569159 GTI	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 300 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length 205 mm Width 210 mm Height 0.42 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.133 kg Weight cardboard 0.0266 kg Tare total 0.0399 kg Gross Weight 0.46 kg Cubik metre 0.009902 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature and contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569159 GTIN-14 Number (Box quantity) 15705020569156 Customs Ta	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 300 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 205 mm Width 210 mm Height 230 mm Net Weight 0.42 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg (LDPE) Weight cardboard 0.0266 kg Tare total 0.0399 kg Gross Weight 0.46 kg Cubik metre 0.009902 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Min. usage temperature in on food contact) 100 °C Min. usage temperature 2 pH Max. drying temperature 12 °C Min. pH-value in usage concentration 1.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569159 GTIN-14 Number (Box quantity) 15705020569156 Customs Tariff No. 39241000	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 300 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 205 mm Width 210 mm Height 230 mm Net Weight 0.42 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg (LDPE) Weight cardboard 0.0266 kg Tare total 0.0399 kg Gross Weight 0.46 kg Cubik metre 0.009902 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 2 pH Max. drying temperature 12 °C Min. pH-value in usage concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569156 GTIN-14 Number (Box quantity) 15705020569156 Customs Tariff No. 39241000	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 300 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 205 mm Width 210 mm Height 230 mm Net Weight 0.42 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg Weight cardboard 0.0266 kg Tare total 0.0399 kg Gross Weight 0.46 kg Cubik metre 0.009902 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569159 GTIN-14 Number (Box quantity) 15705020569156 Customs Tariff No. 39241000	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 0 Pcs. Length 205 mm Width 210 mm Height 230 mm Net Weight 0.42 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg Weight cardboard 0.0266 kg Tare total 0.0399 kg Gross Weight 0.46 kg Cubik metre 0.009902 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569159 GTIN-14 Number (Box quantity) 15705020569156 Customs Tariff No. 39241000	Box Quantity	1 Pcs.
Length 205 mm Width 210 mm Height 230 mm Net Weight 0.42 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg Weight cardboard 0.0266 kg Tare total 0.0399 kg Gross Weight 0.46 kg Cubik metre 0.009902 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569159 GTIN-14 Number (Box quantity) 15705020569156 Customs Tariff No. 39241000	Quantity per Pallet (80 x 120 x 200 cm)	300 Pcs
Width 210 mm Height 230 mm Net Weight 0.42 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg Weight cardboard 0.0266 kg Tare total 0.0399 kg Gross Weight 0.46 kg Cubik metre 0.009902 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569159 GTIN-14 Number (Box quantity) 15705020569156 Customs Tariff No. 39241000	Quantity Per Layer (Pallet)	0 Pcs.
Height 230 mm Net Weight 0.42 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0133 kg Weight cardboard 0.0266 kg Tare total 0.0399 kg Gross Weight 0.46 kg Cubik metre 0.009902 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Min. usage temperature and contact 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569159 GTIN-14 Number (Box quantity) 15705020569156 Customs Tariff No. 39241000	Length	205 mm
Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.42 kg Weight cardboard 0.0266 kg Tare total 0.0399 kg Gross Weight 0.46 kg Cubik metre 0.009902 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569159 GTIN-14 Number (Box quantity) 15705020569156 Customs Tariff No. 39241000	Width	210 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0133 kgWeight cardboard0.0266 kgTare total0.0399 kgGross Weight0.46 kgCubik metre0.009902 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569159GTIN-14 Number (Box quantity)15705020569156Customs Tariff No.39241000	Height	230 mm
Weight cardboard 0.0266 kg Tare total 0.0399 kg Gross Weight 0.46 kg Cubik metre 0.009902 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569159 GTIN-14 Number (Box quantity) 15705020569156 Customs Tariff No. 39241000	Net Weight	0.42 kg
Tare total 0.0399 kg Gross Weight 0.46 kg Cubik metre 0.009902 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569159 GTIN-14 Number (Box quantity) 15705020569156 Customs Tariff No. 39241000		0.0133 kg
Gross Weight 0.46 kg Cubik metre 0.009902 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569159 GTIN-14 Number (Box quantity) 15705020569156 Customs Tariff No. 39241000	Weight cardboard	0.0266 kg
Cubik metre0.009902M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569159GTIN-14 Number (Box quantity)15705020569156Customs Tariff No.39241000	Tare total	0.0399 kg
Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569159GTIN-14 Number (Box quantity)15705020569156Customs Tariff No.39241000	Gross Weight	0.46 kg
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569159GTIN-14 Number (Box quantity)15705020569156Customs Tariff No.39241000	Cubik metre	0.009902 M3
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569159GTIN-14 Number (Box quantity)15705020569156Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569159GTIN-14 Number (Box quantity)15705020569156Customs Tariff No.39241000	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569159GTIN-14 Number (Box quantity)15705020569156Customs Tariff No.39241000	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569159GTIN-14 Number (Box quantity)15705020569156Customs Tariff No.39241000	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569159GTIN-14 Number (Box quantity)15705020569156Customs Tariff No.39241000	Max. drying temperature	120 °C
Recycling Symbol "5", Polypropylene (PP) Gtin-13 Number 5705020569159 GTIN-14 Number (Box quantity) 15705020569156 Customs Tariff No. 39241000	Min. pH-value in usage concentration	2 pH
Gtin-13 Number 5705020569159 GTIN-14 Number (Box quantity) 15705020569156 Customs Tariff No. 39241000	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) 15705020569156 Customs Tariff No. 39241000	Recycling Symbol "5", Polypropylene (PP)	Yes
Customs Tariff No. 39241000	Gtin-13 Number	5705020569159
	GTIN-14 Number (Box quantity)	15705020569156
Country of origin Denmark	Customs Tariff No.	39241000
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care

units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.