70125

Mixer w/Holes, Ø31 mm, 1200 mm, White





This fully-moulded Mixer features a long handle and a small blade with holes. Suitable for stirring food ingredients in large pots and vats, the holes ease stirring by allowing ingredients to pass through the stirrer blade.

Technical Data

MaterialPolypropyleneComplies with (EC) 1935/2004 on food contact materials'YesProduced according to EU Regulation 2023/2006/EC of GoodYesFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 PcsQuantity Per Layer (Pallet)1 Pcs.Product Diameter31 mmLength1200 mmWidth063 mmHeight0.001 mmWidth0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (DPE)0.0029 kgCross Weight0.0027 kgCubik metre0.007237 MaRecommended sterilisation temperature (Autoclave)121 °CMax. usage temperature (Doshwasher)93 °CMax. drying temperature (con food contact)100 °CMax. drying temperature2.02 °CMax. drying temperature <th>Item Number</th> <th>70125</th>	Item Number	70125
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 PcsQuantity Per Layer (Pallet)1 Pcs.Product Diameter31 mmLength1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgCubik metre0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. Leangt temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax. drying temperature120 °CMin. usage temperature120 °CMin. usage concentration2 pHMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Material	Polypropylene
Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs Quantity Per Layer (Pallet) 1 Pcs. Product Diameter 31 mm Length 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0209 kg Weight cardboard 0.0418 kg Tare total 0.0627 kg Gross Weight 0.95 kg Cubik metre 0.007237 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 100 °C Max usage temperature -20 °C Max. rpl-value in usage concentration 2 pH Max. pH-value in Usage Concentration 2 pH Max. pH-value in	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 PcsQuantity Per Layer (Pallet)1 Pcs.Product Diameter31 mmLength1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0027 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (Dod contact)100 °CMax usage temperature (Dod contact)100 °CMax. drying temperature20 °CMax. drying temperature20 °CMax. drying temperature2 PHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration3 9241000		Yes
Meets the REACH Regulation (EC) No. 1907/2006YesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 PcsQuantity Per Layer (Pallet)1 Pcs.Product Diameter31 mmLength1200 mmWidth163 mmHeight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 "CMax usage temperature (Dishwasher)93 "CMax usage temperature (Doi contact)100 "CMin. usage temperature (Doi contact)100 "CMin. usage temperature (Doi contact)100 "CMax. drying temperature20 "CMax. drying temperature20 "CMax. drying temperature2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration3 p241000Yes5705020701252Customs Tariff No.39241000	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 PcsQuantity Per Layer (Pallet)1 Pcs.Product Diameter31 mmLength1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMax usage temperature (non food contact)100 °CMax. drying temperature120 °CMax. pH-value in usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration3 9241000	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Yes Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 120 Pcs Quantity Per Layer (Pallet) 1 Pcs. Product Diameter 31 mm Length 1200 mm Width 163 mm Height 37 mm Net Weight 0.89 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0209 kg Weight cardboard 0.0418 kg Tare total 0.0627 kg Gross Weight 0.95 kg Cubik metre 0.007237 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Max. drying temperature 120 °C Max. drying temperature 2 pH Max. pH-value in Usage Concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020701252 Customs Tariff No. 39241000	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity1 Pcs.Quantity per Pallet (80 x 120 x 180-200 cm)120 PcsQuantity Per Layer (Pallet)1 Pcs.Product Diameter31 mmLength1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. usage Concentration2 pHMax. pH-value in usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 180-200 cm)120 PcsQuantity Per Layer (Pallet)1 Pcs.Product Diameter31 mmLength1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)100 °CMin. usage temperatures-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)1 Pcs.Product Diameter31 mmLength1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Box Quantity	1 Pcs.
Product Diameter31 mmLength1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature?-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Quantity per Pallet (80 x 120 x 180-200 cm)	120 Pcs
Length1200 mmWidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Quantity Per Layer (Pallet)	1 Pcs.
Vidth163 mmHeight37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Ioishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesStin-13 Number5705020701252Customs Tariff No.39241000	Product Diameter	31 mm
Height37 mmNet Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Length	1200 mm
Net Weight0.89 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0209 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. usage concentration2 pHMax. pH-value in usage concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Width	163 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene0.0209 kg(LDPE)0.0418 kgWeight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Height	37 mm
(LDPE)Weight cardboard0.0418 kgTare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Net Weight	0.89 kg
Tare total0.0627 kgGross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000		0.0209 kg
Gross Weight0.95 kgCubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Weight cardboard	0.0418 kg
Cubik metre0.007237 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Tare total	0.0627 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Gross Weight	0.95 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Cubik metre	0.007237 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Max. drying temperature	120 °C
Recycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020701252Customs Tariff No.39241000	Min. pH-value in usage concentration	2 pH
Gtin-13 Number 5705020701252 Customs Tariff No. 39241000	Max. pH-value in Usage Concentration	10.5 pH
Customs Tariff No. 39241000	Recycling Symbol "5", Polypropylene (PP)	Yes
	Gtin-13 Number	5705020701252
Country of origin Denmark	Customs Tariff No.	39241000
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.