

Technical Data Sheet

Sweep r-Frame

International article number


171332 (35 cm), 171333 (50 cm)
171334 (65 cm), 171335 (85 cm)

Product classification

Frame

Product composition

Frame plate:	Polypropylene
Flexible end:	Polyamide
Peeler:	Polyamide, TPE
Plug:	Polypropylene, TPE
Swivel Joint, Euro-Clip:	Polyamide
Screw connector, nut:	Polypropylene
POM Bushing:	POM
Axis. spring:	Stainless steel
Rivet, bushing:	Brass, nickel-plated



Technical data

	Typical value	Unit
Weight 35 cm frame	206	g
Weight 50 cm frame	292	g
Weight 65 cm frame	358	g
Weight 85 cm frame	539	g

Product properties and application

- Compatible with Sweep Single and Duo Pro mops (also retro compatible for frame sizes, i.e., 35 and 50 cm, for legacy Sweep mops)
- For two-sided mopping with Sweep Duo mops, frame can be flipped to the other side
- Frame is made from >30% recycled materials
- Easy to put mop on the frame due to frame grip and spring-supported flexible ends
- Flexible connection element for even pressure from the center outward
- Symmetrical design with cut-outs to hold frame steady for mop on/off and finger peelers (35, 50, 65cm) for touch-free, hygienic dirty mop removal
- Fully flat construction for more even contact with mopping surface and less possible places for dirt to be trapped
- Component of externally certified ergonomic system when used with Sweep r-Pro mops and the r-Ergonomic or Telescopic handle
- Thin frame to reach under narrow areas
- For floor, side walls and ceiling cleaning
- Resists most common disinfectants and detergents

Storage, disposal and end-of life

Keep palletized products in a cold and dry place. Avoid exposure to direct sunlight. Product is not subject to transportation regulations for hazardous substances or chemicals. Disposal via landfill or incineration possible. Please respect local regulations.

Quality assurance / Compliance with international standards

This product is compliant to our internal quality standards and external regulations.

Date: 2022/09/14

ALL INFORMATION CONTAINED HEREIN IS GIVEN ON AN "AS IS" BASIS AND BASED ON OUR CURRENT KNOWLEDGE. NO WARRANTY, WRITTEN OR ORAL, EXPRESSED OR IMPLIED IS GIVEN BY US OR MAY BE INFERRED FROM A COURSE OF DEALING OR USAGE OF TRADE NEITHER BASED ON ADVERTISEMENTS, CONCLUDING ACTION NOR COMMERCIAL USE. TO THE EXTENT ALLOWED BY LOCAL LAW WE DISCLAIM ALL IMPLIED WARRANTIES OR CONDITIONS INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND WARRANTIES OF NON-INFRINGEMENT. TECHNICAL DATA ARE TYPICAL VALUES AND SUBJECT TO A CERTAIN TOLERANCE AND VARIATIONS AND CAN BE CHANGED WITHOUT FURTHER PRIOR NOTICE. SOLELY THE CUSTOMER SHALL BE RESPONSIBLE TO ASSESS THE SUITABILITY OF OUR PRODUCTS FOR ANY INTENDED USES AS WELL AS ALL RELEVANT HEALTH, SAFETY AND ENVIRONMENT PROPERTIES AND RISKS.

