

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : SENSATIONS MB3000
Product code : 800322
Vaporizer : Aerosol
SKU # : R0260017

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Air care products
Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Newell Europe Sàrl
Chemin de Blandonnet 10
CH-1214 Vernier - Switzerland
T +44(0)870 5686824
SDS.RCP@newellco.com

Other

Newell Poland Services Sp. z o.o.
Plac Andersa 7
61-894 Poznań - Poland
T +44(0)870 5686824
www.rubbermaid.eu/contact

1.4. Emergency telephone number

Emergency number : +44(0)870 5686824

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229

Serious eye damage/eye irritation, Category 2 H319

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H222 - Extremely flammable aerosol.
H229 - Pressurised container: May burst if heated.
H319 - Causes serious eye irritation.

Precautionary statements (CLP) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 - Do not spray on an open flame or other ignition source.
P251 - Do not pierce or burn, even after use.
P280 - Wear eye protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C, 122 °F.

EUH-statements

: EUH208 - Contains COUMARIN, BENZYL SALICYLATE. May produce an allergic reaction.

SENSATIONS MB3000

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-------------------|--|---------|---|
| Alcohol | (CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43 | 10 - 20 | Flam. Liq. 2, H225 |
| ISOPROPYL ALCOHOL | (CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25 | 1 - 10 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 |
| HEXYLENE GLYCOL | (CAS-No.) 107-41-5 (EC-No.) 203-489-0 (EC Index-No.) 603-053-00-3 (REACH-no) 01-2119539582-35 | 1 - 10 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 |
| COUMARIN | (CAS-No.) 91-64-5 (EC-No.) 202-086-7 (REACH-no) 01-2119949300-45 | 0.1 - 1 | Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 |
| BENZYL SALICYLATE | (CAS-No.) 118-58-1 (EC-No.) 204-262-9 (REACH-no) 01-2119969442-31 | 0.1 - 1 | Skin Sens. 1, H317 |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|---------|---|------------------------------------|
| Alcohol | (CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43 | (50 =<C < 100) Eye Irrit. 2, H319 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|---|
| First-aid measures general | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation | : Cough. Assure fresh air breathing. Allow the victim to rest. |
| First-aid measures after skin contact | : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|------------------------------------|---|
| Symptoms/effects after inhalation | : Shortness of breath. |
| Symptoms/effects after eye contact | : Causes eye irritation. Causes serious eye irritation. |

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Special hazards arising from the substance or mixture

| | |
|-------------|--------------------------------|
| Fire hazard | : Extremely flammable aerosol. |
|-------------|--------------------------------|

SENSATIONS MB3000

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

Hazardous decomposition products in case of fire : Carbon monoxide. Organic compounds.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.

Hygiene measures : Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Alcohol (64-17-5) | | |
|-----------------------------|-------------------------------|------------------------|
| United Kingdom | Local name | Ethanol |
| United Kingdom | WEL TWA (mg/m ³) | 1920 mg/m ³ |
| United Kingdom | WEL TWA (ppm) | 1000 ppm |
| United Kingdom | Regulatory reference | EH40. HSE |
| ISOPROPYL ALCOHOL (67-63-0) | | |
| United Kingdom | Local name | Propan-2-ol |
| United Kingdom | WEL TWA (mg/m ³) | 999 mg/m ³ |
| United Kingdom | WEL TWA (ppm) | 400 ppm |
| United Kingdom | WEL STEL (mg/m ³) | 1250 mg/m ³ |
| United Kingdom | WEL STEL (ppm) | 500 ppm |
| United Kingdom | Regulatory reference | EH40. HSE |

SENSATIONS MB3000

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| HEXYLENE GLYCOL (107-41-5) | | |
|----------------------------|-------------------------------|--------------------------|
| United Kingdom | Local name | 2-Methylpentane-2,4-diol |
| United Kingdom | WEL TWA (mg/m ³) | 123 mg/m ³ |
| United Kingdom | WEL TWA (ppm) | 25 ppm |
| United Kingdom | WEL STEL (mg/m ³) | 123 mg/m ³ |
| United Kingdom | WEL STEL (ppm) | 25 ppm |
| United Kingdom | Regulatory reference | EH40. HSE |

8.2. Exposure controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

Personal protective equipment:

Avoid all unnecessary exposure.

Eye protection:

None under normal use. Chemical goggles or safety glasses

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|----------------------------------|
| Physical state | : Liquid |
| Appearance | : clear. Transparent. |
| Colour | : colourless to slightly yellow. |
| Odour | : characteristic. |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : Not applicable |
| Freezing point | : No data available |
| Boiling point | : Not applicable |
| Flash point | : No data available |
| Auto-ignition temperature | : None |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Extremely flammable aerosol. |
| Vapour pressure | : 3.5 - 4.5 bar |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : 0.619 - 0.645 |
| Solubility | : Water: Slightly soluble |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : 1.8 - 19 vol % |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

SENSATIONS MB3000

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

| Alcohol (64-17-5) | |
|---|------------------------|
| LD50 oral rat | 7060 mg/kg |
| LD50 oral | 10470 mg/kg bodyweight |
| LD50 dermal rabbit | > 16000 mg/kg |
| LD50 dermal | 15800 mg/kg bodyweight |
| LC50 inhalation rat (mg/l) | > 20 mg/l/4h |
| LC50 inhalation rat (Dust/Mist - mg/l/4h) | > 99999 mg/l |

| ISOPROPYL ALCOHOL (67-63-0) | |
|---|------------------------|
| LD50 oral rat | 2000 mg/kg |
| LD50 oral | 4396 mg/kg bodyweight |
| LD50 dermal rat | 2000 mg/kg |
| LD50 dermal | 12800 mg/kg bodyweight |
| LC50 inhalation rat (Dust/Mist - mg/l/4h) | 46600 mg/l |

| HEXYLENE GLYCOL (107-41-5) | |
|----------------------------|-------------------------|
| LD50 oral | > 2000 mg/kg bodyweight |
| LD50 dermal | > 2000 mg/kg bodyweight |

| COUMARIN (91-64-5) | |
|--------------------|----------------------|
| LD50 oral rat | 500 mg/kg |
| LD50 oral | 680 mg/kg bodyweight |

Skin corrosion/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

SENSATIONS MB3000

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--------------------------|---------|
| SENSATIONS MB3000 | |
| Vaporizer | Aerosol |

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Not classified

| | |
|--------------------------------|---------------------|
| Alcohol (64-17-5) | |
| LC50 fish 1 | 13000 mg/l |
| EC50 Daphnia 1 | 9300 mg/l |
| EC50 other aquatic organisms 1 | 5012 mg/l waterflea |
| EC50 other aquatic organisms 2 | 275 mg/l |

| | |
|------------------------------------|----------------------|
| ISOPROPYL ALCOHOL (67-63-0) | |
| LC50 fish 1 | 100 mg/l |
| EC50 Daphnia 1 | 100 mg/l |
| EC50 other aquatic organisms 1 | 13299 mg/l waterflea |
| EC50 other aquatic organisms 2 | > 1000 mg/l |

| | |
|-----------------------------------|---------------------|
| HEXYLENE GLYCOL (107-41-5) | |
| LC50 fish 1 | 8690 mg/l |
| EC50 other aquatic organisms 1 | 5410 mg/l waterflea |
| EC50 other aquatic organisms 2 | > 429 mg/l |

| | |
|--------------------------------|---------------------|
| COUMARIN (91-64-5) | |
| LC50 fish 1 | 56 mg/l |
| EC50 other aquatic organisms 1 | 13.5 mg/l waterflea |

12.2. Persistence and degradability

| | |
|-------------------------------|------------------|
| SENSATIONS MB3000 | |
| Persistence and degradability | Not established. |

| | |
|-------------------------------|------------------|
| Alcohol (64-17-5) | |
| Persistence and degradability | Not established. |

12.3. Bioaccumulative potential

| | |
|---------------------------|------------------|
| SENSATIONS MB3000 | |
| Bioaccumulative potential | Not established. |

| | |
|---------------------------|------------------|
| Alcohol (64-17-5) | |
| Log Pow | -0.32 |
| Bioaccumulative potential | Not established. |

| | |
|------------------------------------|------|
| ISOPROPYL ALCOHOL (67-63-0) | |
| Log Pow | 0.05 |

| | |
|-----------------------------------|------|
| HEXYLENE GLYCOL (107-41-5) | |
| Log Pow | -0.1 |

| | |
|---------------------------|------|
| COUMARIN (91-64-5) | |
| Log Pow | 1.39 |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

| | |
|--|--|
| SENSATIONS MB3000 | |
| This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII | |
| This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII | |

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SENSATIONS MB3000

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830






SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.
- Additional information : Flammable vapours may accumulate in the container.
- Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA | ADN | RID |
|--|---|---|--|---|
| 14.1. UN number | | | | |
| 1950 | 1950 | 1950 | 1950 | 1950 |
| 14.2. UN proper shipping name | | | | |
| AEROSOLS | AEROSOLS | Aerosols, flammable | AEROSOLS | AEROSOLS |
| Transport document description | | | | |
| UN 1950 AEROSOLS, 2.1, (D) | UN 1950 AEROSOLS, 2.1 | UN 1950 Aerosols, flammable, 2.1 | UN 1950 AEROSOLS, 2.1 | UN 1950 AEROSOLS, 2.1 |
| 14.3. Transport hazard class(es) | | | | |
| 2.1 | 2.1 | 2.1 | 2.1 | 2.1 |
|  |  |  |  |  |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Dangerous for the environment : No | Dangerous for the environment : No Marine pollutant : No | Dangerous for the environment : No | Dangerous for the environment : No | Dangerous for the environment : No |
| No supplementary information available | | | | |

14.6. Special precautions for user

- Overland transport

- Classification code (ADR) : 5F
- Special provisions (ADR) : 190, 327, 344, 625
- Limited quantities (ADR) : 11
- Excepted quantities (ADR) : E0
- Packing instructions (ADR) : P207, LP02
- Special packing provisions (ADR) : PP87, RR6, L2
- Mixed packing provisions (ADR) : MP9
- Transport category (ADR) : 2
- Special provisions for carriage - Packages (ADR) : V14
- Special provisions for carriage - Loading, unloading and handling (ADR) : CV9, CV12
- Special provisions for carriage - Operation (ADR) : S2
- Tunnel restriction code (ADR) : D

- Transport by sea

- Special provisions (IMDG) : 63, 190, 277, 327, 344, 959
- Limited quantities (IMDG) : SP277
- Excepted quantities (IMDG) : E0
- Packing instructions (IMDG) : P207, LP02
- Special packing provisions (IMDG) : PP87, L2
- EmS-No. (Fire) : F-D
- EmS-No. (Spillage) : S-U
- Stowage category (IMDG) : None
- Stowage and handling (IMDG) : SW1, SW22

SENSATIONS MB3000

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Segregation (IMDG) : SG69

- Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg
Special provisions (IATA) : A145, A167, A802
ERG code (IATA) : 10L

- Inland waterway transport

Classification code (ADN) : 5F
Special provisions (ADN) : 190, 327, 344, 625
Limited quantities (ADN) : 1 L
Excepted quantities (ADN) : E0
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01, VE04
Number of blue cones/lights (ADN) : 1

- Rail transport

Classification code (RID) : 5F
Special provisions (RID) : 190, 327, 344, 625
Limited quantities (RID) : 1L
Excepted quantities (RID) : E0
Packing instructions (RID) : P207, LP02
Special packing provisions (RID) : PP87, RR6, L2
Mixed packing provisions (RID) : MP9
Transport category (RID) : 2
Special provisions for carriage – Packages (RID) : W14
Special provisions for carriage - Loading, unloading and handling (RID) : CW9, CW12
Colis express (express parcels) (RID) : CE2
Hazard identification number (RID) : 23

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

IBC code : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

| Section | Changed item | Change | Comments |
|---------|--------------------------------|----------|----------|
| | Indication of changes | Added | |
| | Revision date | Added | |
| 2.2 | Precautionary statements (CLP) | Modified | |

SENSATIONS MB3000

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | | | |
|------|---------------------------------------|----------|--|
| 4.1 | First-aid measures after skin contact | Modified | |
| 4.1 | First-aid measures after eye contact | Modified | |
| 4.2 | Symptoms/effects after eye contact | Modified | |
| 5.1 | Suitable extinguishing media | Modified | |
| 5.2 | Explosion hazard | Modified | |
| 6.1 | General measures | Modified | |
| 7.1 | Hygiene measures | Added | |
| 7.1 | Additional hazards when processed | Modified | |
| 7.1 | Precautions for safe handling | Modified | |
| 7.2 | Technical measures | Modified | |
| 7.2 | Storage conditions | Modified | |
| 8.2 | Hand protection | Removed | |
| 8.2 | Eye protection | Modified | |
| 10.2 | Chemical stability | Modified | |
| 10.4 | Conditions to avoid | Modified | |
| 10.5 | Incompatible materials | Modified | |
| 10.6 | Hazardous decomposition products | Modified | |
| 11.1 | Additional information | Removed | |
| 13.1 | Additional information | Modified | |
| 16 | Other information | Modified | |

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : REACH Disclaimer:
This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H- and EUH-statements:

| | |
|---------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aerosol 1 | Aerosol, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Narcosis |
| H222 | Extremely flammable aerosol. |
| H225 | Highly flammable liquid and vapour. |
| H229 | Pressurised container: May burst if heated. |
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| EUH208 | Contains COUMARIN, BENZYL SALICYLATE. May produce an allergic reaction. |

SDS EU ANNEX II NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.