

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : COOL BREEZE DUET
 Product code : 3485860
 Vaporizer : Aerosol
 SKU # : 1910759

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
 Use of the substance/mixture : Air care products
 Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Newell Europe Sàrl
 Chemin de Blandonnet 10
 CH-1214 Vernier - Switzerland
 T +44(0)870 5686824
SDS.RCP@newellco.com

Other

Newell Poland Services Sp. z o.o.
 Plac Andersa 7
 61-894 Poznań - Poland
 T +44(0)870 5686824
www.rubbermaid.eu/contact

1.4. Emergency telephone number

Emergency number : +44(0)870 5686824

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
 Serious eye damage/eye irritation, Category 2 H319
 Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412
 Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H222 - Extremely flammable aerosol.
 H229 - Pressurised container: May burst if heated.
 H319 - Causes serious eye irritation.
 H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P211 - Do not spray on an open flame or other ignition source.
 P251 - Do not pierce or burn, even after use.
 P280 - Wear eye protection.
 P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 - If eye irritation persists: Get medical advice/attention.
 P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C, 122 °F.

COOL BREEZE DUET

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P501 - Dispose of container to an approved waste disposal plant.
EUH-statements : EUH208 - Contains HEXYL CINNAMAL, ACETYL CEDRENE, hexyl 2-hydroxybenzoate. May produce an allergic reaction.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---------------------------|---|---------|---|
| Alcohol | (CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43 | 10 - 20 | Flam. Liq. 2, H225 |
| ISOPROPYL ALCOHOL | (CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25 | 1 - 10 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 |
| 2,6-DIMETHYL-7-OCTEN-2-OL | (CAS-No.) 18479-58-8 (EC-No.) 242-362-4 (REACH-no) 01-2119457274-37 | 1 - 10 | Eye Irrit. 2, H319 |
| HEXYL CINNAMAL | (CAS-No.) 101-86-0 (EC-No.) 202-983-3 (REACH-no) 01-2119533092-50 | 0.1 - 1 | Skin Irrit. 2, H315 Skin Sens. 1, H317 |
| ACETYL CEDRENE | (CAS-No.) 32388-55-9 (EC-No.) 251-020-3 (REACH-no) 01-2119969651-28 | 0.1 - 1 | Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| hexyl 2-hydroxybenzoate | (CAS-No.) 6259-76-3 (EC-No.) 228-408-6 (REACH-no) 01-2119638275-36 | 0.1 - 1 | Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|---------|---|------------------------------------|
| Alcohol | (CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43 | (50 =<C < 100) Eye Irrit. 2, H319 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation : Cough. Assure fresh air breathing. Allow the victim to rest.
First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Shortness of breath.
Symptoms/effects after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

COOL BREEZE DUET

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.
Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.
Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.
Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| ISOPROPYL ALCOHOL (67-63-0) | | |
|-----------------------------|-------------------------------|------------------------|
| United Kingdom | Local name | Propan-2-ol |
| United Kingdom | WEL TWA (mg/m ³) | 999 mg/m ³ |
| United Kingdom | WEL TWA (ppm) | 400 ppm |
| United Kingdom | WEL STEL (mg/m ³) | 1250 mg/m ³ |
| United Kingdom | WEL STEL (ppm) | 500 ppm |
| United Kingdom | Regulatory reference | EH40. HSE |
| Alcohol (64-17-5) | | |
| United Kingdom | Local name | Ethanol |
| United Kingdom | WEL TWA (mg/m ³) | 1920 mg/m ³ |
| United Kingdom | WEL TWA (ppm) | 1000 ppm |

COOL BREEZE DUET

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | | |
|--------------------------|----------------------|-----------|
| Alcohol (64-17-5) | | |
| United Kingdom | Regulatory reference | EH40. HSE |

8.2. Exposure controls

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|----------------------------------|
| Physical state | : Liquid |
| Appearance | : clear. Transparent. |
| Colour | : colourless to slightly yellow. |
| Odour | : characteristic. |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Extremely flammable aerosol. |
| Vapour pressure | : 3.5 - 4.5 bar |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : 0.619 - 0.645 |
| Solubility | : No data available |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : 1.8 - 19 vol % |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

COOL BREEZE DUET

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| HEXYL CINNAMAL (101-86-0) | |
|---|-------------------------|
| LD50 oral | > 2450 mg/kg bodyweight |
| LD50 dermal | > 3000 mg/kg bodyweight |
| LC50 inhalation rat (Dust/Mist - mg/l/4h) | > 5000 mg/l |

| ACETYL CEDRENE (32388-55-9) | |
|-----------------------------|--------------|
| LD50 oral rat | ≈ 5200 mg/kg |
| LD50 dermal rabbit | ≈ 500 mg/kg |

| hexyl 2-hydroxybenzoate (6259-76-3) | |
|-------------------------------------|--------------|
| LD50 oral rat | > 5000 mg/kg |

| ISOPROPYL ALCOHOL (67-63-0) | |
|---|------------------------|
| LD50 oral rat | 2000 mg/kg |
| LD50 oral | 4396 mg/kg bodyweight |
| LD50 dermal rat | 2000 mg/kg |
| LD50 dermal | 12800 mg/kg bodyweight |
| LC50 inhalation rat (Dust/Mist - mg/l/4h) | 46600 mg/l |

| Alcohol (64-17-5) | |
|---|------------------------|
| LD50 oral rat | 7060 mg/kg |
| LD50 oral | 10470 mg/kg bodyweight |
| LD50 dermal rabbit | > 16000 mg/kg |
| LD50 dermal | 15800 mg/kg bodyweight |
| LC50 inhalation rat (mg/l) | > 20 mg/l/4h |
| LC50 inhalation rat (Dust/Mist - mg/l/4h) | > 99999 mg/l |

Skin corrosion/irritation : Not classified
Additional information : Based on available data, the classification criteria are not met
Serious eye damage/irritation : Causes serious eye irritation.
Respiratory or skin sensitisation : Not classified
Additional information : Based on available data, the classification criteria are not met
Germ cell mutagenicity : Not classified
Additional information : Based on available data, the classification criteria are not met
Carcinogenicity : Not classified
Additional information : Based on available data, the classification criteria are not met
Reproductive toxicity : Not classified
Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified
Additional information : Based on available data, the classification criteria are not met
STOT-repeated exposure : Not classified
Additional information : Based on available data, the classification criteria are not met
Aspiration hazard : Not classified
Additional information : Based on available data, the classification criteria are not met

| COOL BREEZE DUET | |
|------------------|---------|
| Vaporizer | Aerosol |

COOL BREEZE DUET

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.
Acute aquatic toxicity : Not classified
Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

| HEXYL CINNAMAL (101-86-0) | |
|--------------------------------|-------------|
| LC50 fish 1 | 1.7 mg/l |
| EC50 other aquatic organisms 2 | > 0.32 mg/l |

| ISOPROPYL ALCOHOL (67-63-0) | |
|--------------------------------|----------------------|
| LC50 fish 1 | 100 mg/l |
| EC50 Daphnia 1 | 100 mg/l |
| EC50 other aquatic organisms 1 | 13299 mg/l waterflea |
| EC50 other aquatic organisms 2 | > 1000 mg/l |

| Alcohol (64-17-5) | |
|--------------------------------|---------------------|
| LC50 fish 1 | 13000 mg/l |
| EC50 Daphnia 1 | 9300 mg/l |
| EC50 other aquatic organisms 1 | 5012 mg/l waterflea |
| EC50 other aquatic organisms 2 | 275 mg/l |

12.2. Persistence and degradability

| COOL BREEZE DUET | |
|-------------------------------|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |

| Alcohol (64-17-5) | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

12.3. Bioaccumulative potential

| COOL BREEZE DUET | |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |

| HEXYL CINNAMAL (101-86-0) | |
|---------------------------|-----|
| Log Pow | 5.3 |

| ISOPROPYL ALCOHOL (67-63-0) | |
|-----------------------------|------|
| Log Pow | 0.05 |

| Alcohol (64-17-5) | |
|---------------------------|------------------|
| Log Pow | -0.32 |
| Bioaccumulative potential | Not established. |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.
Additional information : Flammable vapours may accumulate in the container.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information






In accordance with ADR / RID / IMDG / IATA / ADN

| ADR | IMDG | IATA | ADN | RID |
|-----------------|------|------|------|------|
| 14.1. UN number | | | | |
| 1950 | 1950 | 1950 | 1950 | 1950 |

COOL BREEZE DUET

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| ADR | IMDG | IATA | ADN | RID |
|--|---|---|--|---|
| 14.2. UN proper shipping name | | | | |
| AEROSOLS | AEROSOLS | Aerosols, flammable | AEROSOLS | AEROSOLS |
| Transport document description | | | | |
| UN 1950 AEROSOLS, 2.1, (D) | UN 1950 AEROSOLS, 2.1 | UN 1950 Aerosols, flammable, 2.1 | UN 1950 AEROSOLS, 2.1 | UN 1950 AEROSOLS, 2.1 |
| 14.3. Transport hazard class(es) | | | | |
| 2.1 | 2.1 | 2.1 | 2.1 | 2.1 |
|  |  |  |  |  |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Dangerous for the environment : No | Dangerous for the environment : No Marine pollutant : No | Dangerous for the environment : No | Dangerous for the environment : No | Dangerous for the environment : No |
| No supplementary information available | | | | |

14.6. Special precautions for user

- Overland transport

| | |
|---|----------------------|
| Classification code (ADR) | : 5F |
| Special provisions (ADR) | : 190, 327, 344, 625 |
| Limited quantities (ADR) | : 1I |
| Excepted quantities (ADR) | : E0 |
| Packing instructions (ADR) | : P207, LP02 |
| Special packing provisions (ADR) | : PP87, RR6, L2 |
| Mixed packing provisions (ADR) | : MP9 |
| Transport category (ADR) | : 2 |
| Special provisions for carriage - Packages (ADR) | : V14 |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV9, CV12 |
| Special provisions for carriage - Operation (ADR) | : S2 |
| Tunnel restriction code (ADR) | : D |

- Transport by sea

| | |
|-----------------------------------|-------------------------------|
| Special provisions (IMDG) | : 63, 190, 277, 327, 344, 959 |
| Limited quantities (IMDG) | : SP277 |
| Excepted quantities (IMDG) | : E0 |
| Packing instructions (IMDG) | : P207, LP02 |
| Special packing provisions (IMDG) | : PP87, L2 |
| EmS-No. (Fire) | : F-D |
| EmS-No. (Spillage) | : S-U |
| Stowage category (IMDG) | : None |

- Air transport

| | |
|--|--------------|
| PCA Excepted quantities (IATA) | : E0 |
| PCA Limited quantities (IATA) | : Y203 |
| PCA limited quantity max net quantity (IATA) | : 30kgG |
| PCA packing instructions (IATA) | : 203 |
| PCA max net quantity (IATA) | : 75kg |
| CAO packing instructions (IATA) | : 203 |
| CAO max net quantity (IATA) | : 150kg |
| Special provisions (IATA) | : A145, A167 |
| ERG code (IATA) | : 10L |

COOL BREEZE DUET

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

- Inland waterway transport

| | |
|-----------------------------------|---------------------|
| Classification code (ADN) | : 5F |
| Special provisions (ADN) | : 19, 327, 344, 625 |
| Limited quantities (ADN) | : 1 L |
| Excepted quantities (ADN) | : E0 |
| Equipment required (ADN) | : PP, EX, A |
| Ventilation (ADN) | : VE01, VE04 |
| Number of blue cones/lights (ADN) | : 1 |

- Rail transport

| | |
|---|----------------------|
| Classification code (RID) | : 5F |
| Special provisions (RID) | : 190, 327, 344, 625 |
| Limited quantities (RID) | : 1L |
| Excepted quantities (RID) | : E0 |
| Packing instructions (RID) | : P207, LP02 |
| Special packing provisions (RID) | : PP87, RR6, L2 |
| Mixed packing provisions (RID) | : MP9 |
| Transport category (RID) | : 2 |
| Special provisions for carriage – Packages (RID) | : W14 |
| Special provisions for carriage - Loading, unloading and handling (RID) | : CW9, CW12 |
| Colis express (express parcels) (RID) | : CE2 |
| Hazard identification number (RID) | : 23 |

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

| Section | Changed item | Change | Comments |
|---------|--------------------------------|----------|----------|
| | Revision date | Added | |
| 2.2 | Precautionary statements (CLP) | Modified | |

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:

| | |
|-------------------|---|
| Aerosol 1 | Aerosol, Category 1 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |

COOL BREEZE DUET

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--------------|---|
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Narcosis |
| H222 | Extremely flammable aerosol. |
| H225 | Highly flammable liquid and vapour. |
| H229 | Pressurised container: May burst if heated. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH208 | Contains HEXYL CINNAMAL, ACETYL CEDRENE, hexyl 2-hydroxybenzoate. May produce an allergic reaction. |

SDS EU ANNEX II NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product