

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 01/04/2015 Revision date: 01/09/2017 Version: 2.0

1.1. Product identifier	
Product name	: COTTON BERRY DUET
Product code	: 808391
Type of product	: Aerosol
	: Aerosol
Vaporizer SKU #	: 1910757
SKU #	. 1910/5/
1.2. Relevant identified uses of the	e substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Use of the substance/mixture	: Air care products Odour agents
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the s	safety data sheet
Supplier	Other
Newell Europe Sàrl	Newell Poland Services Sp. z.o.o.
Chemin de Blandonnet 10	Plac Andersa 7
CH-1214 Vernier - Switzerland	61-894 Poznań - Poland
T +44(0)870 5686824 <u>SDS.RCP@newellco.com</u>	T +44(0)870 5686824 www.rubbermaid.eu/contact
1.4. Emergency telephone number	
Emergency number	: +44(0)870 5686824
SECTION 2: Hazards identificat	ion
2.1. Classification of the substance	ce or mixture
Classification according to Regulation Aerosol, Category 1 Serious eye damage/eye irritation, Catego	(EC) No. 1272/2008 [CLP] H222;H229
Classification according to Regulation Aerosol, Category 1 Serious eye damage/eye irritation, Catego 2 Full text of H statements : see section 16	(EC) No. 1272/2008 [CLP] H222;H229 ory H319
Classification according to Regulation Aerosol, Category 1 Serious eye damage/eye irritation, Catego 2 Full text of H statements : see section 16 Adverse physicochemical, human heat No additional information available	(EC) No. 1272/2008 [CLP] H222;H229 ory H319
Classification according to Regulation Aerosol, Category 1 Serious eye damage/eye irritation, Catego 2 Full text of H statements : see section 16 Adverse physicochemical, human healt No additional information available 2.2. Label elements	(EC) No. 1272/2008 [CLP] H222;H229 ory H319 th and environmental effects
Classification according to Regulation Aerosol, Category 1 Serious eye damage/eye irritation, Catego 2 Full text of H statements : see section 16 Adverse physicochemical, human healt No additional information available 2.2. Label elements Labelling according to Regulation (EC)	(EC) No. 1272/2008 [CLP] H222;H229 ory H319 th and environmental effects
Classification according to Regulation Aerosol, Category 1 Serious eye damage/eye irritation, Catego 2 Full text of H statements : see section 16 Adverse physicochemical, human healt No additional information available 2.2. Label elements Labelling according to Regulation (EC)	(EC) No. 1272/2008 [CLP] H222;H229 ory H319 th and environmental effects
Classification according to Regulation Aerosol, Category 1 Serious eye damage/eye irritation, Catego 2 Full text of H statements : see section 16 Adverse physicochemical, human heal No additional information available 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP)	(EC) No. 1272/2008 [CLP] H222;H229 any H319 th and environmental effects No. 1272/2008 [CLP] : $:$ $:$ $:$ $:$ $:$ $:$ $:$ $:$ $:$
Classification according to Regulation Aerosol, Category 1 Serious eye damage/eye irritation, Catego 2 Full text of H statements : see section 16 Adverse physicochemical, human healt No additional information available 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP)	(EC) No. 1272/2008 [CLP] H222;H229 ary H319 th and environmental effects No. 1272/2008 [CLP] $I = \bigcup_{GHS02} \bigcup_{GHS07} \bigcup_{GHS0$
Classification according to Regulation Aerosol, Category 1 Serious eye damage/eye irritation, Catego 2 Full text of H statements : see section 16 Adverse physicochemical, human healt No additional information available 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP)	(EC) No. 1272/2008 [CLP] H222;H229 ory H319 th and environmental effects No. 1272/2008 [CLP] : $:$ $:$ $:$ $:$ $:$ $:$ $:$ $:$ $:$
Classification according to Regulation Aerosol, Category 1 Serious eye damage/eye irritation, Catego 2 Full text of H statements : see section 16 Adverse physicochemical, human healt No additional information available 2.2. Label elements Labelling according to Regulation (EC)	(EC) No. 1272/2008 [CLP] H222;H229 ary H319 th and environmental effects No. 1272/2008 [CLP] : Output: Output
Classification according to Regulation Aerosol, Category 1 Serious eye damage/eye irritation, Catego 2 Full text of H statements : see section 16 Adverse physicochemical, human healt No additional information available 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP)	 (EC) No. 1272/2008 [CLP] H222;H229 any H319 th and environmental effects No. 1272/2008 [CLP] i i i i i i i i i i i i i i i i i i i
Classification according to Regulation Aerosol, Category 1 Serious eye damage/eye irritation, Categor Full text of H statements : see section 16 Adverse physicochemical, human head No additional information available 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP)	 (EC) No. 1272/2008 [CLP] H222;H229 by H319 th and environmental effects No. 1272/2008 [CLP] i <

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

hydroxybenzoate, BENZYL SALICYLATE. May produce an allergic reaction.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	10 - 20	Flam. Liq. 2, H225
(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
(CAS-No.) 54464-57-2 (EC-No.) 259-174-3 915-730-3 (REACH-no) 01-2119489989-04	0.1 - 1	Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1, H317
(CAS-No.) 6259-76-3 (EC-No.) 228-408-6 (REACH-no) 01-2119638275-36	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
(CAS-No.) 118-58-1 (EC-No.) 204-262-9 (REACH-no) 01-2119969442-31	0.1 - 1	Skin Sens. 1, H317
_	(EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43 (CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25 (CAS-No.) 54464-57-2 (EC-No.) 259-174-3 915-730-3 (REACH-no) 01-2119489989-04 (CAS-No.) 6259-76-3 (EC-No.) 228-408-6 (REACH-no) 01-2119638275-36	(EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43 (CAS-No.) 67-63-0 (EC Index-No.) 603-117-00-0 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25 (CAS-No.) 54464-57-2 (CAS-No.) 259-174-3 915-730-3 (REACH-no) 01-2119489989-04 (CAS-No.) 6259-76-3 (EC-No.) 228-408-6 (REACH-no) 01-2119638275-36

Name	Product identifier	Specific concentration limits
	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	(50 = <c 100)="" 2,="" <="" eye="" h319<="" irrit.="" td=""></c>

Full text of H-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	:	Cough. Assure fresh air breathing. Allow the victim to rest.
First-aid measures after skin contact	:	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	:	Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	:	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and eff	ects	, both acute and delayed
Symptoms/effects after inhalation	:	Shortness of breath.
Symptoms/effects after eye contact	:	Causes serious eye irritation.
4.3. Indication of any immediate media	cal a	ttention and special treatment needed
No additional information available		
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	:	Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	:	Do not use a heavy water stream.
5.2. Special hazards arising from the s	ubs	tance or mixture
Fire hazard		Extremely flammable aerosol.
11/03/2019		EN (English) 2/

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosio	n hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
5.3.	Advice for firefighters	
Firefighti	ng instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.
Protectio	n during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION	ON 6: Accidental release meas	ures
6.1.	Personal precautions, protective equ	lipment and emergency procedures
General	measures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.
6.1.1.	For non-emergency personnel	
Emergen	cy procedures	: Evacuate unnecessary personnel.
6.1.2.	For emergency responders	
Protectiv	e equipment	: Equip cleanup crew with proper protection.
Emergen	cy procedures	: Ventilate area.
6.2.	Environmental precautions	
Prevent e	entry to sewers and public waters. Notify	authorities if liquid enters sewers or public waters.
6.3.	Methods and material for containme	nt and cleaning up
Methods	for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4.	Reference to other sections	
See Hea	ding 8. Exposure controls and personal p	protection.
SECTION	ON 7: Handling and storage	
7.1.	Precautions for safe handling	
Additiona	al hazards when processed	: Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.
Precautio	ons for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.
Hygiene	measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2.	Conditions for safe storage, includin	g any incompatibilities
Technica	Il measures	: Proper grounding procedures to avoid static electricity should be followed.
Storage of	conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Incompat	tible products	: Strong bases. Strong acids.
Incompat	tible materials	: Sources of ignition. Direct sunlight. Heat sources.
7.3.	Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ISOPROPYL ALCOHOL (67-63-0)				
United Kingdom	Local name	Propan-2-ol		
United Kingdom	WEL TWA (mg/m ³)	999 mg/m ³		
United Kingdom	WEL TWA (ppm)	400 ppm		
United Kingdom	WEL STEL (mg/m ³)	1250 mg/m ³		
United Kingdom	WEL STEL (ppm)	500 ppm		
United Kingdom	Regulatory reference	EH40. HSE		
Alcohol (64-17-5)				
United Kingdom	Local name	Ethanol		
United Kingdom	WEL TWA (mg/m ³)	1920 mg/m ³		
United Kingdom	WEL TWA (ppm)	1000 ppm		
United Kingdom	Regulatory reference	EH40. HSE		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2. Exposure controls

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical	properties			
9.1. Information on basic physical and chemical properties				
Physical state	: Liquid			
Appearance	: clear. Transparent.			
Colour	: colourless to slightly yellow.			
Odour	: characteristic.			
Odour threshold	: No data available			
рН	: No data available			
Relative evaporation rate (butylacetate=1)	: No data available			
Melting point	: No data available			
Freezing point	: No data available			
Boiling point	: No data available			
Flash point	: No data available			
Auto-ignition temperature	: No data available			
Decomposition temperature	: No data available			
Flammability (solid, gas)	: Extremely flammable aerosol.			
Vapour pressure	: 3.5 - 4.5 bar			
Relative vapour density at 20 °C	: No data available			
Relative density	: 0.619 - 0.645			
Solubility	: No data available			
Log Pow	: No data available			
Viscosity, kinematic	: No data available			
Viscosity, dynamic	: No data available			
Explosive properties	: No data available			
Oxidising properties	: No data available			
Explosive limits	: 1.8 - 19 vol %			
9.2. Other information				

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Strong acids. Strong bases.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.6. Hazardous decomposition products	
fume. Carbon monoxide. Carbon dioxide.	
lume. Carbon monoxide. Carbon dioxide.	
SECTION 11: Toxicological information	on
11.1. Information on toxicological effects	
	: Not classified
Acute toxicity (dermal)	: Not classified
	: Not classified
· · ·	· · · · · · · · · · · · · · · · · · ·
hexyl 2-hydroxybenzoate (6259-76-3)	5000 malla
	> 5000 mg/kg
ISOPROPYL ALCOHOL (67-63-0)	
LD50 oral rat	2000 mg/kg
LD50 oral	4396 mg/kg bodyweight
LD50 dermal rat	2000 mg/kg
LD50 dermal	12800 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/l
Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 oral	10470 mg/kg bodyweight
LD50 dermal rabbit	> 16000 mg/kg
LD50 dermal	15800 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 99999 mg/l
Skin corrosion/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met

Additional information : Based on available data, the classification criteria are not met STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met Aspiration hazard : Not classified Additional information : Based on available data, the classification criteria are not met **COTTON BERRY DUET** Vaporizer Aerosol

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met.

SECTION 12: Ecological informa	ation	
12.1. Toxicity		
Acute aquatic toxicity	: Not classified	
Chronic aquatic toxicity	: Not classified	
ISOPROPYL ALCOHOL (67-63-0)		
LC50 fish 1	100 mg/l	
EC50 Daphnia 1	100 mg/l	
EC50 other aquatic organisms 1	13299 mg/l waterflea	
EC50 other aquatic organisms 2	> 1000 mg/l	
11/03/2019	ENI (English)	5/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Alcohol (64, 17, 5)				•		
Alcohol (64-17-5)		40000				
LC50 fish 1		13000	-			
EC50 Daphnia 1		9300 mg/l				
EC50 other aquatic organis			mg/l waterflea			
EC50 other aquatic organis	sms 2	275 m	g/I			
12.2. Persistence and	degradability					
COTTON BERRY DUET						
Persistence and degradabi	lity	Not es	stablished.			
Alcohol (64-17-5)						
Persistence and degradabi	lity	Not es	stablished.			
12.3. Bioaccumulative	potential					
COTTON BERRY DUET						
Bioaccumulative potential		Not es	stablished.			
ISOPROPYL ALCOHOL (67-63-0)					
Log Pow		0.05				
Alcohol (64-17-5)		•				
Log Pow		-0.32				
Bioaccumulative potential		Not es	stablished.			
12.4. Mobility in soil						
No additional information ava	ailable					
	nd vPvB assessmen					
No additional information available	ailable					
12.6. Other adverse eff	ects					
Additional information		: Avoid	release to the environment.			
SECTION 13: Dispose		5				
13.1. Waste treatment						
Product/Packaging disposal	recommendations	•	se in a safe manner in acco ure. Do not drill or burn ever	rdance with local/national regula	ations. Container under	
Additional information		•	nable vapours may accumul			
Ecology - waste materials			release to the environment.			
Looogy - waste materials		. Avoiu				
SECTION 14: Transpo	ort information					
In accordance with ADR / RI	D / IMDG / IATA / AD	N				
ADR	IMDG		IATA	ADN	RID	
14.1. UN number						
1950	1950		1950	1950	1950	
14.2. UN proper shippi				1		
AEROSOLS	AEROSOLS		Aerosols, flammable	AEROSOLS	AEROSOLS	
Transport document descr		_				
UN 1950 AEROSOLS, 2.1,	UN 1950 AEROSOL	.S, 2.1	UN 1950 Aerosols,	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1	
(D)			flammable, 2.1			
14.3. Transport hazard class(es)						
14.3.Transport hazard2.1	2.1		2.1	2.1	2.1	
A						

2	2	2	2	2
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental h	azards	÷	·	·
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.6. Special precautions for user

- Overland transport	
-	: 5F
	: 190, 327, 344, 625
	: 1
	: E0
	: P207, LP02
	: PP87, RR6, L2
	: MP9
Transport category (ADR)	: 2
	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
- Transport by sea	
	: 63, 190, 277, 327, 344, 959
	: SP277
	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	None
- Air transport	
	: E0
	: Y203
	: 30kgG
	: 203
	: 75kg
	: 203
	: 150kg
	: A145, A167
,	: 10L
	. IUL
- Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 19, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
- Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
	: MP9
Transport category (RID)	: 2
	: W14

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Section	Changed item	Change	Comments
	Revision date	Added	
2.2	Precautionary statements (CLP)	Modified	

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: None.

Full text of H- and EUH-statements:

Aerosol 1	Aerosol, Category 1
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH208	Contains TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES, hexyl 2-hydroxybenzoate, BENZYL SALICYLATE. May produce an allergic reaction.

SDS EU ANNEX II NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product