

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 05/03/2015 Revision date: 15/03/2019 Version: 2.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Auto Clean Mandarin Purinel

Product code : 800053
Type of product : Detergent
SKU # : R0520109

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Use of the substance/mixture : Container fitted with a sealed spray attachment

Odour agents

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Supplier

Newell Europe Sàrl Chemin de Blandonnet 10 CH-1214 Vernier - Switzerland

T +44(0)870 5686824 SDS.RCP@newellco.com Other Newell Poland Services Sp. z.o.o.

Plac Andersa 7

61-894 Poznań - Poland T +44(0)870 5686824 www.rubbermaid.eu/contact

#### 1.4. Emergency telephone number

Emergency number : +44(0)870 5686824

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226 Serious eye damage/eye irritation, Category H318

1

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS02 GHS05

Signal word (CLP) : Danger

Hazardous ingredients : C9-11 PARETH-3

Hazard statements (CLP) : H226 - Flammable liquid and vapour.
H318 - Causes serious eye damage.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

EUH-statements : EUH208 - Contains CITRONELLOL, LIMONENE, HEXYL CINNAMAL. May produce an allergic

reaction.

#### 2.3. Other hazards

No additional information available

07/06/2019 EN (English) 1/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
C9-11 PARETH-3	(CAS-No.) 68439-46-3 (EC-No.) 500-446-0 (REACH-no) 01-2119979533-26	1 - 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
ISOPROPYL ALCOHOL	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
1-Propoxy-2-Propanol	(CAS-No.) 1569-01-3 (EC-No.) 216-372-4 (REACH-no) 01-2119474443-37	1 - 10	Flam. Liq. 3, H226 Eye Irrit. 2, H319
CITRONELLOL	(CAS-No.) 106-22-9 (EC-No.) 203-375-0 (REACH-no) 01-2119453995-23	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
LIMONENE	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7 (REACH-no) 01-2119529223-47	0.1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
HEXYL CINNAMAL	(CAS-No.) 101-86-0 (EC-No.) 202-983-3 (REACH-no) 01-2119533092-50	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317
Ethoxylate Ethylene oxide substance with a Community workplace exposure limit	(CAS-No.) 75-21-8 (EC-No.) 200-849-9 (EC Index-No.) 603-023-00-X (REACH-no) 01-2119432402-53	< 0.1	Press. Gas Flam. Gas 1, H220 Carc. 1B, H350 Muta. 1B, H340 Acute Tox. 3 (Inhalation), H331 Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315

Full text of H-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Rinse skin with water/shower.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Causes serious eye damage.

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

07/06/2019 EN (English) 2/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No

smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static

discharge. Use only non-sparking tools.

Hygiene measures : Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources,

Ignition sources.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

### 7.3. Specific end use(s)

No additional information available

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

ISOPROPYL ALCOHOL (67-6	53-0)	
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m³)	999 mg/m³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m³)	1250 mg/m³
United Kingdom	WEL STEL (ppm)	500 ppm
United Kingdom	Regulatory reference	EH40. HSE
Ethoxylate Ethylene oxide (7	<sup>'</sup> 5-21-8)	
United Kingdom	Local name	Ethylene oxide
United Kingdom	WEL TWA (mg/m³)	9.2 mg/m³
United Kingdom	WEL TWA (ppm)	5 ppm
United Kingdom	Remark (WEL)	Carc (Capable of causing cancer and/or heritable
	Noman (WEE)	genetic damage. See paragraphs 49–51)

### 8.2. Exposure controls

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

None under normal use

07/06/2019 EN (English) 3/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Eye protection:

None under normal use

#### Respiratory protection:

None under normal use

#### Other information:

Do not eat, drink or smoke during use.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Colourless.

Odour threshold : No data available
pH : 5.7 - 6.7

pH : 5.7 - 6.7 Relative evaporation rate (butylacetate=1) : No data available

Melting point : No data available

Freezing point : No data available

No data available

No data available

Boiling point :  $> 78 \, ^{\circ}\text{C}$ Flash point :  $31 \, ^{\circ}\text{C}$ 

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapour.

Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : 0.961 - 0.976
Solubility : No data available
Log Pow : No data available
Viscosity, kinematic : No data available

Viscosity, dynamic : 5 mPa·s

Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

07/06/2019 EN (English) 4/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute toxicity (inhalation) : Not classified

ISOPROPYL ALCOHOL (67-63-0)	
LD50 oral rat	2000 mg/kg
LD50 oral	4396 mg/kg bodyweight
LD50 dermal rat	2000 mg/kg
LD50 dermal	12800 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/l
CITRONELLOL (106-22-9)	
LD50 oral	3450 mg/kg bodyweight
LD50 dermal	2650 mg/kg bodyweight
HEXYL CINNAMAL (101-86-0)	
LD50 oral	> 2450 mg/kg bodyweight
LD50 dermal	> 3000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5000 mg/l
1-Propoxy-2-Propanol (1569-01-3)	
LD50 oral rat	> 2519 mg/kg
LD50 oral	> 2000 mg/kg bodyweight
LD50 dermal	3600 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 8462 mg/l
Skin corrosion/irritation	: Not classified
	pH: 5.7 - 6.7
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Causes serious eye damage.

Serious eye damage/irritation : Causes serious eye damage.

pH: 5.7 - 6.7

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Potential adverse human health effects and

EC50 other aquatic organisms 1

symptoms

: Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

ISOPROPYL ALCOHOL (67-63-0)		
LC50 fish 1	100 mg/l	
EC50 Daphnia 1	100 mg/l	
EC50 other aquatic organisms 1	13299 mg/l waterflea	
EC50 other aquatic organisms 2	> 1000 mg/l	
CITRONELLOL (106-22-9)		
LC50 fish 1	10 mg/l	

07/06/2019 EN (English) 5/9

17.48 mg/l waterflea

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CITRONELLOL (106-22-9)		
EC50 other aquatic organisms 2	2.38 mg/l	
HEXYL CINNAMAL (101-86-0)		
LC50 fish 1	1.7 mg/l	
EC50 other aquatic organisms 2	> 0.32 mg/l	
1-Propoxy-2-Propanol (1569-01-3)		
LC50 fish 1	> 100 mg/l	
EC50 other aquatic organisms 2	1466 mg/l	

## 12.2. Persistence and degradability

Auto Clean Mandarin Purinel	
Persistence and degradability	May cause long-term adverse effects in the environment.

## 12.3. Bioaccumulative potential

Auto Clean Mandarin Purinel		
Bioaccumulative potential Not established.		
ISOPROPYL ALCOHOL (67-63-0)		
Log Pow	0.05	
CITRONELLOL (106-22-9)		
Log Pow	3.1	
HEXYL CINNAMAL (101-86-0)		
Log Pow	5.3	
1-Propoxy-2-Propanol (1569-01-3)		
Log Pow	0.6	

### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1993	1993	1993	1993	1993
14.2. UN proper shippi	ing name			
FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	Flammable liquid, n.o.s.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.
Transport document descri	ription			
UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III	UN 1993 Flammable liquid, n.o.s., 3, III	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III	UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III
14.3. Transport hazard	l class(es)			
3	3	3	3	3
3	3	3	3	3
14.4. Packing group				
III	III	III	III	III

07/06/2019 EN (English) 6/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	ADN	RID
14.5. Environmental	hazards			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

#### 14.6. Special precautions for user

#### - Overland transport

: F1 Classification code (ADR)

Special provisions (ADR) : 274, 601, 640E

Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions : T4

(ADR)

Portable tank and bulk container special : TP1, TP29

provisions (ADR) : LGBF Tank code (ADR) Vehicle for tank carriage : FL Transport category (ADR) : 3 Special provisions for carriage - Packages : V12

(ADR)

: S2 Special provisions for carriage - Operation

(ADR)

Hazard identification number (Kemler No.)

Orange plates



: A

Tunnel restriction code (ADR) : D/E EAC code : •3YE

## - Transport by sea

Special provisions (IMDG) : 223, 274, 955

Limited quantities (IMDG) : 5 L : E1 Excepted quantities (IMDG)

Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 : T4 Tank instructions (IMDG) : TP1, TP29 Tank special provisions (IMDG) : F-E EmS-No. (Fire) EmS-No. (Spillage) : S-E

## - Air transport

Stowage category (IMDG)

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y344 PCA limited quantity max net quantity (IATA) : 10L PCA packing instructions (IATA) : 355 PCA max net quantity (IATA) : 60L CAO packing instructions (IATA) : 366 CAO max net quantity (IATA) : 220L Special provisions (IATA) : A3 ERG code (IATA) : 3L

#### - Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 274, 61, 64E

07/06/2019 EN (English) 7/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : F1
Special provisions (RID) : 274, 601
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions : T4

(RID)

Portable tank and bulk container special : TP1, TP29

provisions (RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3
Special provisions for carriage – Packages : W12

(RID)

Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

IBC code : Not applicable.

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Allergenic fragrances > 0,01%:

CITRONELLOL LIMONENE

LINALOOL Hexyl cinnamic aldehyde

Citral

Detergent Regulation : Labelling of contents:

Component	%
perfumes	
CITRONELLOL	
LIMONENE	
LINALOOL	
HEXYL CINNAMIC ALDEHYDE	
CITRAL	

## 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

#### Indication of changes:

Section	Changed item	Change	Comments
	Revision date	Added	
1.1	Product code	Modified	
2.2	Precautionary statements (CLP)	Modified	

07/06/2019 EN (English) 8/9

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Composition/information on ingredients	Modified	
--	----------	--

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

#### Full text of H- and EUH-statements:

Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Carc. 1B	Carcinogenicity, Category 1B
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Lig. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Muta. 1B	Germ cell mutagenicity, Category 1B
Press. Gas	Gases under pressure
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H340	May cause genetic defects.
H350	May cause cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH208	Contains CITRONELLOL, LIMONENE, HEXYL CINNAMAL. May produce an allergic reaction.

#### SDS EU ANNEX II NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

07/06/2019 EN (English) 9/9