



Auto Clean Purinel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Issue date: 3/13/2015 Revision date: 3/14/2023 Version: 3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Auto Clean Purinel
UFI : GV3H-891T-V205-51EW
Product code : 800551
Type of product : Detergent
SKU # : R0520105

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use
Use of the substance/mixture : Odour agents
Container fitted with a sealed spray attachment

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

Newell Europe Sàrl
Chemin de Blandonnet 8
CH-1214 Vernier - Switzerland
T +44(0)870 5686824
SDS.RCP@newellco.com

Other

Newell Poland Services, Poznan 61-894, Poland
Newell Rubbermaid UK Services, Lichfield, Staffs, WS13 8SS, UK
www.rubbermaid.eu

1.4. Emergency telephone number

Emergency number : +44(0)870 5686824

| Country | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|--|--|--------------------------------------|
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) | |
| United Kingdom | National Poisons Information Service (Belfast Centre) Royal Victoria Hospital | Grosvenor Road BT12 6BA | 0344 892 0111 | Only for healthcare professionals |
| United Kingdom | National Poisons Information Service (Birmingham Centre) City Hospital | Dudley Road B18 7QH | 0344 892 0111 | Only for healthcare professionals |
| United Kingdom | National Poisons Information Service (Cardiff Centre) University Hospital Llandough | Penlan Road CF64 2XX | 0344 892 0111 | Only for healthcare professionals |
| United Kingdom | National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh | Little France Crescent EH16 4SA | 0344 892 0111 | Only for healthcare professionals |
| United Kingdom | Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust | Avonley Road SE14 5ER | +44 20 7188 7188 | |

Auto Clean Purinel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| | | | | |
|----------------|---|---|---------------|--------------------------------------|
| United Kingdom | National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre | 16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB | 0344 892 0111 | Only for healthcare professionals |
|----------------|---|---|---------------|--------------------------------------|

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| | |
|---|------|
| Flammable liquids, Category 3 | H226 |
| Skin corrosion/irritation, Category 2 | H315 |
| Serious eye damage/eye irritation, Category 1 | H318 |
| Skin sensitisation, Category 1 | H317 |
| Carcinogenicity, Category 2 | H351 |
| Reproductive toxicity, Category 2 | H361 |
| Hazardous to the aquatic environment – Chronic Hazard, Category 2 | H411 |

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Contains

: SODIUM C14-16 OLEFIN SULFONATE; 2-Benzyl-4-chlorophenol

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H318 - Causes serious eye damage.
H351 - Suspected of causing cancer.
H361 - Suspected of damaging fertility or the unborn child.
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P202 - Do not handle until all safety precautions have been read and understood.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.
P233 - Keep container tightly closed.
P261 - Avoid breathing fume, vapours.
P264 - Wash hands thoroughly after handling.
P280 - Wear eye protection, protective gloves.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water or shower.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P403+P235 - Store in a well-ventilated place. Keep cool.
P501 - Dispose of contents and container to an approved waste disposal plant.

2.3. Other hazards

No additional information available

Auto Clean Purinel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--------------------------------|---|---------|--|
| SODIUM C14-16 OLEFIN SULFONATE | (CAS-No.) 68439-57-6 (EC-No.) 270-407-8 (REACH-no) 01-2119513401-57 | 10 – 20 | Skin Irrit. 2, H315 Eye Dam. 1, H318 |
| Ethanol | (CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43 | 10 – 20 | Flam. Liq. 2, H225 |
| ISOPROPYL ALCOHOL | (CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25 | 1 – 10 | Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Eye Irrit. 2, H319 STOT SE 3, H336 |
| 2-Benzyl-4-chlorophenol | (CAS-No.) 120-32-1 (EC-No.) 204-385-8 (REACH-no) 01-2120769902-44 | 1 – 10 | Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Carc. 2, H351 Repr. 2, H361f STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|---------|---|-----------------------------------|
| Ethanol | (CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43 | (50 ≤C < 100) Eye Irrit. 2, H319 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation | : Allow affected person to breathe fresh air. Allow the victim to rest. |
| First-aid measures after skin contact | : Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|------------------------------|
| Symptoms/effects after skin contact | : Causes skin irritation. |
| Symptoms/effects after eye contact | : Causes serious eye damage. |

Auto Clean Purinel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.
Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools.
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Auto Clean Purinel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| | |
|------------------------|--|
| Storage conditions | : Keep only in the original container in a cool, well ventilated place away from : Heat sources, Ignition sources. |
| Incompatible products | : Strong bases. Strong acids. |
| Incompatible materials | : Sources of ignition. Direct sunlight. Heat sources. |

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| ISOPROPYL ALCOHOL (67-63-0) | |
|---|---------------------------------------|
| United Kingdom - Occupational Exposure Limits | |
| Local name | Propan-2-ol |
| WEL TWA (OEL TWA) [1] | 999 mg/m ³ |
| WEL TWA (OEL TWA) [2] | 400 ppm |
| WEL STEL (OEL STEL) | 1250 mg/m ³ |
| WEL STEL (OEL STEL) [ppm] | 500 ppm |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

| Ethanol (64-17-5) | |
|---|---------------------------------------|
| United Kingdom - Occupational Exposure Limits | |
| Local name | Ethanol |
| WEL TWA (OEL TWA) [1] | 1920 mg/m ³ |
| WEL TWA (OEL TWA) [2] | 1000 ppm |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



Auto Clean Purinel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

In case of repeated or prolonged contact wear gloves

8.2.2.3. Respiratory protection

Respiratory protection:

None under normal use

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|--------------------------------|
| Physical state | : Liquid |
| Colour | : Colourless. |
| Appearance | : clear. Transparent. |
| Odour | : characteristic. |
| Odour threshold | : Not available |
| Melting point | : Not available |
| Freezing point | : Not available |
| Boiling point | : 85 °C |
| Flammability | : Flammable liquid and vapour. |
| Explosive limits | : 1.8 – 19 vol % |
| Lower explosion limit | : Not available |
| Upper explosion limit | : Not available |
| Flash point | : 34 °C |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : 3.8 – 4.2 |
| Viscosity, kinematic | : Not available |
| Viscosity, dynamic | : 0 – 50 cP |
| Solubility | : Not available |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50°C | : Not available |
| Density | : Not available |
| Relative density | : 0.977 – 0.989 |
| Relative vapour density at 20°C | : Not available |
| Particle size | : Not applicable |
| Particle size distribution | : Not applicable |
| Particle shape | : Not applicable |
| Particle aspect ratio | : Not applicable |
| Particle aggregation state | : Not applicable |
| Particle agglomeration state | : Not applicable |
| Particle specific surface area | : Not applicable |
| Particle dustiness | : Not applicable |

Auto Clean Purinel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

SODIUM C14-16 OLEFIN SULFONATE (68439-57-6)

| | |
|-----------------------------------|-------------------------|
| LD50 oral | 578 mg/kg bodyweight |
| LD50 dermal | > 2000 mg/kg bodyweight |
| LC50 Inhalation - Rat (Dust/Mist) | > 52000 mg/l |

ISOPROPYL ALCOHOL (67-63-0)

| | |
|-----------------------------------|------------------------|
| LD50 oral rat | 2000 mg/kg |
| LD50 oral | 4396 mg/kg bodyweight |
| LD50 dermal rat | 2000 mg/kg |
| LD50 dermal | 12800 mg/kg bodyweight |
| LC50 Inhalation - Rat (Dust/Mist) | 46600 mg/l |

Ethanol (64-17-5)

| | |
|---------------|------------------------|
| LD50 oral rat | 7060 mg/kg |
| LD50 oral | 10470 mg/kg bodyweight |

Auto Clean Purinel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| | |
|-----------------------------------|------------------------|
| LD50 dermal rabbit | > 16000 mg/kg |
| LD50 dermal | 15800 mg/kg bodyweight |
| LC50 Inhalation - Rat | > 20 mg/l/4h |
| LC50 Inhalation - Rat (Dust/Mist) | > 99999 mg/l |

| | |
|-----------------------------------|--|
| Skin corrosion/irritation | : Causes skin irritation. pH: 3.8 – 4.2 |
| Serious eye damage/irritation | : Causes serious eye damage. pH: 3.8 – 4.2 |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Additional information | : Based on available data, the classification criteria are not met |
| Germ cell mutagenicity | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |
| Carcinogenicity | : Suspected of causing cancer. |
| Additional information | : Based on available data, the classification criteria are not met |
| Reproductive toxicity | : Suspected of damaging fertility or the unborn child. |
| Additional information | : Based on available data, the classification criteria are not met |
| STOT-single exposure | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |

ISOPROPYL ALCOHOL (67-63-0)

| | |
|----------------------|------------------------------------|
| STOT-single exposure | May cause drowsiness or dizziness. |
|----------------------|------------------------------------|

| | |
|------------------------|--|
| STOT-repeated exposure | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |

2-Benzyl-4-chlorophenol (120-32-1)

| | |
|------------------------|--|
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. |
|------------------------|--|

| | |
|------------------------|--|
| Aspiration hazard | : Not classified |
| Additional information | : Based on available data, the classification criteria are not met |

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

11.2.2 Other information

| | |
|---|--|
| Potential adverse human health effects and symptoms | : Based on available data, the classification criteria are not met |
|---|--|

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|--|
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Toxic to aquatic life with long lasting effects. |

SODIUM C14-16 OLEFIN SULFONATE (68439-57-6)

| | |
|------------------------------------|--------------------|
| LC50 - Fish [1] | > 1 mg/l |
| EC50 - Other aquatic organisms [1] | > 1 mg/l waterflea |

Auto Clean Purinel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| ISOPROPYL ALCOHOL (67-63-0) | |
|------------------------------------|----------------------|
| LC50 - Fish [1] | 100 mg/l |
| EC50 - Crustacea [1] | 100 mg/l |
| EC50 - Other aquatic organisms [1] | 13299 mg/l waterflea |
| EC50 - Other aquatic organisms [2] | > 1000 mg/l |

| Ethanol (64-17-5) | |
|------------------------------------|---------------------|
| LC50 - Fish [1] | 13000 mg/l |
| EC50 - Crustacea [1] | 9300 mg/l |
| EC50 - Other aquatic organisms [1] | 5012 mg/l waterflea |
| EC50 - Other aquatic organisms [2] | 275 mg/l |

12.2. Persistence and degradability

| Auto Clean Purinel | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

| Ethanol (64-17-5) | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

12.3. Bioaccumulative potential

| Auto Clean Purinel | |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |

| ISOPROPYL ALCOHOL (67-63-0) | |
|---|------|
| Partition coefficient n-octanol/water (Log Pow) | 0.05 |

| 2-Benzyl-4-chlorophenol (120-32-1) | |
|---|-----|
| Partition coefficient n-octanol/water (Log Pow) | 3.6 |

| Ethanol (64-17-5) | |
|---|------------------|
| Partition coefficient n-octanol/water (Log Pow) | -0.32 |
| Bioaccumulative potential | Not established. |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : None

12.7. Other adverse effects

Additional information : Avoid release to the environment.

Auto Clean Purinel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Additional information : Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR) : UN 1987
UN-No. (IMDG) : UN 1987
UN-No. (IATA) : UN 1987
UN-No. (ADN) : UN 1987
UN-No. (RID) : UN 1987

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ALCOHOLS, N.O.S.
Proper Shipping Name (IMDG) : ALCOHOLS, N.O.S.
Proper Shipping Name (IATA) : Alcohols, n.o.s.
Proper Shipping Name (ADN) : ALCOHOLS, N.O.S.
Proper Shipping Name (RID) : ALCOHOLS, N.O.S.
Transport document description (ADR) : UN 1987 ALCOHOLS, N.O.S. (CONTAINS ; Ethanol(64-17-5) ; ISOPROPYL ALCOHOL(67-63-0)), 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG) : UN 1987 ALCOHOLS, N.O.S., 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA) : UN 1987 Alcohols, n.o.s., 3, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN) : UN 1987 ALCOHOLS, N.O.S., 3, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID) : UN 1987 ALCOHOLS, N.O.S., 3, III, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



IMDG

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3



IATA

Transport hazard class(es) (IATA) : 3
Danger labels (IATA) : 3

Auto Clean Purinel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878



ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3



RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III


14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 274, 601
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P001, IBC03, LP01, R001
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions (ADR) : TP1, TP29
Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30
Orange plates :



Tunnel restriction code (ADR) : D/E
EAC code : •3YE

Transport by sea

Special provisions (IMDG) : 223, 274

Auto Clean Purinel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| | |
|---------------------------------|--------------|
| Limited quantities (IMDG) | : 5 L |
| Excepted quantities (IMDG) | : E1 |
| Packing instructions (IMDG) | : P001, LP01 |
| IBC packing instructions (IMDG) | : IBC03 |
| Tank instructions (IMDG) | : T4 |
| Tank special provisions (IMDG) | : TP1, TP29 |
| EmS-No. (Fire) | : F-E |
| EmS-No. (Spillage) | : S-D |
| Stowage category (IMDG) | : A |

Air transport

| | |
|--|------------|
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y344 |
| PCA limited quantity max net quantity (IATA) | : 10L |
| PCA packing instructions (IATA) | : 355 |
| PCA max net quantity (IATA) | : 60L |
| CAO packing instructions (IATA) | : 366 |
| CAO max net quantity (IATA) | : 220L |
| Special provisions (IATA) | : A3, A180 |
| ERG code (IATA) | : 3L |

Inland waterway transport

| | |
|-----------------------------------|-------------|
| Classification code (ADN) | : F1 |
| Special provisions (ADN) | : 274, 61 |
| Limited quantities (ADN) | : 5 L |
| Excepted quantities (ADN) | : E1 |
| Carriage permitted (ADN) | : T |
| Equipment required (ADN) | : PP, EX, A |
| Ventilation (ADN) | : VE01 |
| Number of blue cones/lights (ADN) | : 0 |

Rail transport

| | |
|---|---------------------------|
| Classification code (RID) | : F1 |
| Special provisions (RID) | : 274, 601 |
| Limited quantities (RID) | : 5L |
| Excepted quantities (RID) | : E1 |
| Packing instructions (RID) | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (RID) | : MP19 |
| Portable tank and bulk container instructions (RID) | : T4 |
| Portable tank and bulk container special provisions (RID) | : TP1, TP29 |
| Tank codes for RID tanks (RID) | : LGBF |
| Transport category (RID) | : 3 |
| Special provisions for carriage – Packages (RID) | : W12 |
| Colis express (express parcels) (RID) | : CE4 |
| Hazard identification number (RID) | : 30 |

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Detergent Regulation (648/2004/EC): Labelling of contents:

Auto Clean Purinel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Component | % |
|---------------------|--------|
| anionic surfactants | 15-30% |
| CHLOROPHENE | |

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

| Section | Changed item | Change | Comments |
|---------|---------------------------|----------|----------|
| | Revision date | Added | |
| 1.3 | Address Information (SDS) | Modified | |
| 2 | Hazard statements (CLP) | Modified | |

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:

| | |
|---------------------------|---|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Carc. 2 | Carcinogenicity, Category 2 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |

Auto Clean Purinel

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| | |
|---------------|--|
| H336 | May cause drowsiness or dizziness. |
| H351 | Suspected of causing cancer. |
| H361 | Suspected of damaging fertility or the unborn child. |
| H361f | Suspected of damaging fertility. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| Repr. 2 | Reproductive toxicity, Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| STOT RE 2 | Specific target organ toxicity – Repeated exposure, Category 2 |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Narcosis |

SDS EU NWL 2021

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.