Broom, 410 mm, Soft/split, Blue





Designed to effectively sweep flour, starch and other powders from dry areas, this Broom can be used with any Vikan handle. For use in dry areas only.

Technical Data

Material Polypropylene Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Compliant with the European Brushware Federation (FEIBP) Compliant with the European Brushware Federation (FEIBP) No Charter Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length Width 65 mm Height 130 mm Net Weight Double Ves Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	Item Number	31783
Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Compliant with the European Brushware Federation (FEIBP) Charter Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 65 mm Height 130 mm Net Weight Weight cardboard 0.0162 kg Gross Weight 0.0252 kg Gross Weight 0.05 kg Cubik metre 0.003465 M3 Max. cleaning temperature (Dishwasher) Max usage temperature (Ino food contact) Min. usage temperature Max. drying temperature Max. pH-value in usage Concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH Gtin. 13 Number	Visible bristle length	60 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Compliant with the European Brushware Federation (FEIBP) Charter No Charter No Charter No Charter California Proposition 65 Compliant Yes California Proposition 65 Compliant Yes California Proposition 65 Compliant Yes Box Quantity 10 Pcs. Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 65 mm Height 130 mm Net Weight 40.47 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.0162 kg Gross Weight 0.05 kg Cubik metre 0.003465 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature 70 °C Max. drying temperature 70 °C Min. pH-value in usage Concentration 10.5 pH Gtin-13 Number 5705020317835	Material	Stainless Steel (AISI
Manufacturing Practice Yes Complies with UK 2019 No. 704 on food contact materials Yes Compliant with the European Brushware Federation (FEIBP) Charter No Charter Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 65 mm Height 130 mm Net Weight 0.47 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.009 kg Weight cardboard 0.0162 kg Tare total 0.0252 kg Gross Weight 0.5 kg Cubik metre 0.003465 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (non food contact) 60 °C Min. usage temperature 70 °C Min. pH-value in usage concentration 2 pH	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Compliant with the European Brushware Federation (FEIBP) Charter Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity per Pallet (80 x 120 x 180-200 cm) Width 65 mm Width 65 mm Height 130 mm Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.0162 kg Gross Weight 0.5 kg Cubik metre 0.003465 M3 Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Max usage temperature Min. pH-value in usage Concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number		Yes
Compliant with the European Brushware Federation (FEIBP) Charter Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Chength Width 65 mm Height 130 mm Net Weight Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.0162 kg Tare total 0.0252 kg Gross Weight Cubik metre 0.003465 M3 Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration 5705020317835	FDA compliant raw material (CFR 21)	Yes
Charter Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 65 mm Height 130 mm Net Weight 0.47 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.009 kg Weight cardboard 0.0162 kg Tare total 0.0252 kg Gross Weight 0.5 kg Cubik metre 0.003465 M3 Max. cleaning temperature (food contact) 40 °C Max usage temperature (food contact) 60 °C Min. usage temperature of cond contact) 60 °C Min. usage temperature 70 °C Max. ph-value in usage concentration 2 pH Max. ph-value in Usage Concentration 5705020317835	Complies with UK 2019 No. 704 on food contact materials	Yes
California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 65 mm Height 130 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.009 kg Weight cardboard 0.0162 kg Tare total 0.0252 kg Gross Weight 0.5 kg Cubik metre 0.003465 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (non food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317835		No
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 65 mm Height 130 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.047 kg Weight cardboard 0.0162 kg Tare total 0.0252 kg Gross Weight 0.5 kg Cubik metre 0.003465 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Min. usage temperature (non food contact) 60 °C Min. usage temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317835	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 65 mm Height 130 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.047 kg Weight cardboard 0.0162 kg Tare total 0.0252 kg Gross Weight 0.5 kg Cubik metre 0.003465 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Min. usage temperature (non food contact) 60 °C Min. usage temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317835	California Proposition 65 Compliant	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 65 mm Height 130 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.047 kg Weight cardboard 0.0162 kg Tare total 0.0252 kg Gross Weight 0.5 kg Cubik metre 0.003465 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317835	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 180-200 cm) 420 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 65 mm Height 130 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.009 kg Weight cardboard 0.0162 kg Tare total 0.0252 kg Gross Weight 0.5 kg Cubik metre 0.003465 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317835	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 65 mm Height 130 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.047 kg Weight cardboard 0.0162 kg Tare total 0.0252 kg Gross Weight 0.5 kg Cubik metre 0.003465 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature 70 °C Max. drying temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317835	Box Quantity	10 Pcs.
Length 410 mm Width 65 mm Height 130 mm Net Weight 0.47 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.009 kg Weight cardboard 0.0162 kg Tare total 0.0252 kg Gross Weight 0.5 kg Cubik metre 0.003465 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature 70 °C Max. drying temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317835	Quantity per Pallet (80 x 120 x 180-200 cm)	420 Pcs
Width65 mmHeight130 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.009 kgWeight cardboard0.0162 kgTare total0.0252 kgGross Weight0.5 kgCubik metre0.003465 M3Max. cleaning temperature (Dishwasher)85 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)60 °CMin. usage temperature70 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317835	Quantity Per Layer (Pallet)	60 Pcs.
Height 130 mm Net Weight 0.47 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.009 kg Weight cardboard 0.0162 kg Tare total 0.0252 kg Gross Weight 0.5 kg Cubik metre 0.003465 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature 70 °C Max. drying temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317835	Length	410 mm
Net Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.009 kgWeight cardboard0.0162 kgTare total0.0252 kgGross Weight0.5 kgCubik metre0.003465 M3Max. cleaning temperature (Dishwasher)85 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)60 °CMin. usage temperature70 °CMax. drying temperature70 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317835	Width	65 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard O.0162 kg Tare total O.0252 kg Gross Weight Cubik metre O.003465 M3 Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature To °C Max. drying temperature Min. pH-value in usage concentration D.003465 M3 **C **Max usage temperature (non food contact) Max. pH-value in Usage Concentration Description: O.009 kg O.00162 kg O.00252 kg O.003465 M3 O.003465 M3 **C Max. usage temperature (food contact) O °C Min. usage temperature (non food contact) Min. pH-value in Usage Concentration Description: O O C Min. pH-value in Usage Concentration Description: O O O O O O O O O O O O O O O O O O O	Height	130 mm
Weight cardboard 0.0162 kg Tare total 0.0252 kg Gross Weight 0.5 kg Cubik metre 0.003465 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature³ -20 °C Max. drying temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317835	Net Weight	0.47 kg
Tare total 0.0252 kg Gross Weight 0.5 kg Cubik metre 0.003465 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature 3 -20 °C Max. drying temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020317835		0.009 kg
Gross Weight 0.5 kg Cubik metre 0.003465 M3 Max. cleaning temperature (Dishwasher) 85 °C Max usage temperature (food contact) 40 °C Max usage temperature (non food contact) 60 °C Min. usage temperature³ -20 °C Max. drying temperature 70 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317835	Weight cardboard	0.0162 kg
Cubik metre0.003465M3Max. cleaning temperature (Dishwasher)85 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)60 °CMin. usage temperature³-20 °CMax. drying temperature70 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317835	Tare total	0.0252 kg
Max. cleaning temperature (Dishwasher)85 °CMax usage temperature (food contact)40 °CMax usage temperature (non food contact)60 °CMin. usage temperature³-20 °CMax. drying temperature70 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317835	Gross Weight	0.5 kg
Max usage temperature (food contact)40 °CMax usage temperature (non food contact)60 °CMin. usage temperature³-20 °CMax. drying temperature70 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317835	Cubik metre	0.003465 M3
Max usage temperature (non food contact)60 °CMin. usage temperature3-20 °CMax. drying temperature70 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317835	Max. cleaning temperature (Dishwasher)	85 °C
Min. usage temperature³-20 °CMax. drying temperature70 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317835	Max usage temperature (food contact)	40 °C
Max. drying temperature70 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317835	Max usage temperature (non food contact)	60 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317835	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317835	Max. drying temperature	70 °C
Gtin-13 Number 5705020317835	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) 15705020317832	Gtin-13 Number	5705020317835
	GTIN-14 Number (Box quantity)	15705020317832

Customs Tariff No. 96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.