Broom, 410 mm, Soft/hard, Green





Designed for effective cleaning of food industry floors as well as in kitchens and restaurants, this Broom has firm front bristles that loosen stubborn dirt and heavier debris, while the softer rear bristles gather the finer particles.

Technical Data

Visible bristle length 60 mm Material Polyproylene Polypester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 90 mm Height 120 mm Not Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0138 kg Weight cardboard 0.062 kg Tare total 0.03 kg Gross Weight 0.56 kg Cubik metre 0.004428 M3 Recommended sterilisation temperature (Dishwasher) 93 °C	Item Number	31742
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Callifornia Proposition 65 Compliant Yes Callifornia Proposition 65 Compliant Yes Box Quantity 10 Pcs. Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 90 mm Height 120 mm Net Weight 90 Meight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 70 Could be seen to a seen to	Visible bristle length	60 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 90 mm Height 120 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.0162 kg Tare total 0.03 kg Cubik metre 0.004428 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (non food contact) Max. usage temperature Max. drying temperature Max. pH-value in usage Concentration 10.5 pH Gtin-13 Number Yes Mess Model Carlos Aves Yes Mess Mess Aves Mess Aves Mess Aves Mess Aves	Material	Polyester Stainless Steel (AISI
Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 90 mm Height 120 mm Net Weight 0.53 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0142 kg Weight cardboard 0.0162 kg Gross Weight 0.56 kg Cubik metre 0.004428 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 0 °C<	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 90 mm Height 120 mm Net Weight Sag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0132 kg Weight cardboard 0.0162 kg Tare total 0.03 kg Gross Weight 0.56 kg Cubik metre 0.004428 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 80 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 90 mm Height 120 mm Net Weight 0.53 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0182 kg Weight cardboard 0.0162 kg Tare total 0.03 kg Gross Weight 0.56 kg Cubik metre 0.004428 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Max. drying temper	FDA compliant raw material (CFR 21)	Yes
California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 90 mm Height 120 mm Net Weight 0.53 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0162 kg Tare total 0.03 kg Gross Weight 0.56 kg Cubik metre 0.004428 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020317422	Complies with UK 2019 No. 704 on food contact materials	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 90 mm Height 120 mm Net Weight 0.53 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0138 kg Weight cardboard 0.0162 kg Tare total 0.03 kg Gross Weight 0.56 kg Cubik metre 0.04428 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020317422	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 90 mm Height 120 mm Net Weight 0.53 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0138 kg Weight cardboard 0.0162 kg Tare total 0.03 kg Gross Weight 0.56 kg Cubik metre 0.004428 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317422	California Proposition 65 Compliant	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 90 mm Height 120 mm Net Weight 0.53 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0138 kg Weight cardboard 0.0162 kg Tare total 0.03 kg Gross Weight 0.56 kg Cubik metre 0.004428 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317422	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 90 mm Height 120 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0138 kg Weight cardboard 0.0162 kg Tare total 0.03 kg Gross Weight 0.56 kg Cubik metre 0.004428 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317422	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 60 Pcs. Length 410 mm Width 90 mm Height 120 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0138 kg Weight cardboard 0.0162 kg Tare total 0.03 kg Gross Weight 0.56 kg Cubik metre 0.004428 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317422	Box Quantity	10 Pcs.
Length 410 mm Width 90 mm Height 120 mm Net Weight 0.53 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0138 kg Weight cardboard 0.0162 kg Tare total 0.03 kg Gross Weight 0.56 kg Cubik metre 0.004428 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317422	Quantity per Pallet (80 x 120 x 200 cm)	480 Pcs
Width 90 mm Height 120 mm Net Weight 0.53 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.0162 kg Tare total 0.03 kg Gross Weight 0.56 kg Cubik metre 0.004428 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317422	Quantity Per Layer (Pallet)	60 Pcs.
Height 120 mm Net Weight 0.53 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0138 kg Weight cardboard 0.0162 kg Tare total 0.03 kg Gross Weight 0.56 kg Cubik metre 0.004428 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317422	Length	410 mm
Net Weight0.53 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard0.0162 kgTare total0.03 kgGross Weight0.56 kgCubik metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317422	Width	90 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0138 kgWeight cardboard0.0162 kgTare total0.03 kgGross Weight0.56 kgCubik metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317422	Height	120 mm
Weight cardboard 0.0162 kg Tare total 0.03 kg Gross Weight 0.56 kg Cubik metre 0.004428 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317422	Net Weight	0.53 kg
Tare total 0.03 kg Gross Weight 0.56 kg Cubik metre 0.004428 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317422		0.0138 kg
Gross Weight 0.56 kg Cubik metre 0.004428 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317422	Weight cardboard	0.0162 kg
Cubik metre0.004428 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317422	Tare total	0.03 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317422	Gross Weight	0.56 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317422	Cubik metre	0.004428 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317422	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317422	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ Max. drying temperature Min. pH-value in usage concentration pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317422	Max usage temperature (food contact)	80 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020317422	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317422	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020317422	Max. drying temperature	100 °C
Gtin-13 Number 5705020317422	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) 15705020317429	Gtin-13 Number	5705020317422
	GTIN-14 Number (Box quantity)	15705020317429

Customs Tariff No. 96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.