## Broom, 610 mm, Soft/hard, Black





Designed for the effective cleaning of both wet and dry surfaces, this Broom has firm front bristles that loosen stubborn dirt and heavier debris, while the softer rear bristles gather the finer particles.

## **Technical Data**

Visible bristle length         60 mm           Material         Polypropylene Polyester Stainless Steel (AISI 304)           Complies with (EC) 1935/2004 on food contact materials*         Yes           Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           FDA compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           California Proposition 65 Compliant         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         240 Pcs           Quantity per Pallet (80 x 120 x 180-200 cm)         240 Pcs           Quantity Per Layer (Pallet)         40 Pcs.           Length         610 mm           Width         70 mm           Height         125 mm           Not Weight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE)         0.0147 kg           Weight cardboard         0.0253 kg           Gross Weight         0.0         70 Mm           Recommended sterilisation temperature (Autociave)         121 °C           Max. cleanin	Item Number	31949
Complies with (EC) 1935/2004 on food contact materials¹  Polysester Stainless Steel (AISI 304)  Complies with (EC) 1935/2004 on food contact materials¹  Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Yes  Complies with UK 2019 No. 704 on food contact materials  Yes  California Proposition 65 Compliant  Use of phthalates and bisphenol A  No  Is Halal and Kosher compliant  Yes  Box Quantity  10 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Length  610 mm  Width  70 mm  Height  125 mm  Net Weight  0.75 kg  Weight cardboard  0.0253 kg  Tare total  0.04 kg  Gross Weight  0.079 kg  Cubik metre  0.005338 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max. usage temperature (Dishwasher)  Max. usage temperature (Info food contact)  Min. usage temperature  Max. drying temperature  Max. pH-value in usage Concentration  10.5 pH  Max. pH-value in Usage Concentration  Max. pH-value in Usage Concentration  To push yes  South Tare total to the perature of th	Visible bristle length	60 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  Yes  California Proposition 65 Compliant  Yes  Use of phthalates and bisphenol A  Is Halal and Kosher compliant  Yes  Box Quantity  10 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  Quantity Per Layer (Pallet)  Length  Midth  70 mm  Height  125 mm  Net Weight  Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard  O.0253 kg  Tare total  O.04 kg  Gross Weight  Cubik metre  0.005338 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (non food contact)  Min. usage temperature  Max. drying temperature  Min. pH-value in usage Concentration  10.5 pH  Gtin-13 Number  Sough Average Aprena Service (Autoclave)  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number  Sough Average (Autoclave)  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number  Sough Average (Autoclave)  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number  Sough Average (Autoclave)  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number	Material	Polyester Stainless Steel (AISI
Manufacturing Practice         FDA compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           California Proposition 65 Compliant         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10         Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         240         Pcs.           Quantity Per Layer (Pallet)         40         Pcs.           Length         610         mm           Width         70         mm           Height         125         mm           Net Weight         0.75         kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0147         kg           Weight cardboard         0.0253         kg           Tare total         0.04         kg           Gross Weight         0.05338         M3           Recommended sterilisation temperature (Autoclave)         121         °C           Max. cleaning temperature (Dishwasher)         93         °C           Max usage temperature (non food contact)         0         °	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           California Proposition 65 Compliant         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         240 Pcs           Quantity Per Layer (Pallet)         40 Pcs.           Length         610 mm           Width         70 mm           Height         125 mm           Net Weight Sag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0147 kg           Weight cardboard         0.0253 kg           Tare total         0.04 kg           Gross Weight         0.05338 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) 40 Pcs. Length 610 mm Width 70 mm Height 125 mm Net Weight 0.75 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.0253 kg Tare total 0.04 kg Gross Weight 0.79 kg Cubik metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. ph-value in usage concentration 10.5 pH Max. ph-value in Usage Concentration 5705020319495	FDA compliant raw material (CFR 21)	Yes
California Proposition 65 Compliant         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         240 Pcs           Quantity Per Layer (Pallet)         40 Pcs.           Length         610 mm           Width         70 mm           Height         125 mm           Net Weight         0.75 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0147 kg           Weight cardboard         0.0253 kg           Tare total         0.04 kg           Gross Weight         0.79 kg           Cubik metre         0.005338 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         20 °C           Max. drying temperature         100 °C           Min. ph-value in usage concentration         2 pH           Max. ph-value in Usage Concentration         10.5 pH           Gtin-13 Number	Complies with UK 2019 No. 704 on food contact materials	Yes
Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         240 Pcs           Quantity Per Layer (Pallet)         40 Pcs.           Length         610 mm           Width         70 mm           Height         125 mm           Net Weight         0.75 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0147 kg           Weight cardboard         0.0253 kg           Tare total         0.04 kg           Gross Weight         0.79 kg           Cubik metre         0.005338 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020319495	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Is Halal and Kosher compliant         Yes           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         240 Pcs           Quantity Per Layer (Pallet)         40 Pcs.           Length         610 mm           Width         70 mm           Height         125 mm           Net Weight         0.75 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0147 kg           Weight cardboard         0.0253 kg           Tare total         0.04 kg           Gross Weight         0.79 kg           Cubik metre         0.005338 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         5705020319495	California Proposition 65 Compliant	Yes
Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         240 Pcs           Quantity Per Layer (Pallet)         40 Pcs.           Length         610 mm           Width         70 mm           Height         125 mm           Net Weight         0.75 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0147 kg           Weight cardboard         0.0253 kg           Tare total         0.04 kg           Gross Weight         0.79 kg           Cubik metre         0.005338 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020319495	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 180-200 cm)         240 Pcs           Quantity Per Layer (Pallet)         40 Pcs.           Length         610 mm           Width         70 mm           Height         125 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0147 kg           Weight cardboard         0.0253 kg           Tare total         0.04 kg           Gross Weight         0.79 kg           Cubik metre         0.005338 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020319495	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)40 Pcs.Length610 mmWidth70 mmHeight125 mmNet Weight0.75 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard0.0253 kgTare total0.04 kgGross Weight0.79 kgCubik metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020319495	Box Quantity	10 Pcs.
Length         610 mm           Width         70 mm           Height         125 mm           Net Weight         0.75 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0147 kg           Weight cardboard         0.0253 kg           Tare total         0.04 kg           Gross Weight         0.79 kg           Cubik metre         0.005338 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020319495	Quantity per Pallet (80 x 120 x 180-200 cm)	240 Pcs
Width 70 mm Height 125 mm Net Weight 0.75 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.0253 kg Tare total 0.04 kg Gross Weight 0.79 kg Cubik metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (Min. usage temperatu	Quantity Per Layer (Pallet)	40 Pcs.
Height         125 mm           Net Weight         0.75 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0147 kg           Weight cardboard         0.0253 kg           Tare total         0.04 kg           Gross Weight         0.79 kg           Cubik metre         0.005338 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020319495	Length	610 mm
Net Weight0.75 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard0.0253 kgTare total0.04 kgGross Weight0.79 kgCubik metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020319495	Width	70 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0147 kgWeight cardboard0.0253 kgTare total0.04 kgGross Weight0.79 kgCubik metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020319495	Height	125 mm
Weight cardboard 0.0253 kg Tare total 0.04 kg Gross Weight 0.79 kg Cubik metre 0.005338 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature ( Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020319495	Net Weight	0.75 kg
Tare total 0.04 kg  Gross Weight 0.79 kg  Cubik metre 0.005338 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 80 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature 3 -20 °C  Max. drying temperature 100 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020319495		0.0147 kg
Gross Weight 0.79 kg  Cubik metre 0.005338 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 80 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature 3 -20 °C  Max. drying temperature 100 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020319495	Weight cardboard	0.0253 kg
Cubik metre0.005338 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020319495	Tare total	0.04 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020319495	Gross Weight	0.79 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020319495	Cubik metre	0.005338 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020319495	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020319495	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> Max. drying temperature  Min. pH-value in usage concentration  pH-value in Usage Concentration  10.5 pH  Gtin-13 Number  5705020319495	Max usage temperature (food contact)	80 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020319495	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020319495	Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020319495	Max. drying temperature	100 °C
<b>Gtin-13 Number</b> 5705020319495	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
<b>GTIN-14 Number (Box quantity)</b> 15705020319492	Gtin-13 Number	5705020319495
	GTIN-14 Number (Box quantity)	15705020319492

Customs Tariff No. 96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below  $0^{\circ}$  Celsius.