## Table & Floor Scraper, 260mm, Black





Remove stubborn food debris from floors and other surfaces with this Table and Floor Scraper. Features a stainless-steel blade and can be used with any Vikan handle.

## **Technical Data**

Material  Polypropylene Stainless Steel (AISI 304)  Complies with (EC) 1935/2004 on food contact materials¹ Yes  Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21) Yes  Complies with UK 2019 No. 704 on food contact materials Yes  Meets the REACH Regulation (EC) No. 1907/2006 Yes  California Proposition 65 Compliant Yes  Use of phthalates and bisphenol A No  Is Halal and Kosher compliant Yes  Box Quantity 10 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm) Roughtly Per Layer (Pallet) Roughtly Per Layer (Pallet) Roughtly Reight 260 mm  Net Weight 260 mm  Not Weight 260	Item Number	29109
Stainless Steel (AISI 304)  Complies with (EC) 1935/2004 on food contact materials¹  Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  California Proposition 65 Compliant  Yes  Use of phthalates and bisphenol A  No  Is Halal and Kosher compliant  Yes  Box Quantity  10 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  Width  260 mm  Width  260 mm  Net Weight  Cused Nees (Recycling symbol "20" PAP)  Cused Nees (Recycling symbol "20" PAP)  Cubik metre  0.00129 M3  Recommended sterilisation temperature (Autoclave)  Max usage temperature (food contact)  Min. usage temperature  Max drying temperature  Max. drying temperature  Max. drying temperature  Max. pH-value in usage concentration  Max. pH-value in Usage Concentration  GTIN-14 Number (Box quantity)  Customs Tariff No.  82159910	Blade Thickness	1 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Regulation (Fallet) Regulation Width 260 mm Height 155 mm Net Weight 260 mm Net Weight 260 ms Net Weight 260	Material	Stainless Steel (AISI
Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  Yes  California Proposition 65 Compliant  Yes  Use of phthalates and bisphenol A  Is Halal and Kosher compliant  Yes  Box Quantity  10 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  Roughtly Per Layer (Pallet)  Length  Width  260 mm  Height  155 mm  Net Weight  260 mm  Net Weight  260 ms  Not Wei	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials  Yes Meets the REACH Regulation (EC) No. 1907/2006  Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Rountity per Pallet (80 x 120 x 180-200 cm) No Height Reight Rei	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006         Yes           California Proposition 65 Compliant         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         800 Pcs.           Quantity Per Layer (Pallet)         80 Pcs.           Length         32 mm           Width         260 mm           Height         155 mm           Net Weight         0.26 kg           Weight cardboard (Recycling symbol "20" PAP)         0.02 kg           Gross Weight         0.28 kg           Cubik metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Max usage temperature (non food contact)         170 °C           Min. usage temperature         2 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020291098           GTIN-14 Number (Box quantity)         15705020291095           Customs Tariff No.         8215910	FDA compliant raw material (CFR 21)	Yes
California Proposition 65 Compliant         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         800 Pcs.           Quantity Per Layer (Pallet)         80 Pcs.           Length         32 mm           Width         260 mm           Height         155 mm           Net Weight         0.26 kg           Weight cardboard (Recycling symbol "20" PAP)         0.02 kg           Gross Weight         0.28 kg           Cubik metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Max usage temperature (non food contact)         170 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Max. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020291098           GTIN-14 Number (Box quantity)         15705020291095           Customs Tariff No.         82159910	Complies with UK 2019 No. 704 on food contact materials	Yes
Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         800 Pcs.           Quantity Per Layer (Pallet)         80 Pcs.           Length         32 mm           Width         260 mm           Height         155 mm           Net Weight         0.26 kg           Weight cardboard (Recycling symbol "20" PAP)         0.02 kg           Gross Weight         0.28 kg           Cubik metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Max usage temperature (non food contact)         170 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Max. pH-value in usage concentration         2 pH           Gtin-13 Number         5705020291098           GTIN-14 Number (Box quantity)         15705020291095           Customs Tariff No.         82159910	Meets the REACH Regulation (EC) No. 1907/2006	Yes
S Halal and Kosher compliant   Yes     Box Quantity   10   Pcs.     Quantity per Pallet (80 x 120 x 180-200 cm)   800   Pcs     Quantity Per Layer (Pallet)   80   Pcs.     Length   32   mm     Width   260   mm     Height   155   mm     Net Weight   0.26   kg     Weight cardboard (Recycling symbol "20" PAP)   0.02   kg     Gross Weight   0.28   kg     Cubik metre   0.00129   M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max usage temperature (food contact)   170 °C     Max usage temperature (Inon food contact)   170 °C     Max. drying temperature   120 °C     Max. drying temperature   120 °C     Max. pH-value in usage concentration   2 pH     Max. pH-value in Usage Concentration   10.5 pH     Gtin-13 Number   5705020291098     GTIN-14 Number (Box quantity)   15705020291095     Customs Tariff No.   82159910	California Proposition 65 Compliant	Yes
Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         800 Pcs.           Quantity Per Layer (Pallet)         80 Pcs.           Length         32 mm           Width         260 mm           Height         155 mm           Net Weight         0.26 kg           Weight cardboard (Recycling symbol "20" PAP)         0.02 kg           Tare total         0.02 kg           Gross Weight         0.28 kg           Cubik metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Max usage temperature (non food contact)         170 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020291098           GTIN-14 Number (Box quantity)         15705020291095           Customs Tariff No.         82159910	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 180-200 cm)         800 Pcs           Quantity Per Layer (Pallet)         80 Pcs           Length         32 mm           Width         260 mm           Height         155 mm           Net Weight         0.26 kg           Weight cardboard (Recycling symbol "20" PAP)         0.02 kg           Tare total         0.02 kg           Gross Weight         0.28 kg           Cubik metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Max usage temperature (non food contact)         170 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020291098           GTIN-14 Number (Box quantity)         15705020291095           Customs Tariff No.         82159910	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)         80 Pcs.           Length         32 mm           Width         260 mm           Height         155 mm           Net Weight         0.26 kg           Weight cardboard (Recycling symbol "20" PAP)         0.02 kg           Tare total         0.02 kg           Gross Weight         0.012 kg           Cubik metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Max usage temperature (non food contact)         170 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020291098           GTIN-14 Number (Box quantity)         15705020291095           Customs Tariff No.         82159910	Box Quantity	10 Pcs.
Length         32 mm           Width         260 mm           Height         155 mm           Net Weight         0.26 kg           Weight cardboard (Recycling symbol "20" PAP)         0.02 kg           Tare total         0.02 kg           Gross Weight         0.28 kg           Cubik metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Max usage temperature (non food contact)         170 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020291098           GTIN-14 Number (Box quantity)         15705020291095           Customs Tariff No.         82159910	Quantity per Pallet (80 x 120 x 180-200 cm)	800 Pcs
Width         260 mm           Height         155 mm           Net Weight         0.26 kg           Weight cardboard (Recycling symbol "20" PAP)         0.02 kg           Tare total         0.02 kg           Gross Weight         0.28 kg           Cubik metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Max usage temperature (non food contact)         170 °C           Min. usage temperature³         -20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020291098           GTIN-14 Number (Box quantity)         15705020291095           Customs Tariff No.         82159910	Quantity Per Layer (Pallet)	80 Pcs.
Height         155 mm           Net Weight         0.26 kg           Weight cardboard (Recycling symbol "20" PAP)         0.02 kg           Tare total         0.02 kg           Gross Weight         0.28 kg           Cubik metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Max usage temperature (non food contact)         170 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Max. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020291098           GTIN-14 Number (Box quantity)         15705020291095           Customs Tariff No.         82159910	Length	32 mm
Net Weight         0.26 kg           Weight cardboard (Recycling symbol "20" PAP)         0.02 kg           Tare total         0.02 kg           Gross Weight         0.28 kg           Cubik metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Min. usage temperature (non food contact)         170 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020291098           GTIN-14 Number (Box quantity)         15705020291095           Customs Tariff No.         82159910	Width	260 mm
Weight cardboard (Recycling symbol "20" PAP)         0.02 kg           Tare total         0.02 kg           Gross Weight         0.28 kg           Cubik metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Max usage temperature (non food contact)         170 °C           Min. usage temperature³         -20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020291098           GTIN-14 Number (Box quantity)         15705020291095           Customs Tariff No.         82159910	Height	155 mm
Tare total         0.02 kg           Gross Weight         0.28 kg           Cubik metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Max usage temperature (non food contact)         170 °C           Min. usage temperature³         -20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020291098           GTIN-14 Number (Box quantity)         15705020291095           Customs Tariff No.         82159910	Net Weight	0.26 kg
Gross Weight         0.28 kg           Cubik metre         0.00129 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         170 °C           Max usage temperature (non food contact)         170 °C           Min. usage temperature³         -20 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020291098           GTIN-14 Number (Box quantity)         15705020291095           Customs Tariff No.         82159910	Weight cardboard (Recycling symbol "20" PAP)	0.02 kg
Cubik metre0.00129 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)170 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291098GTIN-14 Number (Box quantity)15705020291095Customs Tariff No.82159910	Tare total	0.02 kg
Recommended sterilisation temperature (Autoclave)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature³  -20 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number  GTIN-14 Number (Box quantity)  15705020291095  Customs Tariff No.  82159910	Gross Weight	0.28 kg
Max usage temperature (food contact)170 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291098GTIN-14 Number (Box quantity)15705020291095Customs Tariff No.82159910	Cubik metre	0.00129 M3
Max usage temperature (non food contact)170 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291098GTIN-14 Number (Box quantity)15705020291095Customs Tariff No.82159910	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature	Max usage temperature (food contact)	170 °C
Max. drying temperature 120 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020291098  GTIN-14 Number (Box quantity) 15705020291095  Customs Tariff No. 82159910	Max usage temperature (non food contact)	170 °C
Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020291098  GTIN-14 Number (Box quantity) 15705020291095  Customs Tariff No. 82159910	Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration       10.5 pH         Gtin-13 Number       5705020291098         GTIN-14 Number (Box quantity)       15705020291095         Customs Tariff No.       82159910	Max. drying temperature	120 °C
Gtin-13 Number       5705020291098         GTIN-14 Number (Box quantity)       15705020291095         Customs Tariff No.       82159910	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705020291095 Customs Tariff No. 82159910	Max. pH-value in Usage Concentration	10.5 pH
Customs Tariff No. 82159910	Gtin-13 Number	5705020291098
	GTIN-14 Number (Box quantity)	15705020291095
Country of origin Denmark	Customs Tariff No.	82159910
	Country of origin	Denmark

intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.