Table & Floor Scraper, 260mm, Green





Remove stubborn food debris from floors and other surfaces with this Table and Floor Scraper. Features a stainless-steel blade and can be used with any Vikan handle.

Technical Data

Material Polypropylene Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Roughtly Per Layer (Pallet) Length Width 260 mm Net Weight Net Weight Net Weight Net Weight Net Weight Net Weight Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration	Item Number	29102
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 32 mm Width 260 mm Height 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (non food contact) 170 °C Max usage temperature 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910 <	Blade Thickness	1 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Length Width 260 mm Height 155 mm Net Weight Questy (Recycling symbol "20" PAP) Tare total Quisk weight Quisk metre Quisk weight Questy (Pallet) Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature Max. drying temperature Max. drying temperature Max. pH-value in usage Concentration To per Control of C	Material	Stainless Steel (AISI
Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 180-200 cm) Roughtity Per Layer (Pallet) Rought (Recycling symbol "20" PAP) Rought Cardboard (Recycling symbol "20" PAP) Recommended sterilisation temperature (Autoclave) Rought Cardboard (Recycling symbol "20" PAP) Rought Cardboard (Recyc	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Roughty Per Layer (Pallet) Length Width 260 mm Height 155 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (food contact) Min. usage temperature 120 °C Max. drying temperature Max. drying temperature 10.02 pH Max. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No.		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 32 mm Width 260 mm Height 155 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Min. usage temperature (non food contact) 170 °C Min. ph-value in usage concentration 2 pH Max. drying temperature 5705020291029 Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910	FDA compliant raw material (CFR 21)	Yes
California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 32 mm Width 260 mm Height 155 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910	Complies with UK 2019 No. 704 on food contact materials	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 32 mm Width 260 mm Height 155 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 32 mm Width 260 mm Height 155 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020291029 Gtin-13 Number 5705020291029 Gtin-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910	California Proposition 65 Compliant	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs. Quantity Per Layer (Pallet) 80 Pcs. Length 32 mm Width 260 mm Height 155 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Quantity Per Layer (Pallet) 80 Pcs Length 32 mm Width 260 mm Height 155 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Min. usage temperature (non food contact) 170 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 80 Pcs. Length 32 mm Width 260 mm Height 155 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Min. usage temperature (non food contact) 170 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910	Box Quantity	10 Pcs.
Length 32 mm Width 260 mm Height 155 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Min. usage temperature (non food contact) 170 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910	Quantity per Pallet (80 x 120 x 180-200 cm)	800 Pcs
Width 260 mm Height 155 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Min. usage temperature (non food contact) 170 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910	Quantity Per Layer (Pallet)	80 Pcs.
Height 155 mm Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910	Length	32 mm
Net Weight 0.26 kg Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Min. usage temperature (non food contact) 170 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910	Width	260 mm
Weight cardboard (Recycling symbol "20" PAP) 0.02 kg Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910	Height	155 mm
Tare total 0.02 kg Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910	Net Weight	0.26 kg
Gross Weight 0.28 kg Cubik metre 0.00129 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (food contact) 170 °C Max usage temperature (non food contact) 170 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910	Weight cardboard (Recycling symbol "20" PAP)	0.02 kg
Cubik metre0.00129 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)170 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291029GTIN-14 Number (Box quantity)15705020291026Customs Tariff No.82159910	Tare total	0.02 kg
Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)170 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291029GTIN-14 Number (Box quantity)15705020291026Customs Tariff No.82159910	Gross Weight	0.28 kg
Max usage temperature (food contact)170 °CMax usage temperature (non food contact)170 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291029GTIN-14 Number (Box quantity)15705020291026Customs Tariff No.82159910	Cubik metre	0.00129 M3
Max usage temperature (non food contact)170 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291029GTIN-14 Number (Box quantity)15705020291026Customs Tariff No.82159910	Recommended sterilisation temperature (Autoclave)	121 °C
Min. usage temperature ³ Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No.	Max usage temperature (food contact)	170 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291029GTIN-14 Number (Box quantity)15705020291026Customs Tariff No.82159910	Max usage temperature (non food contact)	170 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910	Max. drying temperature	120 °C
Gtin-13 Number 5705020291029 GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705020291026 Customs Tariff No. 82159910	Max. pH-value in Usage Concentration	10.5 pH
Customs Tariff No. 82159910	Gtin-13 Number	5705020291029
	GTIN-14 Number (Box quantity)	15705020291026
Country of origin Denmark	Customs Tariff No.	82159910
	Country of origin	Denmark

intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.