Washing Brush w/short Handle, 270 mm, Hard, Pink





Ideal for removing stubborn dirt from conveyor belts, production lines, machinery and food preparation surfaces, this Washing Brush features a short, ergonomic handle for easy and effective daily cleaning.

Technical Data

Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No is Halal and Kosher compliant Yes Design Registration No. EU 002025700-0001-3, GB 20257000001-3 GB 20257000001	Item Number	41921
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Shalal and Kosher compliant Design Registration No. EU 002025700-0001-3, GB 20257000001-3 GB 2025700001-3 GB 202570000	Visible bristle length	36 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Use of phthalates and bisphenol A Is Halal and Kosher compliant Design Registration No. EU 002025700-0001-3, GB 20257000001-3 BOX Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Width 70 mm Width 70 mm Height Net Weight Weight cardboard Tare total Cubik metre Quantity Cubik metre Quantity Max. cleaning temperature (Dishwasher) Max usage temperature (Tood contact) Min. usage temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration Mose Supplements of the Mose of the Contact of	Material	Polyester Stainless Steel (AISI
Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A In No. Is Halal and Kosher compliant Design Registration No. BU 002025700-0001-3, GB 20257000001-3 BOX Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Height No. Hei	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Design Registration No. EU 002025700-0001-3, GB 20257000001-3 Box Quantity 10 Pcs Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Width 70 mm Width Height Net Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard Gross Weight Cubik metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. usage concentration 2 pH Max. pH-value in usage Concentration 10.5 pH Gtin. 13 Number Soundants Yes Not 100 100 Yes 100	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Use of pithalates and bisphenol A Is Halal and Kosher compliant Design Registration No. EU 002025700-0001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 1040 Pcs. Quantity Per Layer (Pallet) Eugength Pelight Net Weight Net Weight Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Fores Weight Cubik metre Cubik metre Cubik metre Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature Max. drying temperature Max. drying temperature Max. pH-value in usage Concentration 10.5 pH Gtin-13 Number Sugartina April 1907/2006 Pessign Registration No. EU 002025700-0001-3, Reg 20257000001-3, GB 20257000011-3, GB 202570000011-3, GB 20257000011-3, GB 2	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A Is Halal and Kosher compliant Pesign Registration No. BU 002025700-0001-3, GB 20257000001-3 Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Registration Width 70 mm Height 85 mm Net Weight Net Weight Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Cubik metre 0.001607 M3 Gross Weight Cubik metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature Max. drying temperature Min. pH-value in usage concentration 10.5 pH Griss-13 Number Storos020419218	Complies with UK 2019 No. 704 on food contact materials	Yes
Sesign Registration No.	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Design Registration No.	Use of phthalates and bisphenol A	No
Box Quantity 10 Pcs.	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Registry Width Peight Registry Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Cubik metre Cubik metre	Design Registration No.	
Quantity Per Layer (Pallet)80 Pcs.Length270 mmWidth70 mmHeight85 mmNet Weight0.21 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0056 kgWeight cardboard0.065 kgTare total0.0706 kgGross Weight0.28 kgCubik metre0.001607 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGitin-13 Number5705020419218	Box Quantity	10 Pcs.
Length 270 mm Width 70 mm Height 85 mm Net Weight 0.21 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.065 kg Tare total 0.0706 kg Gross Weight 0.28 kg Cubik metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max. drying temperature (Industry of the contact) 100 °C Max. drying temperature (Industry of the contact) 100 °C Max. drying temperature (Industry of the contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gitin-13 Number 5705020419218	Quantity per Pallet (80 x 120 x 200 cm)	1040 Pcs
Width 70 mm Height 85 mm Net Weight 0.21 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.065 kg Grare total 0.0706 kg Gross Weight 0.28 kg Cubik metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (Min. usage tempera	Quantity Per Layer (Pallet)	80 Pcs.
Net Weight 0.21 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.065 kg Gross Weight 0.276 kg Gross Weight 0.28 kg Cubik metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (100 °C Min. usage temperature (100 °C Min. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705020419218	Length	270 mm
Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.065 kg Tare total 0.0706 kg Gross Weight 0.28 kg Cubik metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature (Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020419218	Width	70 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.065 kg Tare total 0.0706 kg Gross Weight 0.28 kg Cubik metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (100 °C Min. usage temperature (100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020419218	Height	85 mm
Weight cardboard 0.065 kg Tare total 0.0706 kg Gross Weight 0.28 kg Cubik metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (Min. usage temperature) 2 °C Max. drying temperature (100 °C Min. pH-value in usage concentration 2 °C Max. pH-value in Usage Concentration 10.5 °C Gtin-13 Number 5705020419218	Net Weight	0.21 kg
Tare total 0.0706 kg Gross Weight 0.28 kg Cubik metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 2 pH Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020419218	Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.0056 kg
Gross Weight Cubik metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number	Weight cardboard	0.065 kg
Cubik metre 0.001607 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020419218	Tare total	0.0706 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature ³ Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration Contact Max. pH-value in Usage Concentration	Gross Weight	0.28 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020419218	Cubik metre	0.001607 M3
Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration Concentration 10.5 pH Gtin-13 Number Stropped S	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration Concentration 10.5 pH	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020419218	Max usage temperature (food contact)	80 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020419218	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020419218	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020419218	Max. drying temperature	100 °C
Gtin-13 Number 5705020419218	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) 15705020419215	Gtin-13 Number	5705020419218
	GTIN-14 Number (Box quantity)	15705020419215

Customs Tariff No. 96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.