29142 Broom, Angle Cut, 290 mm, Very hard, Green





Easily clean narrow spaces between equipment prior to scrubbing with this versatile Angle Cut Broom featuring angled bristles. Ideal for removing dirt and larger food particles from moist surfaces.

## **Technical Data**

Visible bristle length 1/0 mm   Material Polypopylene Polyposter Stainless Steel (AISI 304)   Complies with (EC) 1935/2004 on food contact materials' Yes   Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes   EDA compliant raw material (CFR 21) Yes   Complies with UK 2019 No. 704 on food contact materials Yes   Meets the REACH Regulation (EC) No. 1907/2006 Yes   California Proposition 65 Compliant Yes   Use of phthalates and bisphenol A No   Is Halal and Kosher compliant Yes   Quantity 10 Pcs.   Quantity Per Pallet (80 x 120 x 200 cm) 480 Pcs   Quantity Per Layer (Pallet) 60 Pcs.   Length 290 mm   Width 40 mm   Height 270 mm   Net Weight 0.029 kg   Tare total 0.0419 kg   Gross Weight 0.5 kg   Cubik metre 0.003132 M3   Recommended sterilisation temperature (Autoclave) 121 °C   Max. cleaning temperature (Iosd contact) 80 °C   Max usage temperature (food contact) 80 °C   Max usage temperatur	Item Number	29142
Polyester Stainless Steel (AISI 304)     Complies with (EC) 1935/2004 on food contact materials <sup>1</sup> Yes     Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice   Yes     FDA compliant raw material (CFR 21)   Yes     Complies with UK 2019 No. 704 on food contact materials   Yes     Meets the REACH Regulation (EC) No. 1907/2006   Yes     California Proposition 65 Compliant   Yes     Use of phthalates and bisphenol A   No     Is Halal and Kosher compliant   Yes     Quantity per Pallet (80 x 120 x 200 cm)   480 Pcs     Quantity Per Layer (Pallet)   60 Pcs.     Length   290 mm     Width   40 mm     Height   270 mm     Net Weight   0.463 kg     Weight cardboard   0.029 kg     Tare total   0.0419 kg     Gross Weight   0.5 kg     Cubik metre   0.03132 M3     Recommended sterillisation temperature (Autoclave)   121 °C     Max. cleaning temperature (food contact)   80 °C     Max usage temperature (food contact)   80 °C     Max usage temperature   -20 °C <td rowspan="2">Visible bristle length Material</td> <td>170 mm</td>	Visible bristle length Material	170 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesCalifornia Proposition 65 CompliantYesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesQuantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Length290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LPPE)0.0129 kgCubik metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Ioshwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature0.00 °CMax. rpH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425		Polyester Stainless Steel (AISI
Manufacturing PracticeFDA compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesCalifornia Proposition 65 CompliantYesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Length290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgCubik metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature000 °CMin. usage concentration2 pHMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHStrossource10.5 pHGin-13 Number5705020291425	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesCalifornia Proposition 65 CompliantYesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Length290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE)0.0129 kgCubik metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)80 °CMax usage temperature (food contact)00 °CMin. usage concentration2 pfMax. drying temperature00 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHGtin-13 Number5705020291425		Yes
Meets the REACH Regulation (EC) No. 1907/2006YesCalifornia Proposition 65 CompliantYesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Length290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard0.029 kgTare total0.0419 kgGross Weight0.5 kgCubit metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (fod contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature20 °CMax. drying temperature20 °CMax. drying temperature20 °CMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHGtin-13 Number5705020291425	FDA compliant raw material (CFR 21)	Yes
California Proposition 65 CompliantYesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Length290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgTare total0.029 kgGross Weight0.5 kgCubik metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax. usage temperature (non food contact)100 °CMin. usage temperature0.00 °CMin. usage temperature2.02 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Complies with UK 2019 No. 704 on food contact materials	Yes
Use of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Length290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard0.029 kgTare total0.0419 kgGross Weight0.5 kgCubik metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (food contact)80 °CMax. usage temperature (no food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Is Halal and Kosher compliantYesBox Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Length290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgTare total0.029 kgGross Weight0.5 kgCubik metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature100 °CMin. usage concentration2 pHMax. pH-value in usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	California Proposition 65 Compliant	Yes
Box Quantity10 Pcs.Quantity per Pallet (80 x 120 x 200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Length290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard0.029 kgTare total0.0419 kgGross Weight0.5 kgCubik metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax usage temperature food contact)100 °CMin. usage concentration2 pHMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm)480 PcsQuantity Per Layer (Pallet)60 Pcs.Length290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard0.029 kgTare total0.0419 kgGross Weight0.5 kgCubik metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax usage temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)60 Pcs.Length290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard0.029 kgTare total0.0419 kgGross Weight0.5 kgCubik metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Box Quantity	10 Pcs.
Length290 mmWidth40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard0.029 kgTare total0.0419 kgGross Weight0.5 kgCubik metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)80 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. nusage temperature100 °CMin. usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Quantity per Pallet (80 x 120 x 200 cm)	480 Pcs
Width40 mmHeight270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard0.029 kgTare total0.0419 kgGross Weight0.5 kgCubik metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature a-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Quantity Per Layer (Pallet)	60 Pcs.
Height270 mmNet Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard0.029 kgTare total0.0419 kgGross Weight0.5 kgCubik metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHGtin-13 Number5705020291425	Length	290 mm
Net Weight0.463 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard0.029 kgTare total0.0419 kgGross Weight0.5 kgCubik metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature and contact100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Width	40 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0129 kgWeight cardboard0.029 kgTare total0.0419 kgGross Weight0.5 kgCubik metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Height	270 mm
(LDPE)Veight cardboard0.029 kgTare total0.0419 kgGross Weight0.5 kgCubik metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Net Weight	0.463 kg
Tare total0.0419 kgGross Weight0.5 kgCubik metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425		0.0129 kg
Gross Weight0.5 kgCubik metre0.003132 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Weight cardboard	0.029 kg
Cubik metre0.003132M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Tare total	0.0419 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Gross Weight	0.5 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Cubik metre	0.003132 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Max usage temperature (food contact)	80 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020291425	Max. drying temperature	100 °C
Gtin-13 Number   5705020291425	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
<b>GTIN-14 Number (Box quantity)</b> 15705020291422	Gtin-13 Number	5705020291425
	GTIN-14 Number (Box quantity)	15705020291422

Customs Tariff No.	96039091
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.