Lobby Broom, 260 mm, Soft/hard, Green





Easily clean the narrow spaces between production line equipment with this Lobby Broom. Ideal for sweeping dry areas, perfect for use with a lobby pan, and can be used with any Vikan handle.

Technical Data

Material Polysester Stainless Steel (Als 304) Complies with (EC) 1935/2004 on food contact materials¹ Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 California Proposition 65 Compliant Juse of phthalates and bisphenol A Is Halal and Kosher compliant Posa Quantity Quantity Per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Notth Net Weight Net Weight Net Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature Max. drying temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration	Item Number	31042
Complies with (EC) 1935/2004 on food contact materials¹ YProduced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) YComplies with UK 2019 No. 704 on food contact materials Yet Meets the REACH Regulation (EC) No. 1907/2006 YCalifornia Proposition 65 Compliant YCUse of phthalates and bisphenol A SHalal and Kosher compliant YCUse of phthalates and bisphenol A SHalal and Kosher compliant YCUse of phthalates and bisphenol A SHAIL AND SHAIL	Visible bristle length	75 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Weets the REACH Regulation (EC) No. 1907/2006 Yell California Proposition 65 Compliant Use of phthalates and bisphenol A Is Halal and Kosher compliant Yell Countity Quantity Quantity Quantity Quantity Per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Weight Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard Gross Weight Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration Max. pH-value in usage Concentration	Material	Polyester Stainless Steel (AISI
Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Yeles the REACH Regulation (EC) No. 1907/2006 Yellifornia Proposition 65 Compliant Use of phthalates and bisphenol A Shalal and Kosher compliant Yellow Quantity Yellow Per Pallet (80 x 120 x 200 cm) Yellow Per Layer (Pallet) Yellow Per Layer (Pallet) Yellow Per Layer (Pallet) Yellow Yellifor Month String Yellow	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Y Meets the REACH Regulation (EC) No. 1907/2006 Y California Proposition 65 Compliant Use of phthalates and bisphenol A Is Halal and Kosher compliant Y Countity Countity Countity Countity per Pallet (80 x 120 x 200 cm) Countity Per Layer (Pallet) Length Width Height Net Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard Countity Count	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yalifornia Proposition 65 Compliant Yalse of phthalates and bisphenol A Sa Halal and Kosher compliant Yalifornia Proposition 65 Compliant Yalifornia Proposition 9 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FDA compliant raw material (CFR 21)	Yes
California Proposition 65 Compliant Use of phthalates and bisphenol A Is Halal and Kosher compliant Shalal and Kosher compliant Yes Quantity Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Width 15 m Net Weight Net Weight Neight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard Cubik metre Quantity Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration Max. pH-value in Usage Concentration Yell 10 Proposition of No. 19 Propo	Complies with UK 2019 No. 704 on food contact materials	Yes
Use of phthalates and bisphenol A s Halal and Kosher compliant Y Box Quantity Quantity Quantity per Pallet (80 x 120 x 200 cm) SQUAD PROPOSITION (800 PROPOSITION PORT PARTICLE) SQUAD PROPOSITION PROPOSITION PORT PORT PARTICLE Note the second port of the second port Polyethylene LDPE Neight bag (Recycling Symbol "4" Low Density Polyethylene LDPE Neight cardboard O.022 Fare total O.0298 Gross Weight O.37 Cubik metre O.001592 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature 100 Min. usage temperature 100 Min. pH-value in usage concentration 10.5 particles Max. pH-value in Usage Concentration	Meets the REACH Regulation (EC) No. 1907/2006	Yes
S Halal and Kosher compliant Box Quantity Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Clength Width Height Net Weight Net Weight Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration Y 800 P 200 Recommended Sterilisation 101 Y Y 102 Y 103 Y 104 Y 105 Y 106 Y 107 Y 107 Y Max. pH-value in Usage Concentration 105 Y 107 108 108 108 Y 109 Y Max. pH-value in Usage Concentration 105 Y 107 108 108 108 108 108 108 108	California Proposition 65 Compliant	Yes
Box Quantity per Pallet (80 x 120 x 200 cm) Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length Width Height Net Weight Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature Min. usage temperature Min. pH-value in usage concentration Max. pH-value in usage Concentration 10.00 80 Pountity per Pallet (80 x 120 x 200 cm) 80 80 80 80 80 80 80 80 80 8	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) Quantity Per Layer (Pallet) Length 260 m Width Height Net Weight Net Weight Neight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard Cubik metre Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. pH-value in usage concentration Min. pH-value in usage Concentration 80 P 8	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) Length 260 m Width 35 m Height Net Weight Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 7.0022 Fare total 7.00298 Gross Weight 7.001592 m Recommended sterilisation temperature (Autoclave) 7.001592 m Recommended sterilisation temperature (Autoclave) 7.001592 m Rex usage temperature (Dishwasher) 7.001592 m Rex usage temperature (non food contact) 7.001593 m Rex usage temperature (non food contact) 8.001593 m Rex usage temperature (non food contact) 8.00159 m Rex usage	Box Quantity	10 Pcs.
Length 260 m Width 35 m Height 175 m Net Weight 0.34 Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.022 Tare total 0.0298 Gross Weight 0.37 Cubik metre 0.001592 m Recommended sterilisation temperature (Autoclave) 121 Max. cleaning temperature (Dishwasher) 93 Max usage temperature (non food contact) 100 Min. usage temperature (non food contact) 100 Min. usage temperature 100 Min. pH-value in usage concentration 10.5 m Max. pH-value in Usage Concentration 10.5	Quantity per Pallet (80 x 120 x 200 cm)	800 Pcs
Width 35 m Height 175 m Net Weight 0.34 Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 Weight cardboard 0.022 Tare total 0.0298 Gross Weight 0.37 Cubik metre 0.001592 Max. cleaning temperature (Dishwasher) 121 Max. cleaning temperature (Dishwasher) 93 Max usage temperature (food contact) 80 Max usage temperature (non food contact) 100 Min. usage temperature 100 Min. usage temperature 100 Min. pH-value in usage concentration 2 Max. pH-value in Usage Concentration 10.5	Quantity Per Layer (Pallet)	80 Pcs.
Net Weight 0.34 Weight bag (Recycling Symbol "4" Low Density Polyethylene LDPE) Weight cardboard 0.022 Tare total 0.0298 Gross Weight 0.37 Cubik metre 0.001592 Recommended sterilisation temperature (Autoclave) 121 Max. cleaning temperature (Dishwasher) 93 Max usage temperature (food contact) 80 Max usage temperature (non food contact) 100 Min. usage temperature (100 Min. usage temperature 100 Min. pH-value in usage concentration 2 Max. pH-value in Usage Concentration 10.5	Length	260 mm
Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard O.022 Fare total O.0298 Gross Weight Cubik metre O.001592 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature Min. usage temperature Min. usage temperature Min. usage concentration Min. pH-value in usage concentration Max. pH-value in Usage Concentration	Width	35 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078Weight cardboard0.022Tare total0.0298Gross Weight0.37Cubik metre0.001592Recommended sterilisation temperature (Autoclave)121Max. cleaning temperature (Dishwasher)93Max usage temperature (non food contact)80Max usage temperature (non food contact)100Min. usage temperature100Min. pH-value in usage concentration2Max. pH-value in Usage Concentration10.5	Height	175 mm
Weight cardboard 0.022 Tare total 0.0298 Gross Weight 0.37 Cubik metre 0.001592 Recommended sterilisation temperature (Autoclave) 121 Max. cleaning temperature (Dishwasher) 93 Max usage temperature (food contact) 80 Max usage temperature (non food contact) 100 Min. usage temperature (Max. drying temperature (Min. pH-value in usage concentration 2 Max. pH-value in Usage Concentration 10.5	Net Weight	0.34 kg
Tare total 0.0298 Gross Weight 0.37 Cubik metre 0.001592 Necommended sterilisation temperature (Autoclave) 121 Max. cleaning temperature (Dishwasher) 93 Max usage temperature (food contact) 80 Max usage temperature (non food contact) 100 Min. usage temperature (non food contact) 100 Min. usage temperature 100 Min. pH-value in usage concentration 2 Max. pH-value in Usage Concentration 10.5	Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.0078 kg
Cubik metre 0.001592 Recommended sterilisation temperature (Autoclave) 121 Max. cleaning temperature (Dishwasher) 93 Max usage temperature (food contact) 80 Max usage temperature (non food contact) 100 Min. usage temperature 3 -20 Max. drying temperature 100 Min. pH-value in usage concentration 2 Max. pH-value in Usage Concentration 10.5	Weight cardboard	0.022 kg
Cubik metre 0.001592 Necommended sterilisation temperature (Autoclave) 121 Max. cleaning temperature (Dishwasher) 93 Max usage temperature (food contact) 80 Max usage temperature (non food contact) 100 Min. usage temperature 3 -20 Max. drying temperature 100 Min. pH-value in usage concentration 2 10.5 Max. pH-value in Usage Concentration 10.5	Tare total	0.0298 kg
Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature ³ -20 Max. drying temperature 100 Min. pH-value in usage concentration 2 Max. pH-value in Usage Concentration 10.5	Gross Weight	0.37 kg
Max. cleaning temperature (Dishwasher)93Max usage temperature (food contact)80Max usage temperature (non food contact)100Min. usage temperature³-20Max. drying temperature100Min. pH-value in usage concentration2Max. pH-value in Usage Concentration10.5	Cubik metre	0.001592 M3
Max usage temperature (food contact) Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 100 Min. pH-value in usage concentration 2 Max. pH-value in Usage Concentration 10.5	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 100 Min. pH-value in usage concentration 2 Max. pH-value in Usage Concentration 10.5	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature 3 -20 Max. drying temperature 100 Min. pH-value in usage concentration 2 Max. pH-value in Usage Concentration 10.5	Max usage temperature (food contact)	80 °C
Max. drying temperature100Min. pH-value in usage concentration2Max. pH-value in Usage Concentration10.5	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 Max. pH-value in Usage Concentration 10.5	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5	Max. drying temperature	100 °C
	Min. pH-value in usage concentration	2 pH
Gtin-13 Number 570502031042	Max. pH-value in Usage Concentration	10.5 pH
	Gtin-13 Number	5705020310423
GTIN-14 Number (Box quantity) 1570502031042	GTIN-14 Number (Box quantity)	15705020310420

Customs Tariff No. 96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.