Broom w/ Straight Neck, 310 mm, Medium, Red





Ideal for cleaning between machines and under tables, this straight-necked Broom easily removes dust, paper and food particles such as fish and meat.

Technical Data

| Visible bristle length 78 mm Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 450 Pcs. Quantity Per Layer (Pallet) 90 Pcs. Length 310 mm Width 60 mm Height 140 mm Not Weight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE) 0.00267 kg Weight cardboard 0.0307 kg Gross Weight 0.47 kg Cubik metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 0.0 | Item Number | 31664 |
|--|---|------------------------------------|
| Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Yes Complies with UK 2019 No. 704 on food contact materials Yes Callifornia Proposition 65 Compliant Yes Callifornia Proposition 65 Compliant Yes Box Quantity 15 Pcs. Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 450 Pcs Quantity Per Layer (Pallet) 90 Pcs. Length 310 mm Width 60 mm Height 140 mm Net Weight Aug (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 7 Couls (Couls and Couls and C | Visible bristle length | 78 mm |
| Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 California Proposition 65 Compliant Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) Cuantity Per Layer (Pallet) Length Moth Moth Height Moth Moth Meight Meight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Cubik metre Monufacturing Max. cleaning temperature (Dishwasher) Max usage temperature (Inon food contact) Max. drying temperature Max. ph-value in usage Concentration Max. ph-value in usage Concentration Max. ph-value in usage Concentration Model California Yes Mees Mees Metal Max 100 100 100 100 100 100 100 100 100 10 | Material | Polyester Stainless Steel (AISI |
| Manufacturing Practice Yes Compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 450 Pcs Quantity Per Layer (Pallet) 90 Pcs. Length 310 mm Width 60 mm Height 140 mm Net Weight 0.43 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0087 kg Weight cardboard 0.0307 kg Tare total 0.0394 kg Gross Weight 0.47 kg Cubik metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 80 °C Max. drying temperature 100 °C Min. pH- | Complies with (EC) 1935/2004 on food contact materials ¹ | Yes |
| Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 450 Pcs Quantity Per Layer (Pallet) 90 Pcs. Length 310 mm Width 60 mm Height 140 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0087 kg Weight cardboard 0.0307 kg Tare total 0.0394 kg Gross Weight 0.47 kg Cubik metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 80 °C Max usage temperature (food contact) 80 °C Max usage temperature (not food contact) 100 °C Min. usage temperature 100 °C Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration <t< td=""><td></td><td>Yes</td></t<> | | Yes |
| Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 450 Pcs Quantity Per Layer (Pallet) 90 Pcs. Length 310 mm Width 60 mm Height 140 mm Net Weight 0.43 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0087 kg Weight cardboard 0.0307 kg Tare total 0.0394 kg Gross Weight 0.47 kg Cubik metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020316647 | FDA compliant raw material (CFR 21) | Yes |
| California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 450 Pcs Quantity Per Layer (Pallet) 90 Pcs. Length 310 mm Width 60 mm Height 140 mm Net Weight 0.43 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0087 kg Weight cardboard 0.0307 kg Tare total 0.0394 kg Gross Weight 0.47 kg Cubik metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. ph-value in usage concentration 2 pH Max. ph-value in Usage Concentration 5705020316647 | Complies with UK 2019 No. 704 on food contact materials | Yes |
| Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 450 Pcs Quantity Per Layer (Pallet) 90 Pcs. Length 310 mm Width 60 mm Height 140 mm Net Weight 0.43 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0087 kg Weight cardboard 0.0307 kg Tare total 0.0394 kg Gross Weight 0.47 kg Cubik metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020316647 | Meets the REACH Regulation (EC) No. 1907/2006 | Yes |
| Is Halal and Kosher compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 450 Pcs Quantity Per Layer (Pallet) 90 Pcs. Length 310 mm Width 60 mm Height 140 mm Net Weight 0.43 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0087 kg Weight cardboard 0.0307 kg Tare total 0.0394 kg Gross Weight 0.47 kg Cubik metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020316647 | California Proposition 65 Compliant | Yes |
| Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 450 Pcs Quantity Per Layer (Pallet) 90 Pcs. Length 310 mm Width 60 mm Height 140 mm Net Weight 0.43 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0087 kg Weight cardboard 0.0307 kg Tare total 0.0394 kg Gross Weight 0.47 kg Cubik metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020316647 | Use of phthalates and bisphenol A | No |
| Quantity per Pallet (80 x 120 x 200 cm) 450 Pcs Quantity Per Layer (Pallet) 90 Pcs. Length 310 mm Width 60 mm Height 140 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0087 kg Weight cardboard 0.0307 kg Tare total 0.0394 kg Gross Weight 0.47 kg Cubik metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020316647 | Is Halal and Kosher compliant | Yes |
| Quantity Per Layer (Pallet) 90 Pcs. Length 310 mm Width 60 mm Height 140 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0087 kg Weight cardboard 0.0307 kg Tare total 0.0394 kg Gross Weight 0.47 kg Cubik metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020316647 | Box Quantity | 15 Pcs. |
| Length 310 mm Width 60 mm Height 140 mm Net Weight 0.43 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0087 kg Weight cardboard 0.0307 kg Tare total 0.0394 kg Gross Weight 0.47 kg Cubik metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020316647 | Quantity per Pallet (80 x 120 x 200 cm) | 450 Pcs |
| Width 60 mm Height 140 mm Net Weight 0.43 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.0307 kg Tare total 0.0394 kg Gross Weight 0.47 kg Cubik metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020316647 | Quantity Per Layer (Pallet) | 90 Pcs. |
| Height140 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0087 kgWeight cardboard0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubik metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020316647 | Length | 310 mm |
| Net Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0087 kgWeight cardboard0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubik metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020316647 | Width | 60 mm |
| Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0087 kgWeight cardboard0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubik metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020316647 | Height | 140 mm |
| Weight cardboard 0.0307 kg Tare total 0.0394 kg Gross Weight 0.47 kg Cubik metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020316647 | Net Weight | 0.43 kg |
| Tare total 0.0394 kg Gross Weight 0.47 kg Cubik metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020316647 | | 0.0087 kg |
| Gross Weight 0.47 kg Cubik metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020316647 | Weight cardboard | 0.0307 kg |
| Cubik metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020316647 | Tare total | 0.0394 kg |
| Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020316647 | Gross Weight | 0.47 kg |
| Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020316647 | Cubik metre | 0.002604 M3 |
| Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020316647 | Recommended sterilisation temperature (Autoclave) | 121 °C |
| Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020316647 | Max. cleaning temperature (Dishwasher) | 93 °C |
| Min. usage temperature ³ Max. drying temperature Min. pH-value in usage concentration pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020316647 | Max usage temperature (food contact) | 80 °C |
| Max. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020316647 | Max usage temperature (non food contact) | 100 °C |
| Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020316647 | Min. usage temperature ³ | -20 °C |
| Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020316647 | Max. drying temperature | 100 °C |
| Gtin-13 Number 5705020316647 | Min. pH-value in usage concentration | 2 pH |
| | Max. pH-value in Usage Concentration | 10.5 pH |
| GTIN-14 Number (Box quantity) 15705020316644 | Gtin-13 Number | 5705020316647 |
| | GTIN-14 Number (Box quantity) | 15705020316644 |

Customs Tariff No. 96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.