Lid f/Bucket 5692, 20 Litre, Red





Lid for bucket 5692x. Useful for preventing spills and contamination. Features a special stacking rim.

Technical Data

Material Polypropylene Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 560 Pcs Quantity Per Layer (Pallet) 30 Pcs. Length 430 mm Width 375 mm Height 0.07 kg Weight cardboard 0.07 kg Weight cardboard 0.07 kg Gross Weight 0.47 kg Cubik metre 0.00645 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 30 °C Max usage temperature (non food contact) 100 °C Min. usage temperature in usage concentration 2 pH Min. pH-value in usage conce	Item Number	56934
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Yes Box Quantity S Pcs. Quantity per Pallet (80 x 120 x 200 cm) Gunity Per Layer (Pallet) S Pcs. Quantity Per Layer (Pallet) S Pcs. Quantity Per Layer (Pallet) S Pcs. Use of With March Samm Width S Pcs. Weight S Pcs. Quantity Per Layer (Pallet) S Pcs. Quantity Pre Layer (Pallet) S Pcs	Material	Polypropylene
Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 560 Pcs Quantity Per Layer (Pallet) 30 Pcs. Length 430 mm Width 375 mm Height 40 mm Net Weight 0.4 kg Weight cardboard 0.07 kg Gross Weight 0.47 kg Cubik metre 0.00645 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. usage temperature 2 pH Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "S", Polypropylene (PP) Yes	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Compiles with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 560 Pcs Quantity Per Layer (Pallet) 30 Pcs. Length 430 mm Width 375 mm Height 40 mm Net Weight 0.4 kg Weight cardboard 0.07 kg Gross Weight 0.47 kg Cubik metre 0.00645 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Max. pH-value in usage Concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 560 Pcs Quantity Per Layer (Pallet) 30 Pcs. Length 430 mm Width 375 mm Height 40 mm Net Weight 0.4 kg Weight cardboard 0.07 kg Tare total 0.07 kg Gross Weight 0.47 kg Cubik metre 0.00645 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 2 pH Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569340 </th <th>FDA compliant raw material (CFR 21)</th> <th>Yes</th>	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 560 Pcs Quantity Per Layer (Pallet) 30 Pcs. Length 430 mm Width 375 mm Height 40 mm Net Weight 0.4 kg Weight cardboard 0.07 kg Gross Weight 0.47 kg Cubik metre 0.00645 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 2 pH Max. pH-value in usage concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569340 GTIN-14 Number (Box quantity) 15705020569347 Customs Tariff No. 39241000	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Yes Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 560 Pcs Quantity Per Layer (Pallet) 30 Pcs. Length 430 mm Width 375 mm Height 40 mm Net Weight 0.4 kg Weight cardboard 0.07 kg Gross Weight 0.47 kg Cubik metre 0.00645 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569340 GTIN-14 Number (Box quantity) 15705020569347 Customs Tariff No. 39241000	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 5 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 560 Pcs Quantity Per Layer (Pallet) 30 Pcs. Length 430 mm Width 375 mm Height 40 mm Net Weight 0.4 kg Weight cardboard 0.07 kg Tare total 0.07 kg Gross Weight 0.47 kg Cubik metre 0.00645 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569340 GTIN-14 Number (Box quantity) 15705020569347 Customs Tariff No. 39241000	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 560 Pcs Quantity Per Layer (Pallet) 30 Pcs. Length 430 mm Width 375 mm Height 40 mm Net Weight 0.4 kg Weight cardboard 0.07 kg Tare total 0.07 kg Gross Weight 0.47 kg Cubik metre 0.00645 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569340 GTIN-14 Number (Box quantity) 15705020569347 Customs Tariff No. 39241000	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 30 Pcs. Length 430 mm Width 375 mm Height 40 mm Net Weight 0.4 kg Weight cardboard 0.07 kg Tare total 0.07 kg Gross Weight 0.47 kg Cubik metre 0.00645 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569340 GTIN-14 Number (Box quantity) 15705020569347 Customs Tariff No. 39241000	Box Quantity	5 Pcs.
Length 430 mm Width 375 mm Height 40 mm Net Weight 0.4 kg Weight cardboard 0.07 kg Tare total 0.07 kg Gross Weight 0.47 kg Cubik metre 0.00645 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569347 GTIN-14 Number (Box quantity) 15705020569347 Customs Tariff No. 39241000	Quantity per Pallet (80 x 120 x 200 cm)	560 Pcs
Width 375 mm Height 40 mm Net Weight 0.4 kg Weight cardboard 0.07 kg Tare total 0.07 kg Gross Weight 0.47 kg Cubik metre 0.00645 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569340 GTIN-14 Number (Box quantity) 15705020569347 Customs Tariff No. 39241000	Quantity Per Layer (Pallet)	30 Pcs.
Height 40 mm Net Weight 0.4 kg Weight cardboard 0.07 kg Tare total 0.07 kg Gross Weight 0.47 kg Cubik metre 0.00645 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569340 GTIN-14 Number (Box quantity) 15705020569347 Customs Tariff No. 39241000	Length	430 mm
Net Weight 0.4 kg Weight cardboard 0.07 kg Tare total 0.07 kg Gross Weight 0.47 kg Cubik metre 0.00645 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569340 GTIN-14 Number (Box quantity) 15705020569347 Customs Tariff No. 39241000	Width	375 mm
Weight cardboard0.07 kgTare total0.07 kgGross Weight0.47 kgCubik metre0.00645 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569340GTIN-14 Number (Box quantity)15705020569347Customs Tariff No.39241000	Height	40 mm
Tare total 0.07 kg Gross Weight 0.47 kg Cubik metre 0.00645 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569340 GTIN-14 Number (Box quantity) 15705020569347 Customs Tariff No. 39241000	Net Weight	0.4 kg
Gross Weight 0.47 kg Cubik metre 0.00645 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes Gtin-13 Number 5705020569340 GTIN-14 Number (Box quantity) 15705020569347 Customs Tariff No. 39241000	Weight cardboard	0.07 kg
Cubik metre0.00645 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569340GTIN-14 Number (Box quantity)15705020569347Customs Tariff No.39241000	Tare total	0.07 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569340GTIN-14 Number (Box quantity)15705020569347Customs Tariff No.39241000	Gross Weight	0.47 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569340GTIN-14 Number (Box quantity)15705020569347Customs Tariff No.39241000	Cubik metre	0.00645 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569340GTIN-14 Number (Box quantity)15705020569347Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569340GTIN-14 Number (Box quantity)15705020569347Customs Tariff No.39241000	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569340GTIN-14 Number (Box quantity)15705020569347Customs Tariff No.39241000	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569340GTIN-14 Number (Box quantity)15705020569347Customs Tariff No.39241000	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569340GTIN-14 Number (Box quantity)15705020569347Customs Tariff No.39241000	Max. drying temperature	120 °C
Recycling Symbol "5", Polypropylene (PP)YesGtin-13 Number5705020569340GTIN-14 Number (Box quantity)15705020569347Customs Tariff No.39241000	Min. pH-value in usage concentration	2 pH
Gtin-13 Number 5705020569340 GTIN-14 Number (Box quantity) 15705020569347 Customs Tariff No. 39241000	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity) 15705020569347 Customs Tariff No. 39241000	Recycling Symbol "5", Polypropylene (PP)	Yes
Customs Tariff No. 39241000	Gtin-13 Number	5705020569340
	GTIN-14 Number (Box quantity)	15705020569347
Country of origin Denmark	Customs Tariff No.	39241000
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.