## Tank Brush, 205 mm, Hard, Green





Clean tanks, vats and drain gulleys with this Tank Brush, which can be used with any Vikan handle.

## **Technical Data**

Material  Polypropylene Polyester Stainless Steel (AISI 304)  Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Height 100 mm Wet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard 0.022 kg Gross Weight 0.5 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 30 °C Max usage temperature (Tool contact) 100 °C Max usage temperature (Masser Polyethylene in Usage temperature (Masser Polyethylene in Usage temperature (Tool contact) 100 °C Max usage temperatu	Item Number	70372
Compiles with (EC) 1935/2004 on food contact materials¹  Polyester Stainless Steel (AISI 304)  Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Compiles with UK 2019 No. 704 on food contact materials  Yes Meets the REACH Regulation (EC) No. 1907/2006  Yes Use of phthalates and bisphenol A  No Is Halal and Kosher compliant  Box Quantity  10 Pcs. Quantity per Pallet (80 x 120 x 200 cm)  480 Pcs Quantity Per Layer (Pallet)  Length  205 mm  Width  130 mm  Height  100 mm  Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard  7 Tare total  Gross Weight  Cubik metre  0.002665  Max usage temperature (Dishwasher)  Max usage temperature (food contact)  Min. usage temperature  Min. usage temperature  Min. usage temperature  Min. usage temperature  Min. pH-value in usage concentration  Max. pH-value in Usage Concentration	Visible bristle length	40 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  Yes  Meets the REACH Regulation (EC) No. 1907/2006  Yes  Use of phthalates and bisphenol A  No Is Halal and Kosher compliant  Yes  Box Quantity  10 Pcs.  Quantity per Pallet (80 x 120 x 200 cm)  480 Pcs  Quantity Per Layer (Pallet)  60 Pcs.  Length  205 mm  Width  130 mm  Height  100 mm  Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard  0.022 kg  Gross Weight  0.5 kg  Cubik metre  0.002665 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (non food contact)  Min. usage temperature  Min. pH-value in usage concentration  10.5 pH  Gtin-13 Number  5705020703720  GTIN-14 Number (Box quantity)  15705020703727	Material	Polyester Stainless Steel (AISI
Manufacturing Practice         FDA compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10         Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         480         Pcs.           Quantity Per Layer (Pallet)         60         Pcs.           Length         205         mm           Width         130         mm           Height         100         mm           Net Weight         0.47         kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078         kg           Weight cardboard         0.022         kg           Gross Weight         0.5         kg           Cubik metre         0.002665         M3           Recommended sterilisation temperature (Autoclave)         121         °C           Max. cleaning temperature (Dishwasher)         93         °C           Max usage temperature (non food contact)         60         °C           Max. drying temperature         100	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         480 Pcs           Quantity Per Layer (Pallet)         60 Pcs.           Length         205 mm           Width         130 mm           Height         100 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078 kg           Weight cardboard         0.022 kg           Gross Weight         0.5 kg           Cubik metre         0.00265 M3           Gross Weight         0.5 kg           Cubik metre         0.00265 M3           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature on food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10         Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         480         Pcs.           Quantity Per Layer (Pallet)         60         Pcs.           Length         205         mm           Width         130         mm           Height         100         mm           Net Weight         0.47         kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078         kg           Weight cardboard         0.022         kg           Gross Weight         0.5         kg           Cubik metre         0.002665         M3           Recommended sterilisation temperature (Autoclave)         121         °C           Max. cleaning temperature (food contact)         80         °C           Max usage temperature (food contact)         80         °C           Min. usage temperature (non food contact)         100         °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5         pH <td>FDA compliant raw material (CFR 21)</td> <td>Yes</td>	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         480 Pcs           Quantity Per Layer (Pallet)         60 Pcs.           Length         205 mm           Width         130 mm           Height         100 mm           Net Weight         0.47 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078 kg           Weight cardboard         0.022 kg           Gross Weight         0.5 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Min. usage temperature         100 °C           Min. usage temperature         100 °C           Min. ph-value in usage concentration         2 pH           Max. ph-value in Usage Concentration         5705020703720           Gtin-13 Number         5705020703727	Complies with UK 2019 No. 704 on food contact materials	Yes
S Halal and Kosher compliant   Yes     Box Quantity   10   Pcs.     Quantity per Pallet (80 x 120 x 200 cm)   480   Pcs     Quantity Per Layer (Pallet)   60   Pcs.     Length   205   mm     Width   130   mm     Height   100   mm     Net Weight   0.47   kg     Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)     Weight cardboard   0.022   kg     Gross Weight   0.5   kg     Gross Weight   0.5   kg     Cubik metre   0.002665   M3     Recommended sterilisation temperature (Autoclave)   121   °C     Max. cleaning temperature (Dishwasher)   93   °C     Max usage temperature (food contact)   80   °C     Max usage temperature (non food contact)   100   °C     Min. pH-value in usage concentration   2   pH     Max. pH-value in usage Concentration   10.5   pH     Max. pH-value in Usage Concentration   5705020703720     GTIN-14 Number (Box quantity)   15705020703727	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity         10 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         480 Pcs.           Quantity Per Layer (Pallet)         60 Pcs.           Length         205 mm           Width         130 mm           Height         100 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078 kg           Weight cardboard         0.022 kg           Tare total         0.0298 kg           Gross Weight         0.5 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         5705020703720           GTIN-14 Number (Box quantity)         15705020703727	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm)         480 Pcs           Quantity Per Layer (Pallet)         60 Pcs.           Length         205 mm           Width         130 mm           Height         100 mm           Net Weight         0.47 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078 kg           Weight cardboard         0.022 kg           Tare total         0.0298 kg           Gross Weight         0.5 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Max. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020703720           GTIN-14 Number (Box quantity)         15705020703727	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)         60 Pcs.           Length         205 mm           Width         130 mm           Height         100 mm           Net Weight         0.47 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078 kg           Weight cardboard         0.022 kg           Tare total         0.0298 kg           Gross Weight         0.5 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020703720           GTIN-14 Number (Box quantity)         15705020703727	Box Quantity	10 Pcs.
Length         205 mm           Width         130 mm           Height         100 mm           Net Weight         0.47 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078 kg           Weight cardboard         0.022 kg           Tare total         0.0298 kg           Gross Weight         0.5 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020703720           GTIN-14 Number (Box quantity)         15705020703727	Quantity per Pallet (80 x 120 x 200 cm)	480 Pcs
Width         130 mm           Height         100 mm           Net Weight         0.47 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078 kg           Weight cardboard         0.022 kg           Tare total         0.0298 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020703720           GTIN-14 Number (Box quantity)         15705020703727	Quantity Per Layer (Pallet)	60 Pcs.
Height         100 mm           Net Weight         0.47 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078 kg           Weight cardboard         0.022 kg           Tare total         0.0298 kg           Gross Weight         0.5 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020703720           GTIN-14 Number (Box quantity)         15705020703727	Length	205 mm
Net Weight         0.47 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0078 kg           Weight cardboard         0.022 kg           Tare total         0.0298 kg           Gross Weight         0.5 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020703727           GTIN-14 Number (Box quantity)         15705020703727	Width	130 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard 0.022 kg Tare total 0.0298 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3  Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 2 pH Max. drying temperature (non food contact) 10.5 pH Gtin-13 Number 5705020703727	Height	100 mm
Weight cardboard         0.022 kg           Tare total         0.0298 kg           Gross Weight         0.5 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020703720           GTIN-14 Number (Box quantity)         15705020703727	Net Weight	0.47 kg
Tare total         0.0298 kg           Gross Weight         0.5 kg           Cubik metre         0.002665 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature³         -20 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020703720           GTIN-14 Number (Box quantity)         15705020703727	Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.0078 kg
Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703720 GTIN-14 Number (Box quantity) 15705020703727	Weight cardboard	0.022 kg
Cubik metre 0.002665 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 80 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature³ -20 °C  Max. drying temperature 100 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020703720  GTIN-14 Number (Box quantity) 15705020703727	Tare total	0.0298 kg
Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  93 °C  Max usage temperature (food contact)  80 °C  Max usage temperature (non food contact)  100 °C  Min. usage temperature  100 °C  Max. drying temperature  100 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number  5705020703720  GTIN-14 Number (Box quantity)	Gross Weight	0.5 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703720GTIN-14 Number (Box quantity)15705020703727	Cubik metre	0.002665 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703720GTIN-14 Number (Box quantity)15705020703727	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703720GTIN-14 Number (Box quantity)15705020703727	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> Max. drying temperature  Min. pH-value in usage concentration  Max. pH-value in Usage Concentration  Chin-13 Number  Max. pH-value in Usage Concentration  To 5705020703720  Concentration  To 5705020703727	Max usage temperature (food contact)	80 °C
Max. drying temperature 100 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020703720  GTIN-14 Number (Box quantity) 15705020703727	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020703720  GTIN-14 Number (Box quantity) 15705020703727	Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020703720           GTIN-14 Number (Box quantity)         15705020703727	Max. drying temperature	100 °C
Gtin-13 Number       5705020703720         GTIN-14 Number (Box quantity)       15705020703727	Min. pH-value in usage concentration	2 pH
<b>GTIN-14 Number (Box quantity)</b> 15705020703727	Max. pH-value in Usage Concentration	10.5 pH
	Gtin-13 Number	5705020703720
Customs Tariff No. 96039099	GTIN-14 Number (Box quantity)	15705020703727
	Customs Tariff No.	96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below  $0^{\circ}$  Celsius.