
Tank Brush, 205 mm, Hard, Red





Clean tanks, vats and drain gulleys with this Tank Brush, which can be used with any Vikan handle.

Technical Data

Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity Per Pallet (80 x 120 x 200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Not Weight Dag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.022 kg Gross Weight 0.5 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 80 °C Max usage temperature (Tod contact) 80 °C Max usage temperature (Tod contact) 100 °C Min. usage temperature (Min. pH-value in usage concentration 2 pH Max. clrin 10 usage Concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703741 dTime Tod Contact) 10.5 pH Gtin-13 Number 5705020703741 dTime Tod Contact) 10.5 pH Gtin-13 Number 5705020703741 dTime Tod Contact) 10.5 pH Gtin-13 Number 5705020703741	Item Number	70374
Complies with (EC) 1935/2004 on food contact materials¹ Polyester Stainless Steel (AISI 304) Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Poc. Quantity Quantity Per Pallet (80 x 120 x 200 cm) Width Height Height Height Height Height Height Weight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE) Weight cardboard Tare total Gross Weight Cubik metre Cubik metre Cubik metre Cubik metre Cubik metre Cubik metre Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration Max. pH-value in Usage Concentration	Visible bristle length	40 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Net Weight 90.078 kg (LDPE) Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.022 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature 100 °C Min. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705020703741 GTIN-14 Number (Box quantity) 15705020703741	Material	Polyester Stainless Steel (AISI
Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Net Weight 0.47 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.022 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Max. drying temperature 100	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Not Weight Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.022 kg Gross Weight Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (Inon food contact) Min. usage temperature Min. usage concentration 2 pH Max. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705020703744 GTIN-14 Number (Box quantity)	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 0.47 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.022 kg Tare total 0.028 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 20 °C Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703744 G	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Net Weight 0.47 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.022 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 80 °C Min. usage temperature 100 °C Min. usage temperature 2 pH Max. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705020703744 GTIN-14 Number (Box quantity) 15705020703744 GTIN-14 Number (Box quantity)	Complies with UK 2019 No. 704 on food contact materials	Yes
S Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs. Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Net Weight 0.47 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.022 kg Gross Weight 0.5 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703744 GTIN-14 Number (Box quantity) 15705020703744	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.022 kg Tare total 0.0298 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703744 GTIN-14 Number (Box quantity) 15705020703744 GTIN-14 Number (Box quantity) 15705020703744 Control 15705020703744 Control 15705020703744 Control	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 480 Pcs Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.022 kg Tare total 0.0298 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020703744 GTin-13 Number 5705020703744 GTin-14 Number (Box quantity) 15705020703741	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 60 Pcs. Length 205 mm Width 130 mm Height 100 mm Net Weight 0.47 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.022 kg Tare total 0.0298 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703744 GTIN-14 Number (Box quantity) 15705020703741	Box Quantity	10 Pcs.
Length 205 mm Width 130 mm Height 100 mm Net Weight 0.47 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.022 kg Tare total 0.0298 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703744 GTIN-14 Number (Box quantity) 15705020703741	Quantity per Pallet (80 x 120 x 200 cm)	480 Pcs
Width 130 mm Height 100 mm Net Weight 0.47 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.0078 kg Weight cardboard 0.022 kg Tare total 0.0298 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 100 °C Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020703744 Gtin-13 Number 5705020703744	Quantity Per Layer (Pallet)	60 Pcs.
Height100 mmNet Weight0.47 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0078 kgWeight cardboard0.022 kgTare total0.0298 kgGross Weight0.5 kgCubik metre0.002665 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703744GTIN-14 Number (Box quantity)15705020703744	Length	205 mm
Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.022 kg Tare total 0.0298 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (100 °C Min. usage temperature (100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703744 GTIN-14 Number (Box quantity) 15705020703741	Width	130 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.022 kg Tare total 0.0298 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 2 pH Max. drying temperature (non food contact) 10.5 pH Gtin-13 Number 5705020703744 GTIN-14 Number (Box quantity) 15705020703741	Height	100 mm
Weight cardboard 0.022 kg Tare total 0.0298 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 2 pH Max. drying temperature Min. pH-value in usage concentration 2 pH Gtin-13 Number 5705020703744 GTIN-14 Number (Box quantity) 15705020703741	Net Weight	0.47 kg
Tare total 0.0298 kg Gross Weight 0.5 kg Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703744 GTIN-14 Number (Box quantity) 15705020703741	Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.0078 kg
Gross Weight0.5 kgCubik metre0.002665M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703744GTIN-14 Number (Box quantity)15705020703741	Weight cardboard	0.022 kg
Cubik metre 0.002665 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703744 GTIN-14 Number (Box quantity) 15705020703741	Tare total	0.0298 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703744GTIN-14 Number (Box quantity)15705020703741	Gross Weight	0.5 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703744GTIN-14 Number (Box quantity)15705020703741	Cubik metre	0.002665 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020703744GTIN-14 Number (Box quantity)15705020703741	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact) Min. usage temperature Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703744 GTIN-14 Number (Box quantity)	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ Max. drying temperature Min. pH-value in usage concentration PH-value in Usage Concentration Ctin-13 Number Max. pH-value in Usage Concentration To 5705020703744 CTIN-14 Number (Box quantity)	Max usage temperature (food contact)	80 °C
Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703744 GTIN-14 Number (Box quantity) 15705020703741	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703744 GTIN-14 Number (Box quantity) 15705020703741	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020703744 GTIN-14 Number (Box quantity) 15705020703741	Max. drying temperature	100 °C
Gtin-13 Number 5705020703744 GTIN-14 Number (Box quantity) 15705020703741	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705020703741	Max. pH-value in Usage Concentration	10.5 pH
	Gtin-13 Number	5705020703744
Customs Tariff No. 96039099	GTIN-14 Number (Box quantity)	15705020703741
	Customs Tariff No.	96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 0° Celsius.