## Replacement Cassette, Hygienic, 400 mm, , Yellow





## **Technical Data**

Complies with (EC) 1935/2004 on food contact materials¹         Yes           Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           FDA compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Pat. Pending/Patent No.         EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9           Box Quantity         20 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         960 Pcs           Quantity Per Layer (Pallet)         120 Pcs.           Length         400 mm           Width         30 mm           Height         45 mm           Net Weight Dag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0063 kg           Weight cardboard         0.0127 kg           Tare total         0.0127 kg           Gross Weight         0.14 kg           Cubik metre         0.00054 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (food contact)         50 °C           Max. usage temperature (non food contact)	Item Number	77326
Produced according to EU Regulation 2023/2008/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  Yes  Wes Meets the REACH Regulation (EC) No. 1907/2006  Yes  Use of phthalates and bisphenol A  Is Halal and Kosher compliant  Yes  Pat. Pending/Patent No.  Bey 2227/129 validated in DK, DE, FR and GB. DE 602008048400.9  Box Quantity  Quantity per Pallet (80 x 120 x 200 cm)  Quantity Per Layer (Pallet)  Length  400 mm  Width  30 mm  Height  Height  Height  Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard  Quantity Cubik metre  Max. cleaning temperature (Dishwasher)  Max usage temperature (Dishwasher)  Max usage temperature (mor food contact)  Min. usage temperature  Max. drying temperature  Max. drying temperature  Max. drying temperature  Max. pH-value in usage Concentration	Material	
Manufacturing Practice         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Pat. Pending/Patent No.         EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9           Box Quantity         20 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         960 Pcs           Quantity Per Layer (Pallet)         120 Pcs.           Length         400 mm           Width         30 mm           Height         45 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0063 kg           Weight cardboard         0.0127 kg           Gross Weight         0.14 kg           Gubik metre         0.00054 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max usage temperature (food contact)         50 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         20 °C           Max. drying temperature         20 °C           Min. ph-value in usage Concentration         10.5 pH           Gtin.13 Number <td>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></td> <td>Yes</td>	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Pat. Pending/Patent No.         EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9           Box Quantity         20 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         960 Pcs           Quantity Per Layer (Pallet)         120 Pcs.           Length         400 mm           Width         30 mm           Height         45 mm           Net Weight         0.12 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0063 kg           Weight cardboard         0.0127 kg           Tare total         0.0127 kg           Gross Weight         0.14 kg           Cubik metre         0.00054 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         100 °C           Max. drying temperature         100 °C           Min. usage temperature         2 pH           Max. pH-value in usage concentration <t< th=""><th>Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice</th><th>Yes</th></t<>	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Pat. Pending/Patent No.         EP2227129 validated in DK, DE, FR and GB. DE 6020080484400.9           Box Quantity         20 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         960 Pcs           Quantity Per Layer (Pallet)         120 Pcs.           Length         400 mm           Width         30 mm           Height         45 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0063 kg           Weight cardboard         0.0127 kg           Gross Weight         0.14 kg           Cubik metre         0.00054 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         50 °C           Max usage temperature (mon food contact)         100 °C           Min. usage temperature         2 pH           Max. drying temperature         2 pH           Max. pH-value in usage concentration         10.5 pH           Gtin-13 Number         5705020773266           GTIN-14 Number (Box quantity	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Pat. Pending/Patent No.         EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9           Box Quantity         20 Pcs.           Quantity per Pallet (80 x 120 x 200 cm)         960 Pcs           Quantity Per Layer (Pallet)         120 Pcs.           Length         400 mm           Width         30 mm           Height         45 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0063 kg           Weight cardboard         0.0127 kg           Gross Weight         0.14 kg           Cubik metre         0.00054 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         50 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         2 pH           Max. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020773266           GTIN-14 Number (Box quantity)         15705020773263	Complies with UK 2019 No. 704 on food contact materials	Yes
Name	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Pat. Pending/Patent No.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  Box Quantity  20 Pcs.  Quantity per Pallet (80 x 120 x 200 cm)  Quantity Per Layer (Pallet)  Length  Width  30 mm  Height  45 mm  Net Weight  45 mm  Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard  70.012 kg  Gross Weight  Cubik metre  0.00054 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature  Max. drying temperature  Max. pH-value in usage concentration  Max. pH-value in Usage Concentration  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9  Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 6020080484  Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 60200804  Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 60200804  Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 60200804  Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 60200804  Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 60200804  Pcs.  EP2227129 validated in DK, DE, FR and GB. DE 60200804  Pcs.  EP2227 validated in DK, DE, ES.  ELength  Height  A00 Pcs.  EP2227 validated in DK, DE, FR and GB. EPC.  EP2227 validated in DK, DE, EPC.  EP2227 validated in DK, DE, EPC.  EP2227 validat	Use of phthalates and bisphenol A	No
DK, DE, FR and GB. DE 602008048400.9   Pcs.	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm)         960 Pcs           Quantity Per Layer (Pallet)         120 Pcs.           Length         400 mm           Width         30 mm           Height         45 mm           Net Weight         0.12 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0063 kg           Weight cardboard         0.0127 kg           Tare total         0.012 kg           Gross Weight         0.14 kg           Cubik metre         0.00054 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         50 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020773266           GTIN-14 Number (Box quantity)         15705020773268	Pat. Pending/Patent No.	DK, DE, FR and GB. DE
Quantity Per Layer (Pallet)120 Pcs.Length400 mmWidth30 mmHeight45 mmNet Weight0.12 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard0.0127 kgTare total0.019 kgCubik metre0.00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020773266GTIN-14 Number (Box quantity)15705020773263	Box Quantity	20 Pcs.
Length         400 mm           Width         30 mm           Height         45 mm           Net Weight         0.12 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0063 kg           Weight cardboard         0.0127 kg           Tare total         0.019 kg           Gross Weight         0.14 kg           Cubik metre         0.00054 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         50 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020773266           GTIN-14 Number (Box quantity)         15705020773263	Quantity per Pallet (80 x 120 x 200 cm)	960 Pcs
Width 30 mm Height 45 mm Net Weight 0.12 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubik metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max. drying temperature (non food contact) 100 °C Min. usage temperature (non food contact) 120 °C Max. drying temperature (120 °C Min. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705020773266	Quantity Per Layer (Pallet)	120 Pcs.
Height45 mmNet Weight0.12 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0063 kgWeight cardboard0.0127 kgTare total0.019 kgGross Weight0.14 kgCubik metre0.00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020773266GTIN-14 Number (Box quantity)15705020773263	Length	400 mm
Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard 0.0127 kg Tare total 0.019 kg Gross Weight 0.014 kg Cubik metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020773266	Width	30 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard 0.0127 kg Tare total 0.019 kg Gross Weight 0.14 kg Cubik metre 0.00054 M3  Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (120 °C Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration 5705020773266 GTIN-14 Number (Box quantity) 15705020773263	Height	45 mm
Weight cardboard         0.0127 kg           Tare total         0.019 kg           Gross Weight         0.14 kg           Cubik metre         0.00054 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         50 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         120 °C           Max. drying temperature         120 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020773266           GTIN-14 Number (Box quantity)         15705020773263	Net Weight	0.12 kg
Tare total 0.019 kg Gross Weight 0.14 kg Cubik metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -30 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020773266 GTIN-14 Number (Box quantity) 15705020773263	Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.0063 kg
Gross Weight 0.14 kg Cubik metre 0.00054 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 50 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -30 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020773266	Weight cardboard	0.0127 kg
Cubik metre0.00054 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020773266GTIN-14 Number (Box quantity)15705020773263	Tare total	0.019 kg
Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  93 °C  Max usage temperature (food contact)  50 °C  Max usage temperature (non food contact)  100 °C  Min. usage temperature  120 °C  Max. drying temperature  120 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number  5705020773266	Gross Weight	0.14 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020773266GTIN-14 Number (Box quantity)15705020773263	Cubik metre	0.00054 M3
Max usage temperature (food contact)50 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-30 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020773266GTIN-14 Number (Box quantity)15705020773263	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-30 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020773266GTIN-14 Number (Box quantity)15705020773263	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> Max. drying temperature  Min. pH-value in usage concentration  Max. pH-value in Usage Concentration  Chin-13 Number  Max. pH-value in Usage Concentration  To 5705020773266  Concentration  To 5705020773263	Max usage temperature (food contact)	50 °C
Max. drying temperature 120 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020773266  GTIN-14 Number (Box quantity) 15705020773263	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020773266  GTIN-14 Number (Box quantity) 15705020773263	Min. usage temperature <sup>3</sup>	-30 °C
Max. pH-value in Usage Concentration       10.5 pH         Gtin-13 Number       5705020773266         GTIN-14 Number (Box quantity)       15705020773263	Max. drying temperature	120 °C
Gtin-13 Number       5705020773266         GTIN-14 Number (Box quantity)       15705020773263	Min. pH-value in usage concentration	2 pH
<b>GTIN-14 Number (Box quantity)</b> 15705020773263	Max. pH-value in Usage Concentration	10.5 pH
	Gtin-13 Number	5705020773266
Customs Tariff No. 96039099	GTIN-14 Number (Box quantity)	15705020773263
	Customs Tariff No.	96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.