Hand Scoop, 310 mm, , White





Lightweight and durable, this Hand Scoop features a one-piece construction that eliminates areas where bacteria can gather. Its smooth surface allows for easy cleaning, which makes it ideal for moving food ingredients or large quantities of food waste.

Technical Data

Content 0.5 Litre Material Polypropylene Recycling Symbol "5", Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials' Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Length 310 mm Width 85 mm Height 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.14 kg Cubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 20 °C Max. usage temperature (Dishw	Item Number	56775
Recycling Symbol "5", Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Length 310 mm Width 85 mm Meight 100 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Gross Weight 0.14 kg Cubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Max. drying temperature 120 °C	Content	0.5 Litre
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs Quantity Per Layer (Pallet) 120 Pcs. Length 310 mm Width 85 mm Height 100 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Gross Weight 0.0157 kg Gross Weight 0.0157 kg Gubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (Food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 120 °C Min.	Material	Polypropylene
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs Quantity Per Layer (Pallet) Length 310 mm Width 85 mm Height 100 mm Net Weight Weight cardboard (Recycling symbol "20" PAP) Tare total Cubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. usage temperature Min. pH-value in usage concentration 10.5 pH Gtin-13 Number GTIN-14 Number (Box quantity) 157cs Customs Tariff No.	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Length 310 mm Width 85 mm Height 100 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Gross Weight 0.14 kg Cubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 100 °C Min. usage temperature 2 pH Max. drying temperature 10.5 pH Gtin-13 Number 5705020567759 GTIN-14 Number (Box quantity) 157050205	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Length 310 mm Width 85 mm Height 100 mm Net Weight 0.0157 kg Gross Weight 0.0157 kg Gross Weight 0.14 kg Cubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Max. drying temperature 120 °C Mix. ph-value in usage concentration 2 pH Max. ph-value in Usage Concentration 5705020567759 GTIN-14 Number 5705020567756 Customs Tariff No. 39241000		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Length 310 mm Width 85 mm Height 100 mm Net Weight 0.012 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.14 kg Cubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature in food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567756 GTIN-14 Number (Box quantity) 15705020567756 Customs Tariff No. 39241000	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Length 310 mm Width 85 mm Height 100 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Gross Weight 0.14 kg Cubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature in (non food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 2 pH Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567756 Gtin-14 Number (Box quantity) 15705020567756 Customs Tariff No. 39241000	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs Quantity Per Layer (Pallet) 120 Pcs. Length 310 mm Width 85 mm Height 100 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Gross Weight 0.14 kg Cubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567759 GTIN-14 Number (Box quantity) 15705020567756 Customs Tariff No. 39241000	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs. Quantity Per Layer (Pallet) 120 Pcs. Length 310 mm Width 85 mm Height 100 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.14 kg Cubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567759 GTIN-14 Number (Box quantity) 15705020567756 Customs Tariff No. 39241000	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 180-200 cm) 1320 Pcs Quantity Per Layer (Pallet) 120 Pcs. Length 310 mm Width 85 mm Height 100 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.14 kg Cubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567756 GTIN-14 Number (Box quantity) 15705020567756 Customs Tariff No. 39241000	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 120 Pcs. Length 310 mm Width 85 mm Height 100 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.14 kg Cubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567759 GTIN-14 Number (Box quantity) 15705020567756 Customs Tariff No. 39241000	Box Quantity	15 Pcs.
Length 310 mm Width 85 mm Height 100 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.14 kg Cubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567756 GTIN-14 Number (Box quantity) 15705020567756 Customs Tariff No. 39241000	Quantity per Pallet (80 x 120 x 180-200 cm)	1320 Pcs
Width 85 mm Height 100 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.14 kg Cubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567759 GTIN-14 Number (Box quantity) 15705020567756 Customs Tariff No. 39241000	Quantity Per Layer (Pallet)	120 Pcs.
Height 100 mm Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.14 kg Cubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567759 GTIN-14 Number (Box quantity) 15705020567756 Customs Tariff No. 39241000	Length	310 mm
Net Weight 0.12 kg Weight cardboard (Recycling symbol "20" PAP) 0.0157 kg Tare total 0.0157 kg Gross Weight 0.14 kg Cubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567756 GTIN-14 Number (Box quantity) 15705020567756 Customs Tariff No. 39241000	Width	85 mm
Weight cardboard (Recycling symbol "20" PAP)0.0157 kgTare total0.0157 kgGross Weight0.14 kgCubik metre0.002635 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567756GTIN-14 Number (Box quantity)15705020567756Customs Tariff No.39241000	Height	100 mm
Tare total 0.0157 kg Gross Weight 0.14 kg Cubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567759 GTIN-14 Number (Box quantity) 15705020567756 Customs Tariff No. 39241000	Net Weight	0.12 kg
Gross Weight 0.14 kg Cubik metre 0.002635 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567759 GTIN-14 Number (Box quantity) 15705020567756 Customs Tariff No. 39241000	Weight cardboard (Recycling symbol "20" PAP)	0.0157 kg
Cubik metre0.002635M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567759GTIN-14 Number (Box quantity)15705020567756Customs Tariff No.39241000	Tare total	0.0157 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567759GTIN-14 Number (Box quantity)15705020567756Customs Tariff No.39241000	Gross Weight	0.14 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567759GTIN-14 Number (Box quantity)15705020567756Customs Tariff No.39241000	Cubik metre	0.002635 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567759GTIN-14 Number (Box quantity)15705020567756Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567759GTIN-14 Number (Box quantity)15705020567756Customs Tariff No.39241000	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567759GTIN-14 Number (Box quantity)15705020567756Customs Tariff No.39241000	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567759GTIN-14 Number (Box quantity)15705020567756Customs Tariff No.39241000	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020567759GTIN-14 Number (Box quantity)15705020567756Customs Tariff No.39241000	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020567759 GTIN-14 Number (Box quantity) 15705020567756 Customs Tariff No. 39241000	Max. drying temperature	120 °C
Gtin-13 Number 5705020567759 GTIN-14 Number (Box quantity) 15705020567756 Customs Tariff No. 39241000	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705020567756 Customs Tariff No. 39241000	Max. pH-value in Usage Concentration	10.5 pH
Customs Tariff No. 39241000	Gtin-13 Number	5705020567759
	GTIN-14 Number (Box quantity)	15705020567756
Country of origin Denmark	Customs Tariff No.	39241000
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care

units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.