Round Bowl Scoop, 1 Litre, Orange





Lightweight and durable, this ergonomically designed Round Bowl Scoop features a pouring spout on two sides to enable both left and right-handed users to pour from the scoop. One-piece construction eliminates areas where bacteria can be harboured, and a smooth surface allows for easy cleaning. Ideal for use in food production areas to move food ingredients, liquids, etc. The scoop's interior contains a measuring scale.

Technical Data

Content 1 Litre Material Polypropylene Recycling Symbol "5", Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials* Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes EDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Quantity Per Layer (Pallet) 1 Pcs. Length 295 mm Width 155 mm Net Weight 95 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.2 kg Cubik metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max. usage temperature (food contact) 100 °C Min. ph	Item Number	56817
Recycling Symbol "5", Polypropylene (PP) Yes Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes EDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Quantity Per Layer (Pallet) 1 Pcs. Length 295 mm Width 155 mm Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.2 kg Cubik metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. usage temperature 120 °C	Content	1 Litre
Compiles with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Compiles with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Quantity Per Layer (Pallet) 1 Pcs. Length 295 mm Width 155 mm Height 95 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.2 kg Cubik metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (Food contact) 100 °C Min. usage temperature 100 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH	Material	Polypropylene
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Pos. Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Roughtly Width 155 mm Height Pet Weight Weight cardboard (Recycling symbol "20" PAP) Tare total Cubik metre 10,004344 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature Min. ph-value in usage concentration Total Signal August 1970 (10,5 pH Gtin-13 Number FOSOSE000729 Customs Tariff No.	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Quantity Per Layer (Pallet) 1 Pcs. Length 295 mm Width 155 mm Height 95 mm Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.2 kg Cubik metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (autoclave) 120 °C Max. drying temperature 120 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Quantity Per Layer (Pallet) 1 Pcs. Length 295 mm Width 155 mm Height 95 mm Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.2 kg Cubik metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Quantity Per Layer (Pallet) 1 Pcs. Length 295 mm Width 155 mm Height 95 mm Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.2 kg Cubik metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000711 GTIN-14 Number (Box quantity) 15705028000729 Customs Tariff No. 39241000	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Quantity Per Layer (Pallet) 1 Pcs. Length 295 mm Width 155 mm Height 95 mm Net Weight Cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.2 kg Cubik metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 2 pH Max. drying temperature 2 pH Max. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705022000711 GTIN-14 Number (Box quantity) 15705028000729 Customs Tariff No. 39241000	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Yes Box Quantity 10 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Quantity Per Layer (Pallet) 1 Pcs. Length 295 mm Width 155 mm Height 95 mm Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Gross Weight 0.2 kg Cubik metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000711 GTIN-14 Number (Box quantity) 15705022000729 Customs Tariff No. 39241000	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 10 Pcs Quantity per Pallet (80 x 120 x 180-200 cm) 800 Pcs Quantity Per Layer (Pallet) 1 Pcs. Length 295 mm Width 155 mm Height 95 mm Net Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.2 kg Cubik metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000711 GTIN-14 Number (Box quantity) 15705022000729 Customs Tariff No. 39241000	Use of phthalates and bisphenol A	No
Quantity Per Layer (Pallet) 800 Pcs Length 295 mm Width 155 mm Height 95 mm Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.2 kg Cubik metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000711 GTIN-14 Number (Box quantity) 15705028000729 Customs Tariff No. 39241000	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet) 1 Pcs. Length 295 mm Width 155 mm Height 95 mm Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.2 kg Cubik metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000711 GTIN-14 Number (Box quantity) 15705028000729 Customs Tariff No. 39241000	Box Quantity	10 Pcs.
Length 295 mm Width 155 mm Height 95 mm Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.2 kg Cubik metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000711 GTIN-14 Number (Box quantity) 15705028000729 Customs Tariff No. 39241000	Quantity per Pallet (80 x 120 x 180-200 cm)	800 Pcs
Width 155 mm Height 95 mm Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.2 kg Cubik metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000711 GTIN-14 Number (Box quantity) 15705028000729 Customs Tariff No. 39241000	Quantity Per Layer (Pallet)	1 Pcs.
Height 95 mm Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.2 kg Cubik metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000711 GTIN-14 Number (Box quantity) 15705028000729 Customs Tariff No. 39241000	Length	295 mm
Net Weight 0.17 kg Weight cardboard (Recycling symbol "20" PAP) 0.03 kg Tare total 0.03 kg Gross Weight 0.2 kg Cubik metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000711 GTIN-14 Number (Box quantity) 15705028000729 Customs Tariff No. 39241000	Width	155 mm
Weight cardboard (Recycling symbol "20" PAP)0.03 kgTare total0.03 kgGross Weight0.2 kgCubik metre0.004344 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000711GTIN-14 Number (Box quantity)15705028000729Customs Tariff No.39241000	Height	95 mm
Tare total 0.03 kg Gross Weight 0.2 kg Cubik metre 0.004344 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000711 GTIN-14 Number (Box quantity) 15705028000729 Customs Tariff No. 39241000	Net Weight	0.17 kg
Gross Weight0.2 kgCubik metre0.004344 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000711GTIN-14 Number (Box quantity)15705028000729Customs Tariff No.39241000	Weight cardboard (Recycling symbol "20" PAP)	0.03 kg
Cubik metre0.004344M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000711GTIN-14 Number (Box quantity)15705028000729Customs Tariff No.39241000	Tare total	0.03 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000711GTIN-14 Number (Box quantity)15705028000729Customs Tariff No.39241000	Gross Weight	0.2 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000711GTIN-14 Number (Box quantity)15705028000729Customs Tariff No.39241000	Cubik metre	0.004344 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000711GTIN-14 Number (Box quantity)15705028000729Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000711GTIN-14 Number (Box quantity)15705028000729Customs Tariff No.39241000	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000711GTIN-14 Number (Box quantity)15705028000729Customs Tariff No.39241000	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000711GTIN-14 Number (Box quantity)15705028000729Customs Tariff No.39241000	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000711GTIN-14 Number (Box quantity)15705028000729Customs Tariff No.39241000	Min. usage temperature³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705022000711 GTIN-14 Number (Box quantity) 15705028000729 Customs Tariff No. 39241000	Max. drying temperature	120 °C
Gtin-13 Number 5705022000711 GTIN-14 Number (Box quantity) 15705028000729 Customs Tariff No. 39241000	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705028000729 Customs Tariff No. 39241000	Max. pH-value in Usage Concentration	10.5 pH
Customs Tariff No. 39241000	Gtin-13 Number	5705022000711
	GTIN-14 Number (Box quantity)	15705028000729
Country of origin Denmark	Customs Tariff No.	39241000
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care

units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.