## Round Bowl Scoop, 2 Litre, Blue





Lightweight and durable, this ergonomically designed Round Bowl Scoop features a pouring spout on two sides to enable both left and right-handed users to pour from the scoop. One-piece construction eliminates areas where bacteria can be harboured, and a smooth surface allows for easy cleaning. Ideal for use in food production areas to move food ingredients, liquids, etc. The scoop's interior contains a measuring scale.

## **Technical Data**

Content   2 Little     Material   Polypropylene     Recycling Symbol "5", Polypropylene (PP)   Yes     Complies with (EC) 1935/2004 on food contact materials*   Yes     Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice   Yes     EDA compliant raw material (CFR 21)   Yes     Complies with UK 2019 No. 704 on food contact materials   Yes     Meets the REACH Regulation (EC) No. 1907/2006   Yes     Use of phthalates and bisphenol A   No     Is Halal and Kosher compliant   Yes     Box Quantity   10 Pcs     Quantity Per Pallet (80 x 120 x 180-200 cm)   420 Pcs     Quantity Per Layer (Pallet)   1 Pcs     Length   330 mm     Width   195 mm     Net Weight   0.26 kg     Weight cardboard (Recycling symbol "20" PAP)   0.03 kg     Gross Weight   0.29 kg     Cubik metre   0.007 kg     Max. cleaning temperature (Dishwasher)   93 °C     Max usage temperature (food contact)   100 °C     Max. usage temperature (non food contact)   100 °C     Min. usage temperatur	Item Number	56823
Recycling Symbol "5", Polypropylene (PP)   Yes     Complies with (EC) 1935/2004 on food contact materials'   Yes     Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice   Yes     EDA compliant raw material (CFR 21)   Yes     Complies with UK 2019 No. 704 on food contact materials   Yes     Meets the REACH Regulation (EC) No. 1907/2006   Yes     Use of phthalates and bisphenol A   No     Is Halal and Kosher compliant   Yes     Box Quantity   10 Pcs.     Quantity per Pallet (80 x 120 x 180-200 cm)   420 Pcs     Quantity Per Layer (Pallet)   1 Pcs.     Length   330 mm     Width   195 mm     Net Weight   0.26 kg     Weight cardboard (Recycling symbol "20" PAP)   0.03 kg     Gross Weight   0.29 kg     Cubik metre   0.0074 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max usage temperature (Dishwasher)   93 °C     Max usage temperature (non food contact)   100 °C     Min. usage temperature   120 °C     Min. pH-value in usage concentration   2 pH	Content	2 Litre
Compiles with (EC) 1935/2004 on food contact materials¹   Yes     Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice   Yes     EDA compliant raw material (CFR 21)   Yes     Compiles with UK 2019 No. 704 on food contact materials   Yes     Meets the REACH Regulation (EC) No. 1907/2006   Yes     Use of phthalates and bisphenol A   No     Is Halal and Kosher compliant   Yes     Box Quantity per Pallet (80 x 120 x 180-200 cm)   420 Pcs     Quantity Per Layer (Pallet)   1 Pcs.     Length   330 mm     Width   195 mm     Heeight   115 mm     Net Weight cardboard (Recycling symbol "20" PAP)   0.03 kg     Gross Weight   0.26 kg     Cubik metre   0.0074 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max usage temperature (Dishwasher)   93 °C     Max usage temperature (food contact)   100 °C     Min. usage temperature   100 °C     Max. drying temperature   120 °C     Min. pH-value in usage concentration   2 pH     Max. pH-value in Usage Concentration   10.5 pH	Material	Polypropylene
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice   Yes     FDA compliant raw material (CFR 21)   Yes     Complies with UK 2019 No. 704 on food contact materials   Yes     Meets the REACH Regulation (EC) No. 1907/2006   Yes     Use of phthalates and bisphenol A   No     Is Halal and Kosher compliant   Yes     Box Quantity   10 Pcs.     Quantity per Pallet (80 x 120 x 180-200 cm)   420 Pcs     Quantity Per Layer (Pallet)   1 Pcs.     Length   330 mm     Width   195 mm     Height   115 mm     Net Weight   0.26 kg     Weight cardboard (Recycling symbol "20" PAP)   0.03 kg     Gross Weight   0.29 kg     Cubik metre   0.0074 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max cleaning temperature (Dishwasher)   93 °C     Max usage temperature (non food contact)   100 °C     Min. usage temperature   20 °C     Max. drying temperature   20 °C     Min. pH-value in usage concentration   2 pH     Max. pH-value in Usage Concentration </th <th>Recycling Symbol "5", Polypropylene (PP)</th> <th>Yes</th>	Recycling Symbol "5", Polypropylene (PP)	Yes
Manufacturing Practice   FDA compliant raw material (CFR 21)   Yes     Complies with UK 2019 No. 704 on food contact materials   Yes     Meets the REACH Regulation (EC) No. 1907/2006   Yes     Use of phthalates and bisphenol A   No     Is Halal and Kosher compliant   Yes     Box Quantity   10 Pcs.     Quantity per Pallet (80 x 120 x 180-200 cm)   420 Pcs     Quantity Per Layer (Pallet)   1 Pcs.     Length   330 mm     Width   195 mm     Height   115 mm     Net Weight   0.26 kg     Weight cardboard (Recycling symbol "20" PAP)   0.03 kg     Gross Weight   0.29 kg     Cubik metre   0.0074 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max. cleaning temperature (Dishwasher)   93 °C     Max usage temperature (food contact)   100 °C     Max. drying temperature   100 °C     Min. usage temperature   2 pH     Max. pH-value in usage concentration   10.5 pH     Gtin-13 Number   5705022000513     GTIN-14 Number (Box quantity)   157050	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials   Yes     Meets the REACH Regulation (EC) No. 1907/2006   Yes     Use of phthalates and bisphenol A   No     Is Halal and Kosher compliant   Yes     Box Quantity   10 Pcs.     Quantity per Pallet (80 x 120 x 180-200 cm)   420 Pcs     Quantity Per Layer (Pallet)   1 Pcs.     Length   330 mm     Width   195 mm     Height   115 mm     Net Weight   0.26 kg     Weight cardboard (Recycling symbol "20" PAP)   0.03 kg     Tare total   0.03 kg     Gross Weight   0.29 kg     Cubik metre   0.0074 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max. cleaning temperature (Dishwasher)   93 °C     Max usage temperature (non food contact)   100 °C     Min. usage temperature (non food contact)   100 °C     Min. usage temperature   120 °C     Max. drying temperature   120 °C     Min. pH-value in usage concentration   2 pH     Max. pH-value in Usage Concentration   10.5 pH		Yes
Meets the REACH Regulation (EC) No. 1907/2006   Yes     Use of phthalates and bisphenol A   No     Is Halal and Kosher compliant   Yes     Box Quantity   10 Pcs.     Quantity per Pallet (80 x 120 x 180-200 cm)   420 Pcs     Quantity Per Layer (Pallet)   1 Pcs.     Length   330 mm     Width   195 mm     Height   115 mm     Net Weight   0.26 kg     Weight cardboard (Recycling symbol "20" PAP)   0.03 kg     Gross Weight   0.29 kg     Cubik metre   0.0074 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max. cleaning temperature (Dishwasher)   93 °C     Max usage temperature (food contact)   100 °C     Min. usage temperature (non food contact)   100 °C     Min. pH-value in usage concentration   2 pH     Max. pH-value in Usage Concentration   10.5 pH     Gtin-13 Number   5705022000513     GTIN-14 Number (Box quantity)   15705028000521     Customs Tariff No.   39241000	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A   No     Is Halal and Kosher compliant   Yes     Box Quantity   10 Pcs.     Quantity per Pallet (80 x 120 x 180-200 cm)   420 Pcs     Quantity Per Layer (Pallet)   1 Pcs.     Length   330 mm     Width   195 mm     Height   115 mm     Net Weight   0.26 kg     Weight cardboard (Recycling symbol "20" PAP)   0.03 kg     Gross Weight   0.29 kg     Cubik metre   0.0074 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max. cleaning temperature (Dishwasher)   93 °C     Max usage temperature (food contact)   100 °C     Max usage temperature (non food contact)   100 °C     Min. usage temperature   2 pH     Max. drying temperature   2 pH     Max. pH-value in usage concentration   2 pH     Max. pH-value in Usage Concentration   5705022000513     GTIN-14 Number (Box quantity)   15705028000521     Customs Tariff No.   39241000	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant   Yes     Box Quantity   10 Pcs.     Quantity per Pallet (80 x 120 x 180-200 cm)   420 Pcs     Quantity Per Layer (Pallet)   1 Pcs.     Length   330 mm     Width   195 mm     Height   115 mm     Net Weight   0.26 kg     Weight cardboard (Recycling symbol "20" PAP)   0.03 kg     Tare total   0.09 kg     Cubik metre   0.0074 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max. cleaning temperature (Dishwasher)   93 °C     Max usage temperature (food contact)   100 °C     Min. usage temperature (non food contact)   100 °C     Min. usage temperature   120 °C     Max. drying temperature   120 °C     Min. pH-value in usage concentration   2 pH     Max. pH-value in Usage Concentration   10.5 pH     Gtin-13 Number   5705022000513     GTIN-14 Number (Box quantity)   15705028000521     Customs Tariff No.   39241000	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity   10 Pcs     Quantity per Pallet (80 x 120 x 180-200 cm)   420 Pcs     Quantity Per Layer (Pallet)   1 Pcs.     Length   330 mm     Width   195 mm     Height   115 mm     Net Weight   0.26 kg     Weight cardboard (Recycling symbol "20" PAP)   0.03 kg     Tare total   0.09 kg     Cubik metre   0.0074 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max. cleaning temperature (Dishwasher)   93 °C     Max usage temperature (food contact)   100 °C     Min. usage temperature (non food contact)   100 °C     Min. usage temperature   120 °C     Min. pH-value in usage concentration   2 pH     Max. pH-value in Usage Concentration   10.5 pH     Gtin-13 Number   5705022000513     GTIN-14 Number (Box quantity)   15705022000521     Customs Tariff No.   39241000	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 180-200 cm)   420 Pcs     Quantity Per Layer (Pallet)   1 Pcs.     Length   330 mm     Width   195 mm     Height   115 mm     Net Weight   0.26 kg     Weight cardboard (Recycling symbol "20" PAP)   0.03 kg     Gross Weight   0.29 kg     Cubik metre   0.0074 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max. cleaning temperature (Dishwasher)   93 °C     Max usage temperature (food contact)   100 °C     Max usage temperature (non food contact)   100 °C     Min. usage temperature   120 °C     Min. pH-value in usage concentration   2 pH     Max. pH-value in Usage Concentration   10.5 pH     Gtin-13 Number   5705022000513     GTIN-14 Number (Box quantity)   15705028000521     Customs Tariff No.   39241000	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)   1 Pcs.     Length   330 mm     Width   195 mm     Height   115 mm     Net Weight   0.26 kg     Weight cardboard (Recycling symbol "20" PAP)   0.03 kg     Tare total   0.03 kg     Gross Weight   0.29 kg     Cubik metre   0.0074 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max. cleaning temperature (Dishwasher)   93 °C     Max usage temperature (food contact)   100 °C     Min. usage temperature (non food contact)   100 °C     Min. usage temperature   120 °C     Max. drying temperature   120 °C     Min. pH-value in usage concentration   2 pH     Max. pH-value in Usage Concentration   10.5 pH     Gtin-13 Number   5705022000513     GTIN-14 Number (Box quantity)   15705028000521     Customs Tariff No.   39241000	Box Quantity	10 Pcs.
Length   330 mm     Width   195 mm     Height   115 mm     Net Weight   0.26 kg     Weight cardboard (Recycling symbol "20" PAP)   0.03 kg     Tare total   0.03 kg     Gross Weight   0.29 kg     Cubik metre   0.0074 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max. cleaning temperature (Dishwasher)   93 °C     Max usage temperature (food contact)   100 °C     Max usage temperature (non food contact)   100 °C     Min. usage temperature   120 °C     Max. drying temperature   120 °C     Min. pH-value in usage concentration   2 pH     Max. pH-value in Usage Concentration   10.5 pH     Gtin-13 Number   5705022000513     GTIN-14 Number (Box quantity)   15705028000521     Customs Tariff No.   39241000	Quantity per Pallet (80 x 120 x 180-200 cm)	420 Pcs
Width   195 mm     Height   115 mm     Net Weight   0.26 kg     Weight cardboard (Recycling symbol "20" PAP)   0.03 kg     Tare total   0.03 kg     Gross Weight   0.29 kg     Cubik metre   0.0074 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max. cleaning temperature (Dishwasher)   93 °C     Max usage temperature (food contact)   100 °C     Max usage temperature (non food contact)   100 °C     Min. usage temperature   120 °C     Max. drying temperature   120 °C     Min. pH-value in usage concentration   2 pH     Max. pH-value in Usage Concentration   10.5 pH     Gtin-13 Number   5705022000513     GTIN-14 Number (Box quantity)   15705028000521     Customs Tariff No.   39241000	Quantity Per Layer (Pallet)	1 Pcs.
Height   115 mm     Net Weight   0.26 kg     Weight cardboard (Recycling symbol "20" PAP)   0.03 kg     Tare total   0.03 kg     Gross Weight   0.29 kg     Cubik metre   0.0074 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max. cleaning temperature (Dishwasher)   93 °C     Max usage temperature (food contact)   100 °C     Min. usage temperature (non food contact)   100 °C     Min. usage temperature   120 °C     Max. drying temperature   120 °C     Min. pH-value in usage concentration   2 pH     Max. pH-value in Usage Concentration   10.5 pH     Gtin-13 Number   5705022000513     GTIN-14 Number (Box quantity)   15705028000521     Customs Tariff No.   39241000	Length	330 mm
Net Weight   0.26 kg     Weight cardboard (Recycling symbol "20" PAP)   0.03 kg     Tare total   0.03 kg     Gross Weight   0.29 kg     Cubik metre   0.0074 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max. cleaning temperature (Dishwasher)   93 °C     Max usage temperature (food contact)   100 °C     Max usage temperature (non food contact)   100 °C     Min. usage temperature   120 °C     Max. drying temperature   120 °C     Min. pH-value in usage concentration   2 pH     Max. pH-value in Usage Concentration   10.5 pH     Gtin-13 Number   5705022000513     GTIN-14 Number (Box quantity)   15705028000521     Customs Tariff No.   39241000	Width	195 mm
Weight cardboard (Recycling symbol "20" PAP)0.03 kgTare total0.03 kgGross Weight0.29 kgCubik metre0.0074 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature120 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000513GTIN-14 Number (Box quantity)15705028000521Customs Tariff No.39241000	Height	115 mm
Tare total   0.03 kg     Gross Weight   0.29 kg     Cubik metre   0.0074 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max. cleaning temperature (Dishwasher)   93 °C     Max usage temperature (food contact)   100 °C     Max usage temperature (non food contact)   100 °C     Min. usage temperature³   -20 °C     Max. drying temperature   120 °C     Min. pH-value in usage concentration   2 pH     Max. pH-value in Usage Concentration   10.5 pH     Gtin-13 Number   5705022000513     GTIN-14 Number (Box quantity)   15705028000521     Customs Tariff No.   39241000	Net Weight	0.26 kg
Gross Weight   0.29 kg     Cubik metre   0.0074 M3     Recommended sterilisation temperature (Autoclave)   121 °C     Max. cleaning temperature (Dishwasher)   93 °C     Max usage temperature (food contact)   100 °C     Max usage temperature (non food contact)   100 °C     Min. usage temperature³   -20 °C     Max. drying temperature   120 °C     Min. pH-value in usage concentration   2 pH     Max. pH-value in Usage Concentration   10.5 pH     Gtin-13 Number   5705022000513     GTIN-14 Number (Box quantity)   15705028000521     Customs Tariff No.   39241000	Weight cardboard (Recycling symbol "20" PAP)	0.03 kg
Cubik metre0.0074 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000513GTIN-14 Number (Box quantity)15705028000521Customs Tariff No.39241000	Tare total	0.03 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000513GTIN-14 Number (Box quantity)15705028000521Customs Tariff No.39241000	Gross Weight	0.29 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000513GTIN-14 Number (Box quantity)15705028000521Customs Tariff No.39241000	Cubik metre	0.0074 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000513GTIN-14 Number (Box quantity)15705028000521Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000513GTIN-14 Number (Box quantity)15705028000521Customs Tariff No.39241000	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000513GTIN-14 Number (Box quantity)15705028000521Customs Tariff No.39241000	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000513GTIN-14 Number (Box quantity)15705028000521Customs Tariff No.39241000	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705022000513GTIN-14 Number (Box quantity)15705028000521Customs Tariff No.39241000	Min. usage temperature³	-20 °C
Max. pH-value in Usage Concentration 10.5 pH   Gtin-13 Number 5705022000513   GTIN-14 Number (Box quantity) 15705028000521   Customs Tariff No. 39241000	Max. drying temperature	120 °C
Gtin-13 Number   5705022000513     GTIN-14 Number (Box quantity)   15705028000521     Customs Tariff No.   39241000	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity)   15705028000521     Customs Tariff No.   39241000	Max. pH-value in Usage Concentration	10.5 pH
Customs Tariff No. 39241000	Gtin-13 Number	5705022000513
	GTIN-14 Number (Box quantity)	15705028000521
Country of origin Denmark	Customs Tariff No.	39241000
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care

units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.