Ergonomic shovel, 271 mm, White





Use this durable Ergonomic Shovel to move large amounts of food waste or food ingredients. Ergonomically designed with the user's working position in mind, this product is ideal for working at floor level as well as shovelling from container to container.

Technical Data

Shovel Blade Size, L x W x H 340 x 270 x 75 mm Material Polypropylene Anodised Aluminium Complies with (EC) 1935/2004 on food contact materials¹* Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 1280 mm Width 271 mm Height 200 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.63 kg Weight cardboard 0.1748 kg Gross Weight 1.79 kg Gross Weight 1.79 kg Cubik metre 0.069376 M3 Max. cleaning temperature (Dishwasher) 3 °C Max. usage te	Item Number	56115
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 1280 mm Width 1271 mm Height 200 mm Net Weight 1.56 kg Weight cardboard Veight along (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Cubik metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (Dishwasher) 93 °C Max usage temperature (Info food contact) 100 °C Max usage temperature 100 °C Min. pH-value in usage concentration 10.5 pH Max. pH-value in usage Concentration 10.5 pH Gtin-13 Number 5705020561153 Customs Tariff No. 39241000	Shovel Blade Size, L x W x H	340 x 270 x 75 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Complies with UK 2019 No. 704 on food contact materials Meets the REACH Regulation (EC) No. 1907/2006 Yes Wes of phthalates and bisphenol A Is Halal and Kosher compliant Pess Design Registration No. UK 2072/052 Box Quantity Per Pallet (80 x 120 x 200 cm) Guantity Per Layer (Pallet) Length Width 271 mm Height 200 mm Net Weight Height Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard Tare total O.2278 kg Gross Weight Cubik metre O.069376 M3 Recommended sterilisation temperature (Autoclave) Max. cleaning temperature (Dishwasher) Max. usage temperature (Inon food contact) Min. usage temperature Max. drying temperature Max. drying temperature Max. pH-value in usage Concentration Max. pH-value in Usage Concentration South Tare food contact (10.5 pH Gtin-13 Number S705020561153 Customs Tariff No. 39241000	Material	
Manufacturing Practice FDA compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 1280 mm Width 271 mm Height 200 mm Net Weight 1.56 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubik metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Min. pH-value in usage concentration <t< td=""><th>Complies with (EC) 1935/2004 on food contact materials¹</th><td>Yes</td></t<>	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length 1280 mm Width 271 mm Height 200 mm Net Weight 1.56 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg UclDPE) Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubik metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (non food contact) 100 °C Max usage temperature (non food contact) 100 °C Max. drying temperature 2 pt Max. drying temperature 5705020561153 <th></th> <th>Yes</th>		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 1280 mm Width 271 mm Height 200 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.53 kg Weight cardboard 0.1748 kg Gross Weight 1.79 kg Cubik metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 2 pH Max. drying temperature 2 pH Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020561153 Customs Tariff No. 39241000 <th>FDA compliant raw material (CFR 21)</th> <th>Yes</th>	FDA compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 1280 mm Width 271 mm Height 200 mm Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.53 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubik metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 2 pH Max. drying temperature 2 pH Max. pH-value in usage concentration 10.5 pH Gtin-13 Number 5705020561153 Customs Tariff No. 39241000	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 1280 mm Width 271 mm Height 200 mm Net Weight 1.56 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubik metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 2 °C Max. drying temperature 2 °C Min. pH-value in usage concentration 2 °C Min. pH-value in Usage Concentration 5705020561153 Customs Tariff No. 39241000	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 1280 mm Width 271 mm Height 200 mm Net Weight 1.56 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubik metre 0.069376 M3 Recommended sterillisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 2 °C Max. drying temperature 2 °C Min. pH-value in usage concentration 2 °P Max. pH-value in Usage Concentration 5705020561153 Customs Tariff No. 39241000	Use of phthalates and bisphenol A	No
Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 1280 mm Width 271 mm Height 200 mm Net Weight 1.56 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubik metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020561153 Customs Tariff No. 39241000	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs Quantity Per Layer (Pallet) 0 Pcs. Length 1280 mm Width 271 mm Height 200 mm Net Weight 1.56 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubik metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020561153 Customs Tariff No. 39241000	Design Registration No.	UK 2072052
Quantity Per Layer (Pallet) 0 Pcs. Length 1280 mm Width 271 mm Height 200 mm Net Weight 1.56 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubik metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature* 20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020561153 Customs Tariff No. 39241000	Box Quantity	1 Pcs.
Length 1280 mm Width 271 mm Height 200 mm Net Weight 1.56 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubik metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020561153 Customs Tariff No. 39241000	Quantity per Pallet (80 x 120 x 200 cm)	60 Pcs
Width 271 mm Height 200 mm Net Weight 1.56 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubik metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020561153 Customs Tariff No. 39241000	Quantity Per Layer (Pallet)	0 Pcs.
Height 200 mm Net Weight 1.56 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubik metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020561153 Customs Tariff No. 39241000	Length	1280 mm
Net Weight 1.56 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.053 kg Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubik metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Min. usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020561153 Customs Tariff No. 39241000	Width	271 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.053 kgWeight cardboard0.1748 kgTare total0.2278 kgGross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMin. usage temperature (non food contact)100 °CMin. usage temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561153Customs Tariff No.39241000	Height	200 mm
Weight cardboard 0.1748 kg Tare total 0.2278 kg Gross Weight 1.79 kg Cubik metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 120 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020561153 Customs Tariff No. 39241000	Net Weight	1.56 kg
Tare total 0.2278 kg Gross Weight 1.79 kg Cubik metre 0.069376 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 100 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020561153 Customs Tariff No. 39241000		0.053 kg
Gross Weight1.79 kgCubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561153Customs Tariff No.39241000	Weight cardboard	0.1748 kg
Cubik metre0.069376 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561153Customs Tariff No.39241000	Tare total	0.2278 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561153Customs Tariff No.39241000	Gross Weight	1.79 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561153Customs Tariff No.39241000	Cubik metre	0.069376 M3
Max usage temperature (food contact)100 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561153Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561153Customs Tariff No.39241000	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ Max. drying temperature 120 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020561153 Customs Tariff No. 39241000	Max usage temperature (food contact)	100 °C
Max. drying temperature120 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561153Customs Tariff No.39241000	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561153Customs Tariff No.39241000	Min. usage temperature ³	-20 °C
Max. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020561153Customs Tariff No.39241000	Max. drying temperature	120 °C
Gtin-13 Number 5705020561153 Customs Tariff No. 39241000	Min. pH-value in usage concentration	2 pH
Customs Tariff No. 39241000	Max. pH-value in Usage Concentration	10.5 pH
	Gtin-13 Number	5705020561153
Country of origin Denmark	Customs Tariff No.	39241000
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.