according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

Version 12.18 Revision Date 02.01.2025 Print Date 12.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TANET SR 15

UFI : 6F08-306C-8004-EATH

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent

Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH

Rheinallee 96 55120 Mainz

Telephone : +49613196403 Telefax : +4961319642414

E-mail address : Produktsicherheit@werner-mertz.com

Responsible/issuing person

Contact person : Product development / product safety

1.4 Emergency telephone number

112

Centru za kontrolu otrovanja u Zagrebu na tel. (01) 2348 342

+49(0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Safety data sheet available on request.

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

Components

according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

 Version 12.18
 Revision Date 02.01.2025
 Print Date 12.02.2025

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 2 - < 5
		specific concentration limit Eye Irrit. 2; H319 >= 50 %	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 500-234-8 01-2119488639-16	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412	>= 2,5 - < 3
		specific concentration limit Eye Irrit. 2; H319 5 - < 10 % Eye Dam. 1; H318 >= 10,0 % Skin Irrit. 2; H315 >= 10 %	
Alcohols, C10-16, ethoxylated propoxylated	69227-22-1 614-942-0	Eye Dam. 1; H318 Acute Tox. 4; H302	>= 1 - < 2
		specific concentration limit Eye Irrit. 2; H319 1 - 10,0 % Eye Dam. 1; H318 > 10,0 %	
D-Glucopyranose, oligomers, decyl octyl glycosides	68515-73-1 500-220-1 01-2119488530-36	Eye Dam. 1; H318	>= 1 - < 2
		specific concentration limit Eye Dam. 1; H318 > 10 % Eye Irrit. 2; H319 10 %	
1-phenoxypropan-2-ol	770-35-4 212-222-7 01-2119486566-23	Eye Irrit. 2; H319	>= 1 - < 2

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes

according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

Version 12.18 Revision Date 02.01.2025 Print Date 12.02.2025

> from overheating or combustion. If symptoms persist, call a physician.

In case of skin contact Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

In case of eye contact Protect unharmed eye.

If easy to do, remove contact lens, if worn.

Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes.

If swallowed Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No information available. Risks No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment For specialist advice physicians should contact the Poisons

Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

firefighters

Special protective equipment for : In the event of fire, wear self-contained breathing apparatus.

Further information Collect contaminated fire extinguishing water separately. This must

not be discharged into drains.

Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

Version 12.18 Revision Date 02.01.2025 Print Date 12.02.2025

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up and shovel.

Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

No special handling advice required.

For personal protection see section 8. No special handling advice required.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against fire :

and explosion

Normal measures for preventive fire protection.

Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

Keep container tightly closed in a dry and well-ventilated place. Store

at room temperature in the original container.

Advice on common storage : No special restrictions on storage with other products.

Further information on storage

stability

No decomposition if stored and applied as directed.

Protect from frost.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Eye/face protection : not required under normal use

according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

Version 12.18 Revision Date 02.01.2025 Print Date 12.02.2025

Hand protection

Material : not required under normal use

Material : For prolonged or repeated contact use protective gloves.

It is suggested the usage of chemical resistant gloves made of butyl

rubber or nitrile rubber category III according to EN 374.

As alternative, a different type of gloves might be used if,

accordingly to the recommendations of the producer, guarantee the

same level of protection.

Remarks : Take note of the information given by the producer concerning

permeability and break through times, and of special workplace

conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : not required under normal use

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : blue

Odour : characteristic

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : Not classified as supporting combustion according to the transport

regulations.

Lower explosion limit : No data available
Upper explosion limit : No data available

Flash point : 60,1 °C

according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

Version 12.18 Revision Date 02.01.2025 Print Date 12.02.2025

Ignition temperature : No data available
Decomposition temperature : No data available
pH : ca. 8,6, 100 %

at 20 °C

Viscosity, dynamic : No data available Viscosity, kinematic : No data available

Water solubility : soluble

Solubility in other solvents : No data available
Partition coefficient: n- : No data available

octanol/water

Vapour pressure : No data available

Density : ca. 1,005 g/cm3 at 20 °C

Relative density : No data available
Relative vapour density : No data available
Particle characteristics : No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

Version 12.18 Revision Date 02.01.2025 Print Date 12.02.2025

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.

Our company does not place any orders for animal testing for the finished product or the ingredients. However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

Acute toxicity

Acute toxicity : Not Rated

Components:

ethanol

64-17-5:

Acute oral toxicity : LD50 Oral (Rat): 10.470 mg/kg

Method: OECD Test Guideline 401

LD50 (Rat): 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 51 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

LD50 Dermal (Rabbit): > 10.000 mg/kg Method: OECD Test Guideline 402

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Acute oral toxicity : LD50 Oral (Rat): 4.100 mg/kg

Method: OECD Test Guideline 401

GLP: no

LD50 Oral (Rat): 2.870 mg/kg Method: OECD Test Guideline 401

LD50 (Rat): 7.400 mg/kg

Method: OECD Test Guideline 401

LD50 (Rat): 2.000 - 5.000 mg/kg Method: OECD Test Guideline 401

LD50 (Rat): > 2.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Alcohols, C10-16, ethoxylated propoxylated

69227-22-1:

according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

Version 12.18 Revision Date 02.01.2025 Print Date 12.02.2025

Acute oral toxicity : LD50 Oral: 1.800 mg/kg

D-Glucopyranose, oligomers, decyl octyl glycosides

68515-73-1:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : (Rabbit): > 2.000 mg/kg

Method: OECD Test Guideline 402

1-phenoxypropan-2-ol

770-35-4:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5,4 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Skin corrosion/irritation

Product:

Remarks : According to the classification criteria of the European Union, the

product is not considered as being a skin irritant.

Components:

ethanol

64-17-5:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Species : Rabbit

Assessment : Irritating to skin.

Method : OECD Test Guideline 404

Alcohols, C10-16, ethoxylated propoxylated

69227-22-1:

Method : OECD Test Guideline 404

Result : Mild skin irritation

Remarks : According to the classification criteria of the European Union, the

product is not considered as being a skin irritant.

D-Glucopyranose, oligomers, decyl octyl glycosides

68515-73-1:

Species : Rabbi

Method : OECD Test Guideline 404

according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

Version 12.18 Revision Date 02.01.2025 Print Date 12.02.2025

Result : Mild skin irritation

Serious eye damage/eye irritation

Product:

Remarks : According to the classification criteria of the European Union, the

product is not considered as being an eye irritant.

Components:

ethanol

64-17-5:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Mild eye irritation

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Species : Rabbit

Assessment : Risk of serious damage to eyes.

Method : OECD Test Guideline 405

Alcohols, C10-16, ethoxylated propoxylated

69227-22-1:

Method : OECD Test Guideline 405
Result : Risk of serious damage to eyes.

D-Glucopyranose, oligomers, decyl octyl glycosides

68515-73-1:

Species : Rabbit

Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

1-phenoxypropan-2-ol

770-35-4:

Result : Eye irritation

Respiratory or skin sensitisation

Product:

Remarks : No data available

Components:

ethanol 64-17-5:

Result : Not a skin sensitizer.

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

Version 12.18 Revision Date 02.01.2025 Print Date 12.02.2025

Result : Does not cause skin sensitisation.

D-Glucopyranose, oligomers, decyl octyl glycosides

68515-73-1:

Species : Guinea pig

Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Germ cell mutagenicity : Not Rated

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: negative

D-Glucopyranose, oligomers, decyl octyl glycosides

68515-73-1:

Genotoxicity in vitro : Test Type: Ames test

Method: OECD Test Guideline 471

Result: negative

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ

toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ

toxicant, repeated exposure.

Repeated dose toxicity

Components:

ethanol

64-17-5:

Species : Rat, male NOAEL : > 20 mg/kg

Method : OECD Test Guideline 403

Species : Rat, female NOAEL : 1.730 mg/kg

Method : OECD Test Guideline 408

Aspiration toxicity : Not Rated

according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

Version 12.18 Revision Date 02.01.2025 Print Date 12.02.2025

11.2 Information on other hazards

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

ethanol 64-17-5:

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)): 13 g/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): 8.150 mg/l

Exposure time: 48 h

LC50 (Pimephales promelas (fathead minnow)): > 0,1 g/l

Exposure time: 96 h

LC50 (Fish): 11.200 mg/l

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 12.340 mg/l

Exposure time: 48 h

EC50: 5.012 mg/l

Toxicity to algae/aquatic plants : EC50 (Chlo

EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

Test Type: Growth inhibition Method: OECD Test Guideline 201

EC50 (Scenedesmus capricornutum (fresh water algae)): 12.900

mg/l

Exposure time: 48 h

Test Type: Growth inhibition Method: No information available.

EC0 (Scenedesmus quadricauda (Green algae)): 5.000 mg/l

Exposure time: 168 h

EC50: 4.432 mg/l

EC10: 11,5 mg/l

EC10: 280 mg/l

Toxicity to microorganisms : EC50 (Pseudomonas putida): 11.800 mg/l

Exposure time: 16 h

Test Type: Cell multiplication inhibition test

according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

Version 12.18 Revision Date 02.01.2025 Print Date 12.02.2025

Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.hydroxy-, C12-14-alkyl ethers, sodium salts

68891-38-3:

Toxicity to fish LC50 (Danio rerio (zebra fish)): 7,1 mg/l

> Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203

GLP: ves

LC50 (Fish): > 1 - 10 mg/l Test Type: semi-static test

Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l

Method: OECD Test Guideline 203

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l

Exposure time: 28 d Test Type: flow-through test Method: OECD Test Guideline 204

LC50 (Brachydanio rerio (zebrafish)): 1 - 10 mg/l

Test Type: flow-through test Method: OECD Test Guideline 203

LC50 (Brachydanio rerio (zebrafish)): 7,1 mg/l

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 7,4 mg/l

Exposure time: 48 h Test Type: Immobilization

Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 0,27 mg/l

Exposure time: 21 d Test Type: flow-through test Method: OECD Test Guideline 211

(Daphnia magna (Water flea)): 7,2 mg/l

Exposure time: 48 h

LC50: 1,17 mg/l Exposure time: 96 h

EC50: 7,2 mg/l Exposure time: 48 h

Toxicity to algae/aquatic plants EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l

> Exposure time: 72 h Test Type: Growth inhibition

Method: OECD Test Guideline 201

GLP: yes

EC50 (Scenedesmus subspicatus): 10 - 100 mg/l

Method: OECD Test Guideline 201

according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

Version 12.18 Revision Date 02.01.2025 Print Date 12.02.2025

EC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

NOEC: 0,95 mg/l

Test Type: Growth inhibition

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 0,93 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

ErC50 (algae): 27 mg/l Exposure time: 72 h

NOEC (algae): 0,93 mg/l Exposure time: 72 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 10 g/l

Exposure time: 16 h

Test Type: Cell multiplication inhibition test

Method: DIN 38412

GLP: yes

EC10 (Pseudomonas putida): > 10 g/l Test Type: Cell multiplication inhibition test

Toxicity to fish (Chronic toxicity) : NOEC: 1 - 10 mg/l

Species: Leuciscus idus (Golden orfe)

NOEC: 0,14 mg/l Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 204

NOEC: 0,2 mg/l Exposure time: 28 d Species: Fish

NOEC: > 0,1 - 1 mg/l Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 204

Toxicity to daphnia and other aquatic invertebrates (Chronic

toxicity)

NOEC: > 0,1 - 1 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

EC50: 0,37 mg/l Exposure time: 21 d

0,74 mg/l

Exposure time: 21 d

NOEC: 0,27 mg/l Exposure time: 21 d

according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

Version 12.18 Revision Date 02.01.2025 Print Date 12.02.2025

Toxicity to soil dwelling

organisms Exposure time: 96 d

Species: Eisenia fetida (earthworms)

Method: OECD Test Guideline 222

Alcohols, C10-16, ethoxylated propoxylated

69227-22-1:

Toxicity to fish LC50 (Brachydanio rerio): > 1 - 10 mg/l

> Test Type: semi-static test Method: ISO 7346/2

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Acartia tonsa): > 1 - 10 mg/l

Exposure time: 48 h

NOEC: 750 mg/kg

EC50 (Scenedesmus subspicatus): > 1 - 10 mg/l Toxicity to algae/aquatic plants

Exposure time: 72 h

EC10 (Scenedesmus subspicatus): > 1 mg/l

Exposure time: 72 h

Toxicity to microorganisms EC0 (Pseudomonas putida): > 100 mg/l

Exposure time: 30 min

Method: OECD Test Guideline 209

D-Glucopyranose, oligomers, decyl octyl glycosides

68515-73-1:

Toxicity to fish LC50 (Brachydanio rerio (zebrafish)): 100,81 mg/l

Exposure time: 96 h

NOEC (Brachydanio rerio (zebrafish)): 1,8 mg/l

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

NOEC (Daphnia magna (Water flea)): 1,0 mg/l

EC50 (Scenedesmus subspicatus): 27,22 mg/l Toxicity to algae/aquatic plants

Exposure time: 72 h

1-phenoxypropan-2-ol

770-35-4:

Toxicity to fish LC50 (Leuciscus idus (Golden orfe)): > 220 - 460 mg/l

Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 280 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 370 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

> Exposure time: 72 h Test Type: static test

according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

Version 12.18 Revision Date 02.01.2025 Print Date 12.02.2025

EC50 (Desmodesmus subspicatus (green algae)): 74,5 mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC50 (Bacteria): > 1.000 mg/l

Exposure time: 17 h

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies

(comply) with the biodegradability criteria as laid down in Regulation

(EC) No. 648/2004 on detergents.

Components:

ethanol 64-17-5:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 97 %

Method: OECD Test Guideline 301

Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

68891-38-3:

Biodegradability : Test Type: aerobic

Result: rapidly biodegradable Biodegradation: > 70 % Exposure time: 28 d Method: OECD 301 A

Test Type: anaerobic Result: Biodegradable Biodegradation: > 60 % Exposure time: 41 d

Alcohols, C10-16, ethoxylated propoxylated

69227-22-1:

Biodegradability : Remarks: Readily biodegradable, according to appropriate OECD

test.

The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a

detergent manufacturer.

D-Glucopyranose, oligomers, decyl octyl glycosides

68515-73-1:

Biodegradability : Result: rapidly biodegradable

Biodegradation: 100 % Exposure time: 28 d Method: OECD 301 E

1-phenoxypropan-2-ol

770-35-4:

according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

Version 12.18 Revision Date 02.01.2025 Print Date 12.02.2025

Biodegradability : Biodegradation: 72 %

Exposure time: 28 d Method: OECD 301 F

12.3 Bioaccumulative potential

Components:

ethanol 64-17-5:

Bioaccumulation : Concentration: 3,2 mg/l

Partition coefficient: n-

octanol/water

log Pow: -0,32

Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

68891-38-3:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

1-phenoxypropan-2-ol

770-35-4:

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water,

accumulation in organisms is not expected.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts, Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, C12-14-alkyl ethers, sodium salts

68891-38-3:

Assessment : This substance is not considered to be very persistent and very

bioaccumulating (vPvB).. This substance is not considered to be

persistent, bioaccumulating and toxic (PBT).

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste handling

site for recycling or disposal.

according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

Version 12.18 Revision Date 02.01.2025 Print Date 12.02.2025

SECTION 14: Transport information

14.1 UN number or ID number

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

IMDG

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

Remarks Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and

the Council concerning the export and import of dangerous

chemicals

REACH - Restrictions on the manufacture, placing on the

market and use of certain dangerous substances, mixtures and

articles (Annex XVII)

: Not applicable

: Not applicable

according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

Version 12.18 Revision Date 02.01.2025 Print Date 12.02.2025

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

TA Luft List (Germany) : Total dust: Not applicable

Inorganic substances in powdered form: Not applicable

: Inorganic substances in vapour or gaseous form: : portionClass 3: <

0,01 %

Organic Substances: : portionClass 1: 0,09 % Carcinogenic substances: Not applicable

: Mutagenic: Not applicable

: Toxic to reproduction: Not applicable

Volatile organic compounds

(VOC) content

: Directive 2010/75/EU of 24 November 2010 on industrial emissions

(integrated pollution prevention and control)

Update: Percent volatile: 2,9 %

236,63 g/l

VOC content excluding water

Volatile organic compounds

(VOC) content

Directive 2010/75/EU of 24 November 2010 on industrial emissions

(integrated pollution prevention and control)

Update: Percent volatile: 2,9 %

29,12 g/l

VOC content valid only for coating materials used on wood surfaces

according to Detergents

Regulation EC 648/2004

: <5% anionic surfactants, non-ionic surfactants, soap, perfumes,

PHENOXYETHANOL

GISBAU (D) : GU 55

15.2 Chemical safety assessment

There is no data available for this product.

SECTION 16: Other information

Full text of H-Statements

H225 : Highly flammable liquid and vapour.

H302 : Harmful if swallowed.
H315 : Causes skin irritation.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.

H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage
Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
Skin Irrit. : Skin irritation

according to Regulation (EC) No. 1907/2006, as amended



TANET SR 15

WM 0712480 Order number: 0712480

Version 12.18 Revision Date 02.01.2025 Print Date 12.02.2025

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Classification procedure:

On basis of test data.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN

500000002785