

Technical Data Sheet

UltraSpeed Pro r-MicroSpeed Max mop

International article number

173476 (40 cm, CC)

Product classification

Flat mopping

Fibre composition

100% Polyester

Technical data

	Typical value	Unit
Weight per mop	118	g
Absorption capacity	248	%



Product properties and application

- Premium cut pile single sided microfibre mop
- To be used with UltraSpeed Pro frames
- With extra dense 4D-cleaning structure for effective cleaning even on structured floors:
 - Super fine microfiber for intensive cleaning without aggressive chemicals
 - Diagonal scrub zones to loosen sticky dirt and
 - Water channels for perfect liquid transport
 - Outer loops for reliable particle and hair collection
- Mono-material, 100% recyclable containing up to 36% recycled polyester
- Up to 99.99% virus removal tested with Bovine coronavirus on vinyl surfaces at a 3rd party lab
- Up to 99.99% bacteria removal tested with P. aeruginosa & S. aureus on vinyl surfaces at a 3rd party lab
- User-friendly I-strip mop attachment
- With R/B/G/Y colour code tags for identification and individual adaptation to hygiene systems
- Durability up to 500 washes tested at internal lab with chemical-thermal disinfection at 60°C
- For high performance cleaning and corner cleaning on all kind of hard floors, specialist on structured floors
- Suitable for bucket press cleaning
- Made in Europe

Washing recommendation

- Ideal conditions: 60°C, avoid high alkalinity and strong bleaching activity (do not use chlorine bleach), wash with similar colours
- Maximum washing temperature: 95°C

Storage, disposal and end-of life

Keep palletized products in a cold and dry place. Avoid exposure to direct sunlight. Product is not subject to transportation regulations for hazardous substances or chemicals. Disposal via landfill or incineration possible, please respect local regulations. This product is composed out of one single material, and thus is designed for material recycling.


Quality assurance / Compliance with international standards

This product is compliant to our internal quality standards and external regulations.

Date: 2023/09/06

ALL INFORMATION CONTAINED HEREIN IS GIVEN ON AN "AS IS" BASIS AND BASED ON OUR CURRENT KNOWLEDGE. NO WARRANTY, WRITTEN OR ORAL, EXPRESSED OR IMPLIED IS GIVEN BY US OR MAY BE INFERRED FROM A COURSE OF DEALING OR USAGE OF TRADE NEITHER BASED ON ADVERTISEMENTS, CONCLUDING ACTION NOR COMMERCIAL USE. TO THE EXTENT ALLOWED BY LOCAL LAW WE DISCLAIM ALL IMPLIED WARRANTIES OR CONDITIONS INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND WARRANTIES OF NON-INFRINGEMENT. TECHNICAL DATA ARE TYPICAL VALUES AND SUBJECT TO A CERTAIN TOLERANCE AND VARIATIONS AND CAN BE CHANGED WITHOUT FURTHER PRIOR NOTICE. SOLELY THE CUSTOMER SHALL BE RESPONSIBLE TO ASSESS THE SUITABILITY OF OUR PRODUCTS FOR ANY INTENDED USES AS WELL AS ALL RELEVANT HEALTH, SAFETY AND ENVIRONMENT PROPERTIES AND RISKS.

UltraSpeed Wringer



1. INTERNATIONAL ARTICLE NUMBER:

113971

2. PRODUCT CLASSIFICATION:

- Floor cleaning
- For UltraSpeed flat mopping system

3. COMPOSITION:

- Plastic parts: Funnel Support: Polypropylene (PP)
Funnel Press: Polypropylene (PP)

4. TECHNICAL DATA:

	Typical Value	Unit
Weight of wringer	620	g

5. PRODUCT PROPERTIES & PRODUCT USAGE

- Part of the UltraSpeed system
- Easy fixation on the UltraSpeed buckets
- Strong funnel and support to achieve in an ergonomic way maximum wringing results
- Robust structure
- Inner handle holder for convenient storage of the handle

6. STORAGE, TRANSPORTATION & DISPOSAL

Keep palletized products in a cold and dry place. Avoid exposure to direct sunlight. Product is not subject to transportation regulations for hazardous substances or chemicals. Disposal via landfill or incineration possible.

7. QUALITY APPROVALS / COMPLIANCE WITH INTERNATIONAL STANDARDS


This product is manufactured conforming to appropriate standards within FHP Quality System.

Date: 2005/09/27

TECHNICAL DATA SHEET



UltraSpeed Pro Frame (40cm)



1. INTERNATIONAL ARTICLE NUMBER:

146963 US Pro Frame (10)

2. PRODUCT CLASSIFICATION:

Plastic frame for UltraSpeed mops

3. COMPOSITION:

- Plastic parts: Frame body: Polypropylene
Foot pedal: Polyamide
Swivel joint: Polyamide
Bridge for swivel joint: Polypropylene
Bushing: Polyoxymethylene
Euro clip: Polyamide
Screw connector: Polypropylene
- Metal parts: Metal axis, Metal ball, Springs, spheres: Stainless Steel
Tube rivet: Brass

4. TECHNICAL DATA:

	Typical Value	Unit
Weight 40 cm frame	491	g

5. PRODUCT PROPERTIES & PRODUCT USAGE

- For all types of UltraSpeed mops
- Works with both UltraSpeed Pro and UltraSpeed Press's
- For floor, side walls and ceiling cleaning
- Effective on stairs, corners and difficult-to-be-reached areas
- Swivel joint with ball bearings for easy cleaning of vertical surfaces
- Ergonomic working due to lightweight construction
- Easy to put mop on and off the frame due special mop attachment without mechanical parts
- Thin frame to reach under narrow areas

6. STORAGE, TRANSPORTATION & DISPOSAL

Keep palletized products in a cold and dry place. Avoid exposure to direct sunlight. Product is not subject to transportation regulations for hazardous substances or chemicals. Disposal via landfill or incineration possible.

7. QUALITY APPROVALS / COMPLIANCE WITH INTERNATIONAL STANDARDS

This product is manufactured conforming to appropriate standards within FHCS Quality System.

Date: 2014/08/13

Freudenberg Home and Cleaning Solutions GmbH
Regional Technical Centre
Höhnerweg 2 – 4, Bau 149
D – 69465 Weinheim

Telefon: +49 (0) 6201 80 - 4336
Fax: +49 (0) 6201 88 - 4339



All information contained herein is given according to our specifications and best knowledge without any warranty or guarantee and can be changed without further notice. The suitability of our products to our customers specific applications and conditions of use has to be determined by our customers. In particular, product users shall not be released from their duty to check all health, safety and environment relevant properties of the delivered goods under their specific conditions of use.

Technical Data Sheet

Bucket 15L

Local Article Number

508242

Product classification

Floor cleaning system

Composition

Body	Polypropylene
Bail:	Zinc plated mild steel
Grip	Polypropylene



Technical data

	Typical value	Unit
Width	28	cm
Depth	36	cm
Height	27	cm
Weight	822	g

Product properties and application

- 15L bucket for use as part of double bucket system
- Fits on the Origo and VoleoPro trolley systems and UltraSpeed Pro Chassis
- Colour coding clips offer simple identification of different application areas

Storage, disposal and end-of life

Keep palletized products in a cold and dry place. Avoid exposure to direct sunlight. Product is not subject to transportation regulations for hazardous substances or chemicals. Disposal via landfill or incineration possible. Please respect local regulations.

Quality assurance / Compliance with international standards

This product is compliant to our internal quality standards and external regulations.

Date: 2023/05/09

ALL INFORMATION CONTAINED HEREIN IS GIVEN ON AN "AS IS" BASIS AND BASED ON OUR CURRENT KNOWLEDGE. NO WARRANTY, WRITTEN OR ORAL, EXPRESSED OR IMPLIED IS GIVEN BY US OR MAY BE INFERRED FROM A COURSE OF DEALING OR USAGE OF TRADE NEITHER BASED ON ADVERTISEMENTS, CONCLUDING ACTION NOR COMMERCIAL USE. TO THE EXTENT ALLOWED BY LOCAL LAW WE DISCLAIM ALL IMPLIED WARRANTIES OR CONDITIONS INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND WARRANTIES OF NON-INFRINGEMENT. TECHNICAL DATA ARE TYPICAL VALUES AND SUBJECT TO A CERTAIN TOLERANCE AND VARIATIONS AND CAN BE CHANGED WITHOUT FURTHER PRIOR NOTICE. SOLELY THE CUSTOMER SHALL BE RESPONSIBLE TO ASSESS THE SUITABILITY OF OUR PRODUCTS FOR ANY INTENDED USES AS WELL AS ALL RELEVANT HEALTH, SAFETY AND ENVIRONMENT PROPERTIES AND RISKS.